

SPECIFICATIONS

General

Print & Copy Speed	A4: 20/25 ppm A3: 10/12 ppm
Warm-up Time	~ 13 seconds from low power mode
Paper Size & Weight	Cassette: A5R-A3, 60-163 g/m ² Bypass: 100 x 148 mm-A3, 60-209 g/m ²
Paper Capacity	Cassette: 1x 250 sheets, Bypass: 1x 100 sheets, max. 2,900 sheets
Inner Output Tray	550-sheet capacity
Automatic Duplex	A5R, A4R, A4, A3, special formats ¹⁾ , 60-163 g/m ²
Controller Type	Toshiba e-BRIDGE Next
Control Panel	26 cm (10.1") Multi-Touch Colour Panel
Memory	Toshiba Secure HDD 320 GB ²⁾ , Standard: 2 GB RAM, max. 4 GB RAM ¹⁾
Interface	10Base-T/100Base-TX/1000Base-T, High Speed USB 2.0, WLAN ¹⁾ (IEEE802.11b/g/n), Bluetooth ¹⁾ , Wi-Fi Direct ¹⁾
Dimensions & Weight	575 x 585 x 662 mm (W x D x H), ~ 57 kg
Starter-Kit	Drums, developer and waste toner box

Print

Resolution	600 x 600 dpi (5 bit), 600 x 1,200 dpi (1 bit) with PostScript driver only
Page Description Language	PCL5e, PCL5c, PCL6 (PCL XL), XPS, and PostScript 3 compatible
Supported Systems	Windows 10/8.1/7/Server 2008 (32/64 bit), Windows Server 2016/Server 2012 R2/Server 2012/ Server 2008 R2 (64 bit), Mac OS X 10.6.8-10.13, Linux/Unix, Citrix, Novell SLES, SAP, AS/400
Network Protocols	TCP/IP (IPv4/IPv6), IPX/SPX, EtherTalk, NetBios over TCP/IP
Colour Modes	Auto-Colour (ACS), Colour, Twin Colour, Monochrome
Colour Settings	ICC profile colour management, RGB substitution, Brightness, Saturation, Contrast, Colour Balance
Mobile Printing	e-BRIDGE Print & Capture, AirPrint, Mopria Print Service, Google Cloud Print
Print Functions	Universal Printer Driver, Driver Templates, Print from USB, Hold print, Tandem printing, E-Mail direct printing

Scan

Resolution	max. 600 x 600 dpi
Scan Speed	Reversing Automatic Document Feeder (RADF) ¹⁾ : up to 73 ipm (300 dpi) in colour and monochrome
Scan Modes	Auto-Colour (ACS), Colour, Greyscale, Monochrome
File Formats	JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PDF, PDF/A (A-1, A-2), Searchable PDF ¹⁾ (and other formats like DOCX, XLSX) ¹⁾
Scan Functions	WS Scan, Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP, FTPS, IPX/SPX, Local), Meta Scan ¹⁾ , OCR scan ¹⁾ , Scan to Box (e-Filing), WIA, TWAIN

Copy

Resolution	Scan: 600 x 600 dpi Print: 600 x 600 dpi (5 bit), equiv. 2,400 x 600 dpi with smoothing (monochrome only)
First Copy Output Time	Colour: ~ 9.5 seconds Monochrome: ~ 7.1 seconds
Zoom	Platen: 25-400%, RADF: 25-200% ¹⁾
Copy Modes	Text, Text/Photo, Photo, Printed Image, Map, Image Smoothing
Colour Modes	Auto-Colour (ACS), Full Colour, Twin Colour, Mono Colour, Monochrome
Colour Settings	Hue, Saturation, Colour Balance, RGB adjustment, 5 one-touch modes
Copy Functions	Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1 / 4-in-1 mode

Fax¹⁾

Communication	Super G3, G3 - (opt. 2 nd line), Internet Fax T.37 ³⁾
Transmission Speed	~ 3 seconds per page
Compression	JBIG, MMR, MR, MH
Fax Memory	1 GB Transmission/Reception
Network-Fax	Driver for Windows 10/8.1/7/Server 2008 (32/64 bit), Windows Server 2016/Server 2012 R2/Server 2012/ Server 2008 R2 (64 bit)
Incoming Fax Routing	To shared folders (SMB, FTP, IPX/SPX), E-Mail, e-Filing

System & Security

Device Management	e-BRIDGE Fleet Management System ¹⁾ , Top Access for remote administration and configuration
System Features	e-Filing document server for secure storage, Document distribution and Print-on-Demand (1 public box, 200 user boxes), 12,060 one-touch templates for storage of personalised settings or workflows, Scan/Fax Preview, Rip-while-Print, e-BRIDGE Open Platform ¹⁾ , Embedded Web Brow- ser, Job Skip, PCL Barcode printing,
Accounting & Security	Role Based Access, LDAP support, 1,000 department & 10,000 user codes, Card Reader ¹⁾ , Private print, Standard data encryption with Toshiba Secure HDD, Data Overwrite Enabler ¹⁾ , IP and MAC address filter, Port filter, Support of SSL and IPsec ¹⁾ protocols, IEEE802.1x support, CC certified (ISO/ IEC15408) with HDC-PP v1.0 ¹⁾ , Scan to Secure PDF



¹⁾ Optional

²⁾ 1 GB = 1 billion bytes; the actual formatted capacity is less. Available capacity will also be less if software applications are pre-installed.

³⁾ Requires additional memory.

⁴⁾ See technical manuals.

⁵⁾ Expected to be available from spring 2019. Service may vary from country to country.

Goods return form

Goods to be returned within 14 days of invoice.

ReturnsCriteria: Damaged goods or incorrect order received only.

To	erava technologies Inc.
	Returns department
	Demo Street 111
	00000 Demo City

Date:

Please complete in block capitals

Number	Description	Quantity

Mandatory Information

No.:	Order No.:
Contact name:	Date received:
Tel No.:	

Reasons for returning goods:

- Damaged ☐
 Duplicated order ☐
 Incorrect ☐
 Other ☐

Additional information

- Goods condition: _____
 Return date: _____
 Pick-up or sent: _____
 Authorised by: _____

Comments

1. All shortages must be reported within 48hrs of goods receipt.

2. Please keep a copy for your records.

3. A credit will only be raised upon authorisation by erava technologies Inc.

4. Credit for valid returns will be processed by erava technologies Inc. one month following receipt.

5. Returns will not be processed unless the goods return form is fully completed.

6. Please refer to the Procedures Manual for full terms and conditions prior to returning any goods.



YOUR OFFICE SUPPLIES SERVICE PROVIDERS

erava Office supplies • Demo street 1-3 • D-12345 Sample town

John Doe
Demo Street 2
12345 Sample town
GERMANY

Invoice

Please specify when making payment / inquiries

Customer number 195012
Order number 16348109
Invoice number 81900163
Invoice date 08.10.2021
Delivery date 10.10.2021
Order type e-Mail
Order 480034
Processing number

This order has been processed for you:

Processor Maria Zimmer
Phone 0123-456710
Fax 0123/4567 - 3
E-Mail m.zimmer@eravatechnologies.com

Item No	Description	Quantity	Price PU	Amount	Discount	Total
1383647-RO	Folder A4 / 8cm plastic cover outside red Leitz 1010 with 180 degree lever mechanism - with changing window Please note that this article from 100 PU (sales units) will only be delivered to the first lockable door by forwarding agency (delivery time approx. 5 working days).	40	3,39\$	135,60\$		135,60\$
1383908-RO	Folder A4 / 5cm plastic cover outside red Leitz 1015 with 180 degree lever mechanism - with changing window	20	3,39\$	67,80\$		67,80\$

Subtotal	203,40\$
Packing & Shipping	0,00\$
Total excluding VAT.	203,40\$
VAT 10%	38,65\$
Total incl. VAT.	242,05\$

Payment method: Invoice [14 days, net]

The invoice amount in the amount of \$ 242.05 is due without deductions on October 22, 2021

Please transfer the amount due to:

erava Technologies GmbH
IBAN DE12 3456 0000 0099 1235 66
BIC ABCDDEFF, Postbank Musterdorf

Thank you for your order.

The place of jurisdiction for both sides is Sample town. Extended retention of title applies.
Our general terms and conditions known to you apply exclusively.

Page 1/1

IBAN DE 12 3456 0000 0099 1235 66
BIC ABCDDEFF (Postbank Musterdorf)
E-Mail info@eravatechnologies.com
Phone +49 (0)123 456710
Fax +49 (0)123 4567 - 3

erava Technologies GmbH
Demo street 1-3
D-12345 Sample town