URINALYSIS, MACRO W/ MICROSCOPIC, CULTURE IF INDICATED

Collected on Jan 31, 2025 1:29 PM

Altais

Results

URINE SPECIMEN TYPE AND SOURCE

Value
Clean Catch Urine

Urinary Tract(Site)

Urine Color
Normal value: Yellow

Value
Dark yellow

Abnormal

Urine Appearance
Normal value: Clear

Value
Clear

Urine Spec Gravity
Normal range: 1.005 - 1.030



Urine pH
Normal range: 5.0 - 8.0

Urine Leuk Esterase
Normal value: Neg

Value
Neg

Urine Nitrites
Normal value: Neg

Value
Neg

Urine Protein
Normal value: Neg

Value
Trace

Abnormal

Urine Glucose
Normal value: Neg

Value
Neg

Urine Ketones
Normal value: Neg

Value
Trace

Abnormal

Urine Urobilinogen
Normal range: 0.2 - 1.0 EU/dL

Urine Bilirubin
Normal value: Neg

Value
Neg

Urine Blood
Normal value: Neg

Value
Neg

Urine WBCs
Normal range: 0 - 5 /(hpf)

Value
0-5

Urine culture not indicated, culture not performed.

Urine RBCs
Normal range: 0 - 2 /(hpf)

Value
0-2

Urine Epithel Cells
Normal value: Neg /(lpf)

Value
SEE NOTES

Neg

Urine Casts
Normal value: Neg /(lpf)

Value
SEE NOTES

Abnormal

Present
RARE Hyaline

Urine Bacteria
Normal value: Neg /(hpf)

Value
Neg

Micro Culture Indicated

Value
Urine culture not indicated

Authorizing provider: GENERIC EXTERNAL DATA PROVIDER
Collection date: Jan 31, 2025 1:29 PM
Result date: Feb 01, 2025 2:40 AM
Result status: Final
Resulting lab:
SUTTER HEALTH SHARED LAB
2950 Collier Canyon Rd
Livermore CA 94551

MyChart® licensed from Epic Systems Corporation© 1999 - 2026