Name: Paris Apostolopoulos | DOB: 5/17/1974 | Legal Name: Paraskevas Apostolopoulos

CMPG

Collected on Jan 31, 2025 1:27 PM

Altais

Results

Sodium
Normal range: 136 - 145 mmol/L

Potassium
Normal range: 3.5 - 5.1 mmol/L



Chloride
Normal range: 98 - 110 mmol/L

Note New Normal Range

Bicarbonate
Normal range: 21 - 32 mmol/L



Glucose
Normal range: 70 - 100 mg/dL



The diagnosis of diabetes can be made if FPG >125 mg/dL on two separate days, if random glucose is at least 200 mg/dL in the presence of symptoms of diabetes, or if glucose is at least 200 mg/dL 2 hours after a 75 gram glucose load.

BUN
Normal range: 6 - 25 mg/dL

Creatinine
Normal range: 0.5 - 1.3 mg/dL

IDMS-traceable method

Calcium
Normal range: 8.6 - 10.5 mg/dL

Total Protein
Normal range: 5.8 - 7.6 g/dL

Albumin
Normal range: 3.2 - 4.7 g/dL

Bilirubin-Total
Normal value: <1.3 mg/dL

Alkaline Phosphatase
Normal range: 26 - 137 U/L

Value
1.1



AST
Normal range: 0 - 37 U/L

ALT
Normal range: 12 - 63 U/L



eGFR
Normal value: >60 See Cmnt

Value
59

Low

Units: mL/min/1.73 m2. Estimated glomerular filtration rate values are calculated using the CKD-EPI Creatinine 2021 equation (non-race based).

Authorizing provider: GENERIC EXTERNAL DATA PROVIDER
Collection date: Jan 31, 2025 1:27 PM
Result date: Feb 01, 2025 2:28 AM
Result status: Final
Resulting lab:
SUTTER HEALTH SHARED LAB
2950 Collier Canyon Rd
Livermore CA 94551

MyChart® licensed from Epic Systems Corporation© 1999 - 2026