Name: Paris Apostolopoulos | DOB: 5/17/1974 | Legal Name: Paraskevas Apostolopoulos

CMPG

Collected on Nov 03, 2023 9:44 AM

Altais

Results

Sodium
Normal range: 136 - 145 mmol/L



Potassium
Normal range: 3.5 - 5.1 mmol/L

Chloride
Normal range: 100 - 110 mmol/L

Bicarbonate
Normal range: 21 - 32 mmol/L



Glucose
Normal range: 70 - 100 mg/dL

Impaired fasting glucose,a form of pre-diabetes,is defined by the ADA as FPG of 100-125 mg/dL.

BUN
Normal range: 6 - 25 mg/dL



Creatinine
Normal range: 0.5 - 1.3 mg/dL

IDMS-traceable method
Note New Normal Range

Calcium
Normal range: 8.6 - 10.5 mg/dL



Total Protein
Normal range: 5.8 - 7.6 g/dL



Albumin
Normal range: 3.2 - 4.7 g/dL

Bilirubin-Total
Normal value: <1.3 mg/dL

Alkaline Phosphatase
Normal range: 26 - 137 U/L

Value
0.9

AST
Normal range: 0 - 37 U/L

ALT
Normal range: 12 - 63 U/L

eGFR
Normal value: >60 See Cmnt

Value
88

Units: mL/min/1.73 m2. Estimated glomerular filtration rate values are calculated using the CKD-EPI Creatinine 2021 equation (non-race based).

Authorizing provider: VAZQUEZ, ROBERT C.
Collection date: Nov 03, 2023 9:44 AM
Result date: Nov 04, 2023 1:35 AM
Result status: Final
Resulting lab:
SUTTER HEALTH SHARED LAB
2950 Collier Canyon Rd
Livermore CA 94551

MyChart® licensed from Epic Systems Corporation© 1999 - 2026