COMPLETE BLOOD CELL COUNT

Collected on Nov 01, 2022 10:03 AM

If you have questions or concerns regarding your test results, contact the clinician who ordered the test.



Janet Lam, NP 11/3/2022, 5:04 PM

PARIS,

Jenna is out of the office today, I am helping cover her.

Your lab results are back:

-Gonorrhea and chlamydia no infection
-Syphilis no infection
-A1C (3 month average blood sugar) normal, no prediabetes or diabetes
-Blood count normal
-HIV no infection
-Hepatitis C no infection
-Hepatitis B no infection
You do not have immunity to hepatitis B please call to schedule hepatitis b vaccine.
-Electrolytes, kidney and liver functions are normal, mild elevation of sugar during labs.
-Cholesterol high see below on how you can manage this.

Best,
Janet Lam, NP

If you have high cholesterol, it might help to avoid or limit red meat, butter, fried foods, cheese, and other foods that have a lot of saturated fat. Other things that might help lower cholesterol include:

Eating more soluble fiber - Soluble fiber is found in fruits, oats, barley, beans, and peas.

A vegetarian or vegan diet : A vegetarian diet contains no meat. A vegan diet contains no animal products at all, including meat, eggs, or milk.

Replacing meat with soy sometimes: Soy based products include tofu and tempeh.

In general, you can improve your health by eating lots of fruits, vegetables, and whole grains. You can also cut back on carbohydrates, sweets, and processed foods.

What about eggs? Eggs are OK if you want to eat them, but don't overdo it. The news often has stories about the health benefits or risks of eggs. The truth is, eggs are a good source of protein and do not raise cholesterol much. Saturated fats (like in red meat, butter, and fried foods) affect cholesterol levels more than eggs do.

There are some foods that seem to help lower cholesterol, including:

Foods rich in omega 3 fatty acids: Foods rich in omega-3 fatty acids include oily fish, and olive and canola oil. These foods seem to raise good cholesterol and might lower certain types of bad cholesterol. More important, studies show that people who eat lots of these foods are less likely than those who eat less of them to have heart disease. If you want, it's fine to eat 1 to 2 servings of oily fish a week (such as salmon, herring, or tuna).

Nuts: Some studies show that eating certain nuts, such as walnuts, almonds, and pistachios, can help lower cholesterol and even the risk of heart attack or death.
Fiber rich foods: Fiber rich foods, such as fruits, vegetables, beans, and oats, seem to lower cholesterol and are generally good for your health. Some doctors even recommend fiber supplements.

EXERCISE:
I encourage getting 150 minutes of aerobic exercise a week

Results

Patient fasting


White Blood Cell Count
Normal range: 4.0 - 11.0 K/uL




Red Blood Cell Count
Normal range: 4.40 - 6.00 M/uL



Hemoglobin
Normal range: 13.5 - 18.0 g/dL



Hematocrit
Normal range: 40.0 - 52.0 %



MCV
Normal range: 80.0 - 100.0 fL



MCH
Normal range: 27.0 - 33.0 pg



MCHC
Normal range: 31.0 - 36.0 g/dL



RDW
Normal value: <16.4 %

Value
12.0

Platelet Count
Normal range: 150 - 400 K/uL



Differential Type

Value
Automated

Neutrophil %
%

Value
43

Lymphocyte %
%

Value
39

Monocyte %
%

Value
7

Eosinophil %
%

Value
10

Basophil %
%

Value
1

Abs. Neutrophil
Normal range: 2.0 - 8.0 K/uL



Abs. Lymphocyte

Abs. Monocyte

Normal range: 1.0 - 5.1 K/uL



Normal range: 0.0 - 0.8 K/uL



Abs. Eosinophil

Normal range: 0.0 - 0.5 K/uL



Abs. Basophil

Normal range: 0.0 - 0.2 K/uL



NUCLEATED RBC AUTO

Normal value: 0.0 /100 WBC

Value
0.0

Authorizing provider: Jenna Gutierrez, NP
Collection date: Nov 01, 2022 10:03 AM
Specimens: Blood (Blood)
Result date: Nov 02, 2022 2:10 AM
Result status: Final
Resulting lab:
SUTTER HEALTH SHARED LABORATORY
2950 Collier Canyon Road
Livermore CA 94551
925-371-3800
Joan Etzell, MD (Lab director)

MyChart® licensed from Epic Systems Corporation© 1999 - 2026