Name: Paris Apostolopoulos | DOB: 5/17/1974 | Legal Name: Paraskevas Apostolopoulos

(CPMC) CBC W AUTO DIFF

Collected on Jun 10, 2021 10:10 AM

Altais

Results

WBC Count
Normal range: 4.0 - 11.0 K/uL

RBC Count
Normal range: 4.40 - 6.00 M/uL

Hemoglobin
Normal range: 13.5 - 18.0 g/dL



Hematocrit
Normal range: 40.0 - 52.0 %

MCV
Normal range: 80 - 100 fL



MCH
Normal range: 27.0 - 33.0 pg

MCHC
Normal range: 31.0 - 36.0 g/dL

RDW
Normal value: <16.4 %

Value
11.9

Platelet Count
Normal range: 150 - 400 K/uL



Diff Type

Value
Automated

Abs. Neutrophil
Normal range: 2.0 - 8.0 K/uL

Abs. Lymphocyte
Normal range: 1.0 - 5.1 K/uL

Abs. Monocyte
Normal range: 0.0 - 0.8 K/uL

Abs. Eosinophil
Normal range: 0.0 - 0.5 K/uL

Abs. Basophil

Normal range: 0.0 - 0.2 K/uL

CBC differentials are being reported as absolute counts whenever possible rather than %. If % is of clinical interest it can be calculated as absolute/WBC.

Nucleated RBC Auto

/100 WBC

Value

0.0

Authorizing provider: MARK S. MARIN
Collection date: Jun 10, 2021 10:10 AM
Result date: Jun 10, 2021 1:09 PM
Result status: Final
Resulting lab:
LAB - SUTTER WEST - CPMC

MyChart® licensed from Epic Systems Corporation© 1999 - 2026