(CPMC) COMP METABOLIC PNL

Collected on Jun 10, 2021 10:10 AM

Altais

Results

Sodium
Normal range: 136 - 145 mmol/L



Potassium
Normal range: 3.5 - 5.1 mmol/L

Chloride
Normal range: 98 - 107 mmol/L

Bicarbonate
Normal range: 21 - 32 mmol/L

Anion Gap
Normal range: 3 - 12 mmol/L

Glucose
Normal range: 70 - 99 mg/dL

BUN
Normal range: 7 - 18.0 mg/dL

Creatinine
Normal range: 0.50 - 1.30 mg/dL

IDMS-traceable method

eGFR-Other
Normal value: >60 See Cmnt

Value
99

eGFR-African American
Normal value: >60 See Cmnt

Value
114

Units: mL/min/1.73 m2. Estimated glomerular filtration rate values are calculated using the CKD-EPI equation

Calcium
Normal range: 8.5 - 10.1 mg/dL

Total Protein
Normal range: 6.2 - 8.5 g/dL



Albumin
Normal range: 3.4 - 5.0 g/dL

Bilirubin-Total
Normal value: <1.1 mg/dL

Value
0.7

Alkaline Phosphatase
Normal range: 50 - 136 U/L

AST
Normal range: 15 - 37 U/L

ALT
Normal range: 0 - 60 U/L

Authorizing provider: MARK S. MARIN
Collection date: Jun 10, 2021 10:10 AM
Result date: Jun 10, 2021 1:13 PM
Result status: Final
Resulting lab:
LAB - SUTTER WEST - CPMC

MyChart® licensed from Epic Systems Corporation© 1999 - 2026