



#### Lecture in Number Theory

College of Sciences DEPARTMENT OF MATHEMATICS University of Salahaddin

Debember 4, 2014

#### FACTORING INTEGERS AND PRODUCING PRIMES

Francesco Pappalardi







### How large are large numbers?

NUMBER OF CELLS IN A HUMAN BODY:

 $10^{15}$ 

NUMBER OF ATOMS IN THE UNIVERSE:

 $10^{80}$ 

NUMBER OF SUBATOMIC PARTICLES IN THE UNIVERSE:

 $10^{120}$ 

NUMBER OF ATOMS IN A HUMAN BRAIN:

 $10^{27}$ 

NUMBER OF ATOMS IN A CAT:

 $10^{26}$ 



 $RSA_{2048} = 25195908475657893494027183240048398571429282126204 \\ 032027777137836043662020707595556264018525880784406918290641249 \\ 515082189298559149176184502808489120072844992687392807287776735 \\ 971418347270261896375014971824691165077613379859095700097330459 \\ 748808428401797429100642458691817195118746121515172654632282216 \\ 869987549182422433637259085141865462043576798423387184774447920 \\ 739934236584823824281198163815010674810451660377306056201619676 \\ 256133844143603833904414952634432190114657544454178424020924616 \\ 515723350778707749817125772467962926386356373289912154831438167 \\ 899885040445364023527381951378636564391212010397122822120720357$ 

 $RSA_{2048}$  is a 617 (decimal) digit number

http://www.rsa.com/rsalabs/challenges/factoring/numbers.html/



$$RSA_{2048} = p \cdot q, \quad p, q \approx 10^{308}$$

**PROBLEM:** Compute p and q

PRICE OFFERED ON MARCH 18, 1991: 200.000 US\$ ( $\sim 232.700.000 \text{ Iraq Dinars}$ )!!

**Theorem.** If 
$$a \in \mathbb{N}$$
  $\exists ! \ p_1 < p_2 < \dots < p_k \ primes$   
s.t.  $a = p_1^{\alpha_1} \cdots p_k^{\alpha_k}$ 

**Regrettably:** RSAlabs believes that factoring in one year requires:

number	computers	memory
$RSA_{1620}$	$1.6 \times 10^{15}$	120 Tb
$RSA_{1024}$	342,000,000	170 Gb
$RSA_{760}$	215,000	4Gb.



#### http://www.rsa.com/rsalabs/challenges/factoring/numbers.html

Challenge Number	Prize (\$US)
$RSA_{576}$	\$10,000
$RSA_{640}$	\$20,000
$RSA_{704}$	\$30,000
$RSA_{768}$	\$50,000
$RSA_{896}$	\$75,000
$RSA_{1024}$	\$100,000
$RSA_{1536}$	\$150,000
$RSA_{2048}$	\$200,000



#### http://www.rsa.com/rsalabs/challenges/factoring/numbers.html

Numero	Premio (\$US)	Status
$RSA_{576}$	\$10,000	Factored December 2003
$RSA_{640}$	\$20,000	Factored November 2005
$RSA_{704}$	\$30,000	Factored July, 2 2012
$RSA_{768}$	\$50,000	Factored December, 12 2009
$RSA_{896}$	\$75,000	Not factored
$RSA_{1024}$	\$100,000	Not factored
$RSA_{1536}$	\$150,000	Not factored
$RSA_{2048}$	\$200,000	Not factored

The RSA challenges ended in 2007. RSA Laboratories stated:





<sup>&</sup>quot;Now that the industry has a considerably more advanced understanding of the cryptanalytic strength of common symmetric-key and public-key algorithms, these challenges are no longer active."

### Famous citation!!!



A phenomenon whose probability is  $10^{-50}$  never happens, and it will never be observed.

- ÉMIL BOREL (LES PROBABILITÉS ET SA VIE)





- 220 BC Greeks (Eratosthenes of Cyrene)
- $\longrightarrow$  1730 Euler  $2^{2^5} + 1 = 641 \cdot 6700417$
- 1750–1800 Fermat, Gauss (Sieves Tables)
- 1880 Landry & Le Lasseur:

$$2^{2^6} + 1 = 274177 \times 67280421310721$$

- → 1919 Pierre and Eugène Carissan (Factoring Machine)
- 1970 Morrison & Brillhart

$$2^{2^7} + 1 = 59649589127497217 \times 5704689200685129054721$$

- → 1982 Quadratic Sieve **QS** (Pomerance) → Number Fields Sieve **NFS**
- 1987 Elliptic curves factoring **ECF** (Lenstra)





220 BC Greeks (Eratosthenes of Cyrene)







1730 Euler  $2^{2^5} + 1 = 641 \cdot 6700417$ 





## How did Euler factor $2^{2^5} + 1$ ?

Proposition Suppose p is a prime factor of  $b^n + 1$ . Then

- 1. p is a divisor of  $b^d + 1$  for some proper divisor d of n such that n/d is odd or
- 2. p-1 is divisible by 2n.

Application: Let b = 2 and  $n = 2^5 = 64$ . Then  $2^{2^5} + 1$  is prime or it is divisible by a prime p such that p - 1 is divisible by 128.

Note that

$$1 + 1 \times 128 = 3 \times 43$$
,  $1 + 2 \times 128 = 257$  is prime,

$$1 + 3 \times 128 = 5 \times 7 \times 11$$
,  $1 + 4 \times 128 = 3^3 \times 19$  and  $1 + 5 \cdot 128 = 641$  is prime.

Finally

$$\frac{2^{2^5} + 1}{641} = \frac{4294967297}{641} = 6700417$$








1730 Euler  $2^{2^5} + 1 = 641 \cdot 6700417$ 





1750–1800 Fermat, Gauss (Sieves - Tables)









1750–1800 Fermat, Gauss (Sieves - Tables)

Factoring with sieves  $N = x^2 - y^2 = (x - y)(x + y)$ 



### Carissan's ancient Factoring Machine




Figure 1: Conservatoire Nationale des Arts et Métiers in Paris

http://www.math.uwaterloo.ca/ shallit/Papers/carissan.html








Figure 2: Lieutenant Eugène Carissan

 $225058681 = 229 \times 982789$  2 minutes

 $3450315521 = 1409 \times 2418769$  3 minutes

 $3570537526921 = 841249 \times 4244329$  18 minutes







1970 - John Brillhart & Michael A. Morrison  $2^{2^7} + 1 = 59649589127497217 \times 5704689200685129054721$ 





$$F_n = 2^{(2^n)} + 1$$

is called the *n*-th Fermat number

 $F_{11} = 2^{2048} + 1 = 32,317,006,071,311,007,300,714,876,688,669,951,960,444,102,669,715,484,032,130,345,427,524,655,138,867,890,893,197,201,411,522,913,463,688,717,\\960,921,898,019,494,119,559,150,490,921,095,088,152,386,448,283,120,630,877,367,300,996,091,750,197,750,389,652,106,796,057,638,384,067,\\568,276,792,218,642,619,756,161,838,094,338,476,170,470,581,645,852,036,305,042,887,575,891,541,065,808,607,552,399,123,930,385,521,914,\\333,389,668,342,420,684,974,786,564,569,494,856,176,035,326,322,058,077,805,659,331,026,192,708,460,314,150,258,592,864,177,116,725,943,\\603,718,461,857,357,598,351,152,301,645,904,403,697,613,233,287,231,227,125,684,710,820,209,725,157,101,726,931,323,469,678,542,580,656,\\697,935,045,997,268,352,998,638,215,525,166,389,437,335,543,602,135,433,229,604,645,318,478,604,952,148,193,555,853,611,059,596,230,657$ 

 $= 319,489 \times 974,849 \times 167,988,556,341,760,475,137 \times 3,560,841,906,445,833,920,513 \times \\ 173,462,447,179,147,555,430,258,970,864,309,778,377,421,844,723,664,084,649,347,019,061,363,579,192,879,108,857,591,038,330,408,837,177,983,810,868,451,\\ 546,421,940,712,978,306,134,189,864,280,826,014,542,758,708,589,243,873,685,563,973,118,948,869,399,158,545,506,611,147,420,216,132,557,017,260,564,139,\\ 394,366,945,793,220,968,665,108,959,685,482,705,388,072,645,828,554,151,936,401,912,464,931,182,546,092,879,815,733,057,795,573,358,504,982,279,280,090,\\ 942,872,567,591,518,912,118,622,751,714,319,229,788,100,979,251,036,035,496,917,279,912,663,527,358,783,236,647,193,154,777,091,427,745,377,038,294,\\ 584,918,917,590,325,110,939,381,322,486,044,298,573,971,650,711,059,244,462,177,542,540,706,913,047,034,664,643,603,491,382,441,723,306,598,834,177$ 

Up to today only from  $F_0$  to  $F_{11}$  are factores.

It is not known the factorization of

$$F_{12} = 2^{2^{12}} + 1$$







1982 - Carl Pomerance - Quadratic Sieve







1987 - Hendrik Lenstra - Elliptic curves factoring





### Contemporary Factoring

1 1994, Quadratic Sieve (QS): (8 months, 600 volunteers, 20 nations) D.Atkins, M. Graff, A. Lenstra, P. Leyland

```
RSA_{129} = 114381625757888867669235779976146612010218296721242362562561842935706 \\ 935245733897830597123563958705058989075147599290026879543541 = \\ = 3490529510847650949147849619903898133417764638493387843990820577 \times \\ 32769132993266709549961988190834461413177642967992942539798288533
```

2 (February 2 1999), Number Field Sieve (NFS): (160 Sun, 4 months)

```
RSA_{155} = 109417386415705274218097073220403576120037329454492059909138421314763499842 \\ 88934784717997257891267332497625752899781833797076537244027146743531593354333897 = \\ = 102639592829741105772054196573991675900716567808038066803341933521790711307779 \times \\ 106603488380168454820927220360012878679207958575989291522270608237193062808643
```

3 (December 3, 2003) (NFS): J. Franke et al. (174 decimal digits)

```
RSA_{576} = 1881988129206079638386972394616504398071635633794173827007633564229888597152346 \\ 65485319060606504743045317388011303396716199692321205734031879550656996221305168759307650257059 = \\ = 398075086424064937397125500550386491199064362342526708406385189575946388957261768583317 \times \\ 472772146107435302536223071973048224632914695302097116459852171130520711256363590397527
```

4 Elliptic curves factoring: introduced by H. Lenstra. suitable to detect small factors (50 digits)

all have "sub-exponential complexity"



#### The factorization of $RSA_{200}$

 $RSA_{200} = 27997833911221327870829467638722601621070446786955428537560009929326128400107609345671052955360856061822351910951365788637105954482006576775098580557613579098734950144178863178946295187237869221823983$ 

Date: Mon, 9 May 2005 18:05:10 +0200 (CEST) From: "Thorsten Kleinjung" Subject: rsa200

We have factored RSA200 by GNFS. The factors are

and

We did lattice sieving for most special q between 3e8 and 11e8 using mainly factor base bounds of 3e8 on the algebraic side and 18e7 on the rational side. The bounds for large primes were  $2^{35}$ . This produced 26e8 relations. Together with 5e7 relations from line sieving the total yield was 27e8 relations. After removing duplicates 226e7 relations remained. A filter job produced a matrix with 64e6 rows and columns, having 11e9 non-zero entries. This was solved by Block-Wiedemann.

Sieving has been done on a variety of machines. We estimate that lattice sieving would have taken 55 years on a single 2.2 GHz Opteron CPU. Note that this number could have been improved if instead of the PIII- binary which we used for sieving, we had used a version of the lattice-siever optimized for Opteron CPU's which we developed in the meantime. The matrix step was performed on a cluster of 80 2.2 GHz Opterons connected via a Gigabit network and took about 3 months.

We started sieving shortly before Christmas 2003 and continued until October 2004. The matrix step began in December 2004. Line sieving was done by P. Montgomery and H. te Riele at the CWI, by F. Bahr and his family.

More details will be given later.

F. Bahr, M. Boehm, J. Franke, T. Kleinjung





### Factorization of $RSA_{768}$

#### RSA-768 [edit]

RSA-768 has 232 decimal digits (768 bits), and was factored on December 12, 2009 by Thorsten Kleinjung, Kazumaro Aoki, Jens Franke, Arjen K. Lenstra, Emmanuel Thomé, Pierrick Gaudry, Alexander Kruppa, Peter Montgomery, Joppe W. Bos, Dag Arne Osvik, Herman te Riele, Andrey Timofeev, and Paul Zimmermann.<sup>[31]</sup>

RSA-768 = 12301866845301177551304949583849627207728535695953347921973224521517264005 07263657518745202199786469389956474942774063845925192557326303453731548268 50791702612214291346167042921431160222124047927473779408066535141959745985 6902143413


RSA-768 = 33478071698956898786044169848212690817704794983713768568912431388982883793 878002287614711652531743087737814467999489

× 36746043666799590428244633799627952632279158164343087642676032283815739666 511279233373417143396810270092798736308917





# RSA




Adi Shamir, Ron L. Rivest, Leonard Adleman (1978)









Ron L. Rivest, Adi Shamir, Leonard Adleman (2003)





### Certified prime records

- $2^{57885161} 1$ ,
- $2^{43112609} 1$ ,
- $2^{42643801} 1$ ,
- $2^{37156667} 1$
- $2^{32582657} 1$
- $2^{30402457} 1$
- $2^{25964951} 1$ ,
- $2^{24036583} 1$ .
- $2^{20996011} 1$ ,
- $2^{13466917} 1$ ,
- $2^{6972593} 1$
- $5359 \times 2^{5054502} + 1$

- 17425170 digits (discovered in 01/2014)
- 12978189 digits (discovered in 2008)
- 12837064 digits (discovered in 2009)
- 11185272 digits (discovered in 2008)
- 9808358 digits (discovered in 2006)
- 9152052 digits (discovered in 2005)
- 7816230 digits (discovered in 2005)
- 6320430 digits (discovered in 2004)
- 6320430 digits (discovered in 2003)
- 4053946 digits (discovered in 2001)
- 2098960 digits (discovered in 1999)
  - 1521561 digits (discovered in 2003)





#### Great Internet Mersenne Prime Search (GIMPS)



The Great Internet Mersenne Prime Search (GIMPS) is a collaborative project of volunteers who use freely available software to search for Mersenne prime numbers (i.e. prime numbers of the form  $2^p - 1$  (p prime)). The project was founded by George Woltman in January 1996.



### The AKS deterministic primality test

Department of Computer Science & Engineering, I.I.T. Kanpur, Agost 8, 2002.



Nitin Saxena, Neeraj Kayal and Manindra Agarwal New deterministic, polynomial—time, primality test.

Solves #1 open question in computational number theory

http://www.cse.iitk.ac.in/news/primality.html





#### How does the AKS work?

**Theorem.** (AKS) Let  $n \in \mathbb{N}$ . Assume q, r primes,  $S \subseteq \mathbb{N}$  finite:

- q|r-1;
- $n^{(r-1)/q} \mod r \not\in \{0,1\};$
- gcd(n, b b') = 1,  $\forall b, b' \in S$  (distinct);
- $(x+b)^n = x^n + b$  in  $\mathbb{Z}/n\mathbb{Z}[x]/(x^r 1)$ ,  $\forall b \in S$ ;

Then n is a power of a prime

Bernstein formulation

Fourry Theorem (1985) 
$$\Rightarrow \exists r \approx \log^6 n, s \approx \log^4 n$$
  
 $\Rightarrow \text{AKS runs in } O(\log^{15} n)$   
operations in  $\mathbb{Z}/n\mathbb{Z}$ .

Many simplifications and improvements: Bernstein, Lenstra, Pomerance.....



### Another quotation!!!

Have you ever noticed that there's no attempt being made to find really large numbers that aren't prime. I mean, wouldn't you like to see a news report that says "Today the Department of Computer Sciences at the University of Washington annouced that  $2^{58,111,625,031} + 8$  is even". This is the largest non-prime yet reported.

- University of Washington (Bathroom Graffiti)

