

# MySQL Disable Foreign Key Checks

Discover more

 [Web development frameworks](#)

 [SQL query optimization software](#)

 [MySQL tutorial subscription](#)

 [mysql](#)

 [SQL query optimization](#)

 [Programming language IDEs](#)

**Summary:** in this tutorial, you will learn how to disable foreign key constraint checks in MySQL.

Sometimes, it is very useful to disable [foreign key](#) checks. For example, you can load data to the parent and child tables in any order with the foreign key constraint check disabled.

If you don't disable foreign key checks, you have to load data into the parent tables first and then the child tables in sequence, which can be tedious.

Another scenario in which you want to disable the foreign key check is when you want to [drop a table](#). Unless you disable the foreign key checks, you cannot [drop a table](#) referenced by a foreign key constraint.

To disable foreign key checks, you set the `foreign_key_checks` variable to zero as follows:

```
SET foreign_key_checks = 0;
```

To enable the foreign key constraint check, you set the value of the `foreign_key_checks` to 1:

```
SET foreign_key_checks = 1;
```

Notice that setting `foreign_key_checks` to 1 does not trigger any validation of the existing table

data. In other words, MySQL will not verify the consistency of the data that was added during the foreign key check disabled.

## Disable foreign key check example

First, [create a new table](#) named `countries` :

```
CREATE TABLE countries(  
    country_id INT AUTO_INCREMENT,  
    country_name VARCHAR(255) NOT NULL,  
    PRIMARY KEY(country_id)  
);
```

Second, [create another table](#) named `cities` :

```
CREATE TABLE cities(  
    city_id INT AUTO_INCREMENT,  
    city_name VARCHAR(255) NOT NULL,  
    country_id INT NOT NULL,  
    PRIMARY KEY(city_id),  
    FOREIGN KEY(country_id)  
        REFERENCES countries(country_id)  
);
```

The table `cities` has a [foreign key constraint](#) that references the column `country_id` of the table `countries` .

Third, [insert a new row](#) into the `cities` table:

```
INSERT INTO cities(city_name, country_id)  
VALUES('New York',1);
```

MySQL issued the following error:

```
Error Code: 1452. Cannot add or update a child row: a foreign key constraint fails (`class
```

Fourth, disable foreign key checks:

```
SET foreign_key_checks = 0;
```

Fifth, insert a new row into the `cities` table:

```
INSERT INTO cities(city_name, country_id)
VALUES('New York',1);
```

This time the `INSERT` statement executed successfully due to the foreign key check being disabled.

The following [query](#) returns the contents of the table `cities` :

```
SELECT * FROM cities;
```

Sixth, re-enable foreign key constraint check:

```
SET foreign_key_checks = 1;
```

When the foreign key checks were re-enabled, MySQL did not re-validate data in the table. However, it won't allow you to insert or update data that violates the foreign key constraint.

Finally, insert a row into the `countries` table whose value in the column `country_id` is 1 to make the data consistent in both tables:

```
INSERT INTO countries(country_id, country_name)
VALUES(1, 'USA');
```

## Drop tables that have foreign key constraints

Suppose that you want to drop the `countries` and `cities` tables.

First, drop the table `countries` :

```
DROP TABLE countries;
```

MySQL issued this error:

```
Error Code: 3730. Cannot drop table 'countries' referenced by a foreign key constraint 'ci
```

To fix this, you have two options:

- Drop the table `cities` first and then remove the table `countries` .
- Disable foreign key checks and drop tables in any sequence.

We'll demonstrate the second way which disables the foreign key constraint check before dropping the tables.

Second, disable the foreign key check:

```
SET foreign_key_checks = 0;
```

Third, drop both tables `countries` and `cities` :

```
DROP TABLE countries;  
DROP TABLE cities;
```

Both statements were executed successfully.

Finally, enable the foreign key check:

```
SET foreign_key_checks = 1;
```

## Summary

- Use the `SET foreign_key_checks = 0` to disable foreign key checks in MySQL.

Was this tutorial helpful?





ADVERTISEMENTS

PREVIOUSLY

[MySQL Foreign Key](#)

UP NEXT

[MySQL UNIQUE Constraint](#)

ADVERTISEMENTS

## GETTING STARTED

[What Is MySQL?](#)

[Install MySQL Database Server](#)

[Connect to MySQL Server](#)

[Download MySQL Sample Database](#)

[Load Sample Database](#)

## QUERYING DATA

[SELECT FROM](#)

[SELECT](#)

ORDER BY

WHERE

SELECT DISTINCT

AND

OR

IN

NOT IN

BETWEEN

LIKE

LIMIT

IS NULL

Table & Column Aliases

Joins

INNER JOIN

LEFT JOIN

RIGHT JOIN

Self Join

CROSS JOIN

GROUP BY

HAVING

HAVING COUNT

ROLLUP

Subquery

Derived Tables

EXISTS

[EXCEPT](#)

[INTERSECT](#)

ADVERTISEMENTS

## **MANAGING DATABASES**

[Select a Database](#)

[Create Databases](#)

[Drop Databases](#)

## **MANAGING TABLES**

[Create Tables](#)

[AUTO\\_INCREMENT](#)

[Rename Tables](#)

[Add Columns](#)

[Drop Columns](#)

[Drop Tables](#)

[Temporary Tables](#)

[Generated Columns](#)

## **MYSQL CONSTRAINTS**

[Primary Key](#)

[Foreign Key](#)

[Disable Foreign Key Checks](#)

[UNIQUE Constraint](#)

[NOT NULL Constraint](#)

[DEFAULT Constraint](#)

[CHECK Constraint](#)

## **INSERT DATA**

[Insert Into](#)

[Insert Multiple Rows](#)

[INSERT INTO SELECT](#)

[Insert On Duplicate Key Update](#)

[INSERT IGNORE](#)

[Insert DateTimes](#)

[Insert Dates](#)

## **UPDATE DATA**

[UPDATE](#)

[UPDATE JOIN](#)

## **DELETE DATA**

[DELETE JOIN](#)

[ON DELETE CASCADE](#)

[TRUNCATE TABLE](#)

## **MYSQL TRANSACTIONS**

[Table Locking](#)

## **MYSQL DATA TYPES**

[BIT](#)

[INT](#)

[BOOLEAN](#)

[DECIMAL](#)



[DATETIME](#)

[TIMESTAMP](#)

[DATE](#)

[TIME](#)

[CHAR](#)

[VARCHAR](#)

[TEXT](#)

[BINARY](#)

[VARBINARY](#)

[ENUM](#)

[BLOB](#)

## **MYSQL GLOBALIZATION**

[MySQL Character Sets](#)

[MySQL Collation](#)

## **MYSQL IMPORT & EXPORT**

[Import a CSV File Into a Table](#)

[Export a Table to a CSV File](#)

ADVERTISEMENTS

### **ABOUT MYSQL TUTORIAL WEBSITE**

MySQLTutorial.org helps you master MySQL quickly, easily, and with enjoyment. Our

### **LATEST TUTORIALS**

[MySQL Port](#)

[MySQL Commands](#)

[innodb\\_dedicated\\_server:](#)

### **SITE LINKS**

[Donation](#) 

[Contact Us](#)

[About](#)

tutorials make learning  
MySQL a breeze.

All MySQL tutorials are clear,  
practical and easy-to-follow.  
[More About Us](#)

[Configure InnoDB Dedicated  
Server](#)

[innodb\\_flush\\_method:  
Configure InnoDB Flush  
Method](#)

[innodb\\_log\\_buffer\\_size:  
Configure InnoDB Log Buffer  
Size](#)

[innodb\\_buffer\\_pool\\_chunk\\_size:  
Configure Buffer Pool Chunk  
Size](#)

[innodb\\_buffer\\_pool\\_instances:  
Configuring Multiple Buffer  
Pool Instances for Improved  
Concurrency in MySQL](#)

[innodb\\_buffer\\_pool\\_size:  
Configure InnoDB Buffer Pool  
Size](#)

[MySQL InnoDB Architecture](#)

[How to Kill a Process in MySQL](#)

[Privacy Policy](#)

## **OTHERS**

[MySQL Cheat Sheet](#)

[MySQL Resources](#)

[MySQL Books](#)