

Data Sheet for Question 1

Roll Number	Equity 1		Equity 2		Equity 1 & Equity 2	Bond		Equity & Bond
	Return	Standard Deviation	Return	Standard Deviation	Correlation	Return	Standard Deviation	Correlation
	%	%	%	%		%	%	
MS25A026	12.25	23.11	12.54	27.57	-0.16	1.86	2.96	0.27
MS25A031	19.43	35.84	19.65	40.98	0.13	1.8	1.95	-0.36
MS25A079	19.7	40.2	10.98	41.89	0.22	1.37	1.94	0.13
BE22B008	16.65	23.34	18.93	26.21	0.44	1.42	2.77	0.09
MS25A081	16.71	34.52	10.23	20.43	0.05	1.21	2.24	-0.07
MS25A022	10.62	32.23	15.82	36.93	-0.44	1.22	3.87	0.21
MS25A064	19.77	24.69	13.29	36.18	-0.24	1.34	2.86	-0.04
NA22B077	17.38	20.27	11.98	38.12	-0.17	1.78	3.76	0.15
MS26D007	14.19	36.8	12.34	33.5	0.49	1.57	3.5	0.22
MS25A020	13.13	47.11	18.62	22.19	0.44	1.43	3.37	-0.48
MS25A051	19.53	43.41	15.86	49.02	0.09	1.1	1.21	0.12
MS25A078	15.16	39.67	12.53	45.62	-0.36	1.77	1.98	0.1
MS25A053	11.8	48.97	12.82	21.94	-0.4	1.47	3.71	0.12
MS25A072	11.87	33.26	15.31	20.93	0.09	1.05	1.89	0.35
ME22B152	15.49	21.84	12.2	28.01	0.27	1.71	2.04	-0.04
CE22B009	10.27	42.25	17.63	20.53	-0.02	1.16	1.93	-0.44
MS25A066	12.5	27.11	11.68	29.48	-0.15	1.74	1.93	-0.16
MS25A067	10.87	35.43	17.98	41.78	0.15	1.26	3.34	-0.5
MS25A047	13.08	25.6	10.67	35.69	0.02	1.88	2.94	-0.1
BS22B033	19.54	33.06	15.2	26.68	0.19	1.7	3.59	-0.13
ED22B073	13.13	43.41	15.89	26.85	-0.44	1.99	1.76	-0.05
MM22B058	16.11	39.23	11.13	49.1	-0.08	1.09	3.32	0.08
ME22B162	19.28	41.03	10.81	35.1	-0.14	1.95	3.52	0.32
MS25A027	18.12	23.7	18.2	37.63	-0.16	1.18	3.53	-0.47
MM22B012	13.58	42.26	10.35	42.96	-0.41	1.43	3.18	-0.45
MS25A029	17.9	34.98	14.28	44.01	0.06	1.97	2.74	-0.45
ME22B092	12.46	43.67	15.25	22.99	-0.2	1.63	3.62	-0.45
AE22B070	16.73	41.04	17.15	22.09	0.13	1.11	3.02	-0.25
CE22B085	10.84	44.68	15.87	44.66	0.2	1.98	1.34	-0.3
ME22B196	12.82	26.98	15.25	21.78	-0.3	1.7	1.76	0.07
MS25A052	17.03	29.7	17.61	37.97	-0.37	1.14	3.51	-0.52
ED22B084	19.27	49.33	16.21	41.76	-0.29	1.87	2.39	-0.2
MS25A004	12.75	21.85	12.41	40.97	-0.36	1.17	2.46	-0.36
MS25A075	15.33	32.69	19.99	47.9	-0.26	1.33	1.6	-0.34
MS25A062	14.4	34.79	15.74	40.35	-0.39	1.67	2.96	-0.33
AE22B026	12.59	28.66	18.82	29.59	-0.01	1.38	1.96	-0.56
MS25A038	15.98	25.32	16.4	32.6	0.2	1.15	1.57	-0.34
MS25A027	17.21	20.28	12.58	21.48	-0.21	1.16	1.49	-0.07
BE22B033	11.07	31.44	18.83	30.25	0.3	1.02	2.85	-0.55
MS25A082	11.48	30.18	13.45	41.01	0.18	1.74	1.96	-0.57
ME22B223	12.93	42.48	12.79	46.87	0.2	1.66	2.05	0.29
MS25A019	12.87	38.4	16.7	31.98	-0.28	1.89	3.33	-0.43
MS25A010	11.9	30	12.92	49	-0.04	1.41	3	0.09
BE22B020	19.48	40.37	16.68	46.36	-0.27	1.2	2.74	-0.16

NA22B047	11.66	49.45	11.17	20.07	0.31	1.77	3.4	0.2
MS25A049	18.98	42.93	13.95	25.11	0.33	1.67	3.42	-0.39
MS25A063	13.64	41.66	14.19	34.33	-0.24	1.92	1.69	0.14
NA22B036	16.84	29.64	10.04	31.82	0.36	1.75	1.8	-0.45
MS25A043	19.02	47.67	18.95	33.88	0.36	1.61	3.08	-0.45
MS25A030	18.97	23.97	11.53	33.45	-0.19	1.86	3.09	-0.13
ME22B048	16.39	42.85	13	23.67	-0.4	1.82	3.13	-0.37
ME22B046	16.8	28.35	12.4	46.36	-0.06	1.55	2.59	0.2
MM22B054	16.42	44.21	16.24	37.98	0.18	1.43	2.42	0.05
MM22B002	18.09	35.7	19.3	42.68	0.41	1.35	1.98	-0.15
NA22B042	19.48	47.84	12.3	42.54	0.25	1.71	1.31	-0.31
NA22B035	13.17	36.04	12.39	49.77	0.28	1.84	3.27	0.06
MS25A083	19.9	41.22	17.1	25.61	-0.47	1.06	3.41	-0.57
ED22B008	19.92	20.27	11.64	34.82	0.2	1.29	3.45	0.27
	11.9	21.23	13.96	41.89	0.26	1.2	2	0.3
	16.52	46.14	15.02	32.06	0.18	1.61	2.98	-0.51
	10.87	31.85	15.23	21.73	0.2	1.03	2.05	0.31
	16.84	43.95	15.89	40.43	0.23	1.79	2.22	-0.41
	15.04	39.85	14.9	35.89	0.22	1.27	3.46	-0.04
	12.95	42.94	14.23	24.55	-0.46	1.15	1.41	-0.5
	15.6	33.54	13	40.79	0.31	1.46	3.68	-0.24

Data for Question 2 (Part A) (Note: E*: Equity percentage in Hybrid Portfolio)

Roll Number	E*	AUTO				PHARMA				SOFTWARE			
		Benchmark		Portfolio		Benchmark		Portfolio		Benchmark		Portfolio	
	%	Weight	Return (%)	Weight	Return (%)	Weight	Return (%)	Weight	Return (%)	Weight	Return (%)	Weight	Return (%)
MS25A026	80	0.15	1.36	0.28	2.66	0.31	0.21	0.33	-1.06	0.54	0.39	0.39	0.54
MS25A031	63	0.24	-2.47	0.32	3.46	0.23	1.45	0.24	4.51	0.53	3.64	0.44	-2.26
MS25A079	90	0.32	0.65	0.31	2.1	0.11	-1.27	0.15	-2.65	0.57	-3.83	0.54	-2.13
BE22B008	75	0.28	-1.92	0.21	2.28	0.16	2.87	0.4	0.5	0.56	-1.66	0.39	1.79
MS25A081	65	0.11	1.02	0.15	0	0.16	0.18	0.21	-2.88	0.73	0.53	0.64	1.95
MS25A022	81	0.37	-2.58	0.15	0.41	0.1	1.1	0.23	-1.42	0.53	-1.62	0.62	-2.5
MS25A064	66	0.25	1.18	0.34	-1.17	0.37	2.26	0.1	-2.4	0.38	1.45	0.56	0.04
NA22B077	73	0.29	-3.09	0.26	-2.31	0.19	0.39	0.21	1.33	0.52	-2.73	0.53	-3.39
MS26D007	75	0.38	-0.62	0.15	3.72	0.24	0.25	0.37	2.17	0.38	-2.34	0.48	3.56
MS25A020	70	0.21	-2.15	0.19	-1.52	0.19	0.09	0.28	2.05	0.6	-1.52	0.53	-0.51
MS25A051	70	0.34	-1.12	0.11	-1.7	0.25	-1.63	0.19	-1.23	0.41	0.24	0.7	-2.13
MS25A078	66	0.32	-1.84	0.26	-1.53	0.29	-1.19	0.15	-0.53	0.39	-1.59	0.59	0.67
MS25A053	83	0.19	0.78	0.14	3.79	0.31	-0.27	0.31	4.69	0.5	-1.36	0.55	-1.03
MS25A072	69	0.31	1.4	0.31	2.82	0.36	1.68	0.1	2.88	0.33	1.69	0.59	1.8
ME22B152	74	0.1	0.23	0.39	3.28	0.19	4.74	0.33	1.4	0.71	0.41	0.28	0.87
CE22B009	64	0.4	3.32	0.31	2.36	0.32	-1.42	0.27	1.09	0.28	-0.25	0.42	0.24
MS25A066	81	0.34	1.82	0.15	1.96	0.4	2.67	0.34	-1.9	0.26	3.84	0.51	2.66
MS25A067	80	0.19	-1.75	0.4	-0.53	0.39	4.68	0.3	-2.51	0.42	2.72	0.3	3.36
MS25A047	86	0.2	-0.23	0.12	0.36	0.17	3.04	0.24	0.88	0.63	0.21	0.64	0.72
BS22B033	61	0.15	0.04	0.32	-0.26	0.35	1.16	0.24	-0.07	0.5	-2.74	0.44	-1.77
ED22B073	67	0.3	1.69	0.34	-3.81	0.35	3.24	0.14	1.57	0.35	-1.64	0.52	1.24
MM22B058	88	0.35	-1.49	0.35	3.27	0.2	-0.56	0.17	1.4	0.45	2.57	0.48	-0.69
ME22B162	73	0.35	1.23	0.4	-0.25	0.24	-0.15	0.38	-0.02	0.41	0.71	0.22	0.81
MS25A027	87	0.11	-2.25	0.13	0.05	0.24	0.48	0.21	3.7	0.65	4.06	0.66	-0.98
MM22B012	86	0.24	2.89	0.24	1.69	0.1	0.23	0.31	-2.08	0.66	1.48	0.45	1.14
MS25A029	60	0.14	-0.03	0.39	-2.69	0.11	3.38	0.19	0.54	0.75	1.95	0.42	2.26
ME22B092	90	0.39	2.44	0.13	0.68	0.2	1.27	0.12	-0.92	0.41	1.01	0.75	-1.29
AE22B070	87	0.26	2.5	0.1	-2.62	0.33	-0.42	0.29	3.78	0.41	0.41	0.61	3.08
CE22B085	83	0.16	0.88	0.12	-0.35	0.2	-2.27	0.12	-0.23	0.64	-0.7	0.76	3.36
ME22B196	71	0.15	2.35	0.32	-3.08	0.39	-0.26	0.26	0.55	0.46	-0.67	0.42	0.18
MS25A052	60	0.19	1.64	0.3	-1.32	0.3	-0.96	0.34	0.48	0.51	1.76	0.36	2.99
ED22B084	64	0.33	-2.05	0.22	4.75	0.13	-0.96	0.26	0.94	0.54	1.38	0.52	-0.05
MS25A004	81	0.34	2.75	0.37	1.19	0.15	-0.29	0.13	4.13	0.51	1.52	0.5	-1.18
MS25A075	83	0.28	3.58	0.3	0.32	0.38	2.78	0.14	-1.51	0.34	2.54	0.56	4.25
MS25A062	83	0.11	2.4	0.1	0.39	0.13	2.51	0.27	2.47	0.76	-2.07	0.63	-0.26
AE22B026	75	0.28	2.14	0.12	-1.86	0.23	-1.76	0.33	0.95	0.49	1.42	0.55	-2.52
MS25A038	61	0.17	-2.68	0.4	0.64	0.13	-2.36	0.17	-0.96	0.7	2.65	0.43	0.87
MS25A027	87	0.16	-1.7	0.32	0.69	0.31	-2.2	0.13	-1.61	0.53	-0.15	0.55	3.65
BE22B033	85	0.11	-1.49	0.22	1	0.32	-2.17	0.24	2.77	0.57	-0.05	0.54	0.79
MS25A082	90	0.15	0.1	0.23	-0.15	0.25	2.63	0.36	0.03	0.6	-2.62	0.41	1.25
ME22B223	88	0.26	-0.83	0.25	-2.15	0.38	-1.58	0.13	-1.22	0.36	-0.25	0.62	3.05
MS25A019	70	0.13	-2.89	0.35	-1.49	0.34	-1.99	0.19	3.71	0.53	0.37	0.46	0.45
MS25A010	67	0.38	0.91	0.3	1.05	0.25	1.17	0.23	0.47	0.37	1	0.47	-1.94
BE22B020	85	0.3	-1.02	0.23	1.23	0.15	1.71	0.2	1.38	0.55	3.01	0.57	2.17
NA22B047	62	0.15	1.38	0.24	1.9	0.23	3.97	0.25	-0.16	0.62	-1.39	0.51	-1.18
MS25A049	86	0.18	0.73	0.24	4.61	0.4	0.98	0.39	0.76	0.42	2.3	0.37	1.1

MS25A063	63	0.26	0.22	0.37	2.76	0.32	2.58	0.26	3.06	0.42	0.27	0.37	1.96
NA22B036	70	0.32	0.98	0.35	-0.31	0.13	-0.64	0.16	0.25	0.55	0.61	0.49	0.34
MS25A043	75	0.14	0.65	0.37	-0.05	0.31	0.53	0.29	1	0.55	-0.99	0.34	3.76
MS25A030	84	0.26	0.97	0.18	1.7	0.27	-0.27	0.26	-0.34	0.47	0.36	0.56	3.77
ME22B048	82	0.32	0.23	0.38	-1.54	0.37	2.21	0.39	-0.04	0.31	0.99	0.23	2.05
ME22B046	60	0.38	2.87	0.23	0.68	0.37	3.85	0.16	3.29	0.25	-3.37	0.61	-3.75
MM22B054	75	0.25	-0.69	0.17	1.34	0.21	-1.06	0.22	0.48	0.54	0.19	0.61	2.04
MM22B002	74	0.28	0.64	0.2	2.93	0.2	3.61	0.1	1.34	0.52	1.51	0.7	4.02
NA22B042	60	0.18	0.93	0.18	-2.86	0.17	2.18	0.28	2.57	0.65	2.43	0.54	0.13
NA22B035	87	0.12	-1.96	0.39	1.76	0.13	2.26	0.24	0.3	0.75	-0.3	0.37	-0.08
MS25A083	86	0.24	-0.93	0.15	-1.24	0.37	0.09	0.2	0.24	0.39	3.39	0.65	2.39
ED22B008	71	0.13	0.75	0.24	0.63	0.36	0.22	0.1	-0.35	0.51	0.2	0.66	0.62
	76	0.39	0.32	0.3	2.2	0.26	1.97	0.2	0.54	0.35	-0.44	0.5	3.05
	90	0.22	3.35	0.14	-2.78	0.3	-0.72	0.11	-3.07	0.48	2.33	0.75	-2.85
	73	0.27	2.89	0.15	1.96	0.26	-2.93	0.25	0.61	0.47	-1.61	0.6	-0.29
	85	0.36	-1.54	0.31	2.99	0.28	-1.79	0.32	-0.4	0.36	-0.47	0.37	0.05
	81	0.17	-0.97	0.25	-2.09	0.37	-2.4	0.29	4.15	0.46	0.44	0.46	0.5
	80	0.3	3.03	0.36	1.31	0.15	1.01	0.12	-0.13	0.55	-0.89	0.52	0.12
	74	0.26	-1.64	0.13	2.92	0.37	0.88	0.33	-1.13	0.37	-2.33	0.54	4.28

Data for Question 2 (Part B)

Roll Number	Gold Bond				Government Bond				Corporate Bond			
	Benchmark		Portfolio		Benchmark		Portfolio		Benchmark		Portfolio	
	Weight	Return (%)	Weight	Return (%)	Weight	Return (%)	Weight	Return (%)	Weight	Return (%)	Weight	Return (%)
MS25A026	0.2	1.15	0.36	1.88	0.17	-0.19	0.35	-0.46	0.63	0.33	0.29	0.8
MS25A031	0.34	1.32	0.37	1.2	0.12	0.35	0.36	0.19	0.54	0.03	0.27	0.74
MS25A079	0.36	-0.27	0.3	0.87	0.1	-0.76	0.17	1.39	0.54	1.95	0.53	1.49
BE22B008	0.15	-0.22	0.15	0.87	0.13	1.76	0.39	0.98	0.72	0.5	0.46	0.88
MS25A081	0.29	-0.15	0.36	1.31	0.35	1.58	0.15	0.37	0.36	-0.27	0.49	0.01
MS25A022	0.23	1.36	0.2	0.36	0.21	0.4	0.24	-0.15	0.56	0.73	0.56	0.07
MS25A064	0.19	0.95	0.12	1.21	0.3	0.86	0.16	0.69	0.51	0.49	0.72	1.15
NA22B077	0.26	-0.07	0.29	-0.82	0.28	-0.57	0.27	0.83	0.46	0.17	0.44	0.05
MS26D007	0.18	1.17	0.2	-0.64	0.32	-0.36	0.33	0	0.5	0.15	0.47	1.28
MS25A020	0.39	0.58	0.31	1.13	0.2	0.84	0.27	-0.08	0.41	0.2	0.42	0.12
MS25A051	0.24	0.33	0.21	0.44	0.31	0.13	0.1	-0.66	0.45	1.77	0.69	0.84
MS25A078	0.27	0	0.34	0.73	0.18	0.31	0.25	0.49	0.55	1.4	0.41	0.98
MS25A053	0.13	0.23	0.28	-0.41	0.27	1.23	0.14	-0.17	0.6	0.06	0.58	1.32
MS25A072	0.29	0.32	0.11	1.08	0.18	0.05	0.39	0.96	0.53	1.12	0.5	1.4
ME22B152	0.12	0.1	0.31	-0.32	0.19	0.78	0.27	0.78	0.69	-0.63	0.42	1.11
CE22B009	0.19	1.66	0.18	-0.28	0.24	0.36	0.29	0.64	0.57	0.75	0.53	1.79
MS25A066	0.16	0.62	0.24	1.2	0.21	-0.32	0.18	0.55	0.63	1.05	0.58	-0.21
MS25A067	0.17	0.11	0.23	-0.89	0.16	0.49	0.12	1.11	0.67	0.79	0.65	1.75
MS25A047	0.13	0.67	0.19	1.44	0.29	0.84	0.15	0.89	0.58	1.87	0.66	-0.41
BS22B033	0.32	0.04	0.32	0.38	0.34	0.86	0.16	0.15	0.34	0.7	0.52	0.26
ED22B073	0.32	0.47	0.11	0.14	0.14	0.3	0.4	0.19	0.54	-0.1	0.49	0.71
MM22B058	0.19	1.31	0.11	0.32	0.15	1.68	0.11	0.25	0.66	0.16	0.78	0.48
ME22B162	0.13	0.49	0.3	-0.04	0.39	0.67	0.4	0.61	0.48	1.47	0.3	-0.06
MS25A027	0.28	-0.56	0.36	0.16	0.32	0.68	0.17	0.06	0.4	-0.48	0.47	0.59
MM22B012	0.39	0.25	0.12	0.24	0.32	0.54	0.15	1.36	0.29	-0.18	0.73	0.9
MS25A029	0.34	-0.01	0.38	0.98	0.3	0.55	0.11	1.68	0.36	0.84	0.51	-0.44
ME22B092	0.24	0.76	0.21	1.2	0.37	1.54	0.15	0.42	0.39	1.15	0.64	1.62
AE22B070	0.18	1.05	0.19	1.34	0.15	-0.05	0.33	0.95	0.67	1.13	0.48	0.5
CE22B085	0.15	-0.53	0.17	-0.63	0.12	0.56	0.16	0.06	0.73	1.65	0.67	-0.2
ME22B196	0.27	-0.68	0.17	-0.5	0.19	1.17	0.14	0.8	0.54	1.01	0.69	0.89
MS25A052	0.18	0.12	0.13	0.65	0.31	-0.18	0.23	0.94	0.51	0.89	0.64	1.17
ED22B084	0.31	0.16	0.22	-0.71	0.17	0.3	0.3	0.01	0.52	0.44	0.48	0.01
MS25A004	0.14	0.34	0.18	0.25	0.18	0.16	0.11	0.5	0.68	-0.74	0.71	-0.53
MS25A075	0.22	0.86	0.16	-0.1	0.4	-0.2	0.18	0.86	0.38	1.65	0.66	1.67
MS25A062	0.17	1.44	0.19	1.19	0.35	-0.12	0.28	0.67	0.48	0.06	0.53	1.61
AE22B026	0.36	0.06	0.2	0.76	0.1	0.3	0.36	0.93	0.54	0.73	0.44	0.11
MS25A038	0.22	0.53	0.23	0.15	0.15	0.51	0.3	-0.7	0.63	0.05	0.47	0.2
MS25A027	0.33	0.05	0.18	0.7	0.27	-0.18	0.37	-0.13	0.4	0.29	0.45	0.95
BE22B033	0.2	1.5	0.35	0.98	0.26	1.11	0.34	1	0.54	1.33	0.31	-0.5
MS25A082	0.1	1.22	0.13	1.52	0.19	0.99	0.17	0.8	0.71	0.89	0.7	-0.17
ME22B223	0.13	0.36	0.29	0.16	0.19	0.97	0.31	0.91	0.68	1.47	0.4	0.57
MS25A019	0.31	0.41	0.16	0.98	0.11	0.66	0.35	0.21	0.58	1	0.49	0.59
MS25A010	0.23	0.11	0.11	0.76	0.23	-0.57	0.24	-0.03	0.54	-0.29	0.65	0.42
BE22B020	0.28	1.7	0.1	0.8	0.23	0.21	0.12	0.64	0.49	1.32	0.78	0.98
NA22B047	0.16	-0.12	0.35	0.16	0.19	-0.81	0.14	0.77	0.65	0.93	0.51	-0.49

MS25A049	0.2	1.77	0.16	0.57	0.23	0.55	0.2	1.22	0.57	0.79	0.64	-0.66
MS25A063	0.36	0.14	0.35	0.39	0.2	1.54	0.29	1.56	0.44	0.31	0.36	0.85
NA22B036	0.11	0.55	0.27	0.25	0.21	-0.67	0.28	1.04	0.68	1.31	0.45	1.26
MS25A043	0.1	-0.1	0.2	-0.32	0.25	0.95	0.13	1.5	0.65	0.41	0.67	1.13
MS25A030	0.32	0.39	0.38	0.58	0.15	0.89	0.27	0.72	0.53	0.56	0.35	-0.35
ME22B048	0.39	0.48	0.37	0.27	0.17	0.66	0.4	1.48	0.44	1.04	0.23	-0.21
ME22B046	0.13	-0.13	0.24	0.16	0.15	0.19	0.37	-0.74	0.72	1.5	0.39	1.02
MM22B054	0.25	0.18	0.32	-0.06	0.32	0.81	0.37	0.97	0.43	-0.31	0.31	1.35
MM22B002	0.13	0.01	0.33	0.83	0.22	0.24	0.12	-0.41	0.65	0.69	0.55	-0.48
NA22B042	0.32	0.91	0.18	1.03	0.21	0.93	0.31	0.54	0.47	0.8	0.51	0.85
NA22B035	0.25	0.54	0.27	0.33	0.27	-0.43	0.17	1.19	0.48	1.85	0.56	0.48
MS25A083	0.29	0.02	0.35	-0.32	0.35	1.22	0.37	0.84	0.36	-0.04	0.28	-0.23
ED22B008	0.25	0.92	0.27	0.6	0.1	-0.38	0.1	0.7	0.65	-0.22	0.63	1.88
	0.11	0.58	0.27	0.53	0.31	-0.03	0.22	-0.55	0.58	1.13	0.51	0.28
	0.23	-0.22	0.39	0.14	0.16	0.72	0.36	0.12	0.61	0.51	0.25	0.64
	0.37	0.47	0.14	1.44	0.21	0.8	0.4	0.89	0.42	-0.57	0.46	0.43
	0.22	-0.02	0.11	0.33	0.3	0.18	0.16	1.57	0.48	1.45	0.73	0.93
	0.1	-0.17	0.39	0.71	0.27	0.62	0.14	0.07	0.63	0.99	0.47	-0.75
	0.2	-0.49	0.26	0.44	0.27	-0.22	0.27	0.66	0.53	0.75	0.47	-0.27
	0.36	1.34	0.12	-0.64	0.12	1.05	0.22	1.3	0.52	-0.19	0.66	1.1

Data for Question 3 (Part A)

Roll Number	Equity					
	Investment	Revision t1	Revision t2	Revision t3	Revision t4	Revision t5
	t0 (INR)	% change	% change	% change	% change	% change
MS25A026	2730000	-2.53	-1.98	0.44	2.69	-0.91
MS25A031	3560000	0.61	2.69	0.55	4.84	4.85
MS25A079	4830000	2.24	0.52	2.14	-3.03	-1.18
BE22B008	4160000	2.18	-2.02	-2.5	-0.69	0.78
MS25A081	5630000	-3.23	2.31	2.7	-0.31	-3.31
MS25A022	4220000	-0.83	4.73	0.6	2.56	2.35
MS25A064	7820000	-2.57	0.32	3.12	3.65	1.1
NA22B077	6490000	-2.28	2.49	1.56	-3.02	-2.88
MS26D007	7610000	-1.55	-0.18	2.37	-0.81	1.58
MS25A020	3020000	-1.36	1.23	-0.97	1.51	3.14
MS25A051	2430000	0.48	0.43	3.21	2.31	1.92
MS25A078	7970000	0.76	-0.88	0.98	-2.35	-0.41
MS25A053	1650000	-0.74	2.59	-0.58	0.09	-0.72
MS25A072	4310000	-3.61	-2.55	2.41	-0.03	1.45
ME22B152	6000000	2.19	-0.29	2.42	1.27	0.17
CE22B009	6200000	1.9	-2.25	0.18	-1.4	-0.66
MS25A066	1860000	0.95	2.6	-0.56	0.37	-0.03
MS25A067	7460000	-1.1	2.57	0.21	-0.64	2.69
MS25A047	7000000	2,1	3	-1.65	3.04	-0.3
BS22B033	6220000	1.08	-1.18	1.45	0.22	-2.57
ED22B073	5160000	0.56	1.83	0.83	-1.22	1.07
MM22B058	4280000	0.22	1.65	2.65	0.89	-0.03
ME22B162	2170000	4.24	-1.26	2.98	3.42	-2.92
MS25A027	3080000	-2.75	3.85	0.41	2.37	0.66
MM22B012	3850000	0.31	0.56	0.55	3.36	0.54
MS25A029	5790000	1.57	-0.5	-0.98	2.58	0.61
ME22B092	5000000	3.87	-3.21	1.95	-0.66	-1.65
AE22B070	6900000	0.29	-2.41	0.92	-0.23	-1.72
CE22B085	1320000	3.15	0.46	1.38	0.15	2.86
ME22B196	6430000	-0.92	3.69	-0.5	-1.85	-0.86
MS25A052	1430000	0.53	1.2	1.01	0.96	0.21
ED22B084	6110000	-1.37	3.15	-0.79	2.02	1.08
MS25A004	1130000	-1.03	3.92	1.38	-2.73	1.23
MS25A075	1660000	3.46	-1.35	-3.72	-1.06	0.76
MS25A062	3870000	1.79	3.77	-0.19	1.44	1.18
AE22B026	1440000	-2.05	1.51	1.18	-0.32	0.53
MS25A038	2830000	-1.57	0.24	-0.01	-1.84	4.42
MS25A027	4900000	2.28	1.36	0.43	-0.53	2.26
BE22B033	2190000	-1.39	0.28	0.49	-0.07	-1.65
MS25A082	3360000	1.77	1.54	-0.45	-2.89	1.79
ME22B223	2160000	-0.14	0.45	2.43	2.73	0.46
MS25A019	6020000	-2.34	-0.2	1.17	4.76	0.74
MS25A010	2050000	-2.42	-1.64	1	2.07	-1.85
BE22B020	2790000	-1.52	-2.01	-1.23	-1.07	-0.85
NA22B047	1310000	0.87	1.1	2.82	2.05	-1.18
MS25A049	7080000	0.11	1.69	-1.31	-0.37	-0.6

MS25A063	7110000	2.45	-1.03	-2.26	1.46	-0.64
NA22B036	2320000	-0.83	0.82	3.53	0.2	2.12
MS25A043	5650000	-1.73	1.61	2.69	-0.62	0.61
MS25A030	4860000	1.87	0.45	-1.7	0.47	2.91
ME22B048	3130000	2.06	-0.01	-1.82	-0.5	0.02
ME22B046	5380000	-0.87	-2.75	0.71	1.57	0.86
MM22B054	6820000	-2.36	-1.41	-0.04	-1.58	-1.24
MM22B002	6000000	-1.98	2.11	0.39	0.68	4.18
NA22B042	6990000	-0.07	2.76	2.23	-3.19	4.38
NA22B035	3150000	-0.34	1.42	2.15	1.6	1.95
MS25A083	4830000	-2.23	0.17	-2.3	-0.15	-0.94
ED22B008	4430000	0.11	-0.52	0.41	-0.58	1.58
	4320000	-0.59	-0.42	2.25	0.08	-0.5
	2040000	3.58	2.3	2.15	-2.38	-1.02
	7840000	1.8	2.02	1.92	1.95	-0.56
	5140000	-1.92	1.16	3.43	3.97	1.84
	7920000	1.48	0.05	-0.75	1.79	1.69
	5510000	-1.6	1.72	-0.93	3.12	3.42
	4660000	-0.45	1.59	0.76	0.16	0.33

Data for Question 3 (Part B)

Roll Number	Bond					
	Investment	Revision t1	Revision t2	Revision t3	Revision t4	Revision t5
	t0 (INR)	% change	% change	% change	% change	% change
MS25A026	877000	0.12	0.28	0.2	0.28	0.12
MS25A031	777000	0.12	0.21	0.18	0.32	0.16
MS25A079	799000	0.3	0.29	0.38	0.38	0.23
BE22B008	719000	0.17	0.1	0.29	0.27	0.19
MS25A081	834000	0.27	0.35	0.38	0.23	0.36
MS25A022	746000	0.32	0.3	0.38	0.3	0.34
MS25A064	810000	0.36	0.27	0.32	0.26	0.22
NA22B077	725000	0.2	0.38	0.34	0.35	0.23
MS26D007	852000	0.32	0.19	0.27	0.17	0.36
MS25A020	821000	0.38	0.4	0.32	0.1	0.32
MS25A051	894000	0.4	0.18	0.24	0.3	0.27
MS25A078	851000	0.28	0.32	0.27	0.34	0.28
MS25A053	782000	0.23	0.3	0.1	0.28	0.23
MS25A072	773000	0.17	0.37	0.2	0.27	0.25
ME22B152	808000	0.15	0.13	0.13	0.15	0.35
CE22B009	802000	0.19	0.18	0.27	0.2	0.31
MS25A066	770000	0.23	0.2	0.21	0.13	0.39
MS25A067	830000	0.26	0.22	0.37	0.15	0.34
MS25A047	762000	0.35	0.2	0.1	0.21	0.31
BS22B033	772000	0.12	0.38	0.23	0.28	0.24
ED22B073	887000	0.25	0.11	0.27	0.29	0.3
MM22B058	821000	0.28	0.1	0.21	0.2	0.34
ME22B162	708000	0.24	0.37	0.19	0.36	0.23
MS25A027	883000	0.13	0.15	0.34	0.23	0.27
MM22B012	885000	0.27	0.15	0.36	0.35	0.12
MS25A029	831000	0.25	0.38	0.26	0.33	0.35
ME22B092	756000	0.28	0.15	0.31	0.28	0.23
AE22B070	737000	0.32	0.36	0.38	0.14	0.23
CE22B085	823000	0.36	0.22	0.17	0.36	0.38
ME22B196	766000	0.25	0.31	0.29	0.35	0.24
MS25A052	821000	0.38	0.34	0.36	0.19	0.32
ED22B084	888000	0.19	0.12	0.19	0.15	0.16
MS25A004	880000	0.13	0.33	0.36	0.34	0.11
MS25A075	737000	0.25	0.16	0.15	0.14	0.18
MS25A062	830000	0.32	0.33	0.36	0.1	0.28
AE22B026	846000	0.23	0.17	0.31	0.25	0.11
MS25A038	747000	0.26	0.29	0.22	0.2	0.2
MS25A027	891000	0.36	0.38	0.39	0.34	0.28
BE22B033	716000	0.17	0.28	0.11	0.33	0.14
MS25A082	874000	0.34	0.15	0.35	0.12	0.25
ME22B223	740000	0.17	0.35	0.2	0.16	0.3
MS25A019	844000	0.1	0.3	0.23	0.15	0.28
MS25A010	737000	0.11	0.36	0.21	0.4	0.2
BE22B020	729000	0.22	0.11	0.15	0.18	0.33
NA22B047	788000	0.2	0.3	0.21	0.31	0.13
MS25A049	791000	0.35	0.14	0.19	0.2	0.25
MS25A063	770000	0.39	0.31	0.22	0.38	0.37
NA22B036	726000	0.25	0.28	0.2	0.36	0.3
MS25A043	895000	0.37	0.4	0.27	0.29	0.28

MS25A030	809000	0.27	0.38	0.12	0.13	0.24
ME22B048	898000	0.29	0.18	0.11	0.18	0.32
ME22B046	785000	0.17	0.22	0.3	0.17	0.32
MM22B054	781000	0.34	0.32	0.17	0.28	0.27
MM22B002	798000	0.25	0.15	0.22	0.34	0.24
NA22B042	831000	0.24	0.14	0.39	0.3	0.24
NA22B035	709000	0.38	0.33	0.23	0.15	0.29
MS25A083	849000	0.32	0.1	0.36	0.21	0.29
ED22B008	738000	0.38	0.26	0.36	0.3	0.34
	877000	0.3	0.22	0.18	0.13	0.25
	796000	0.18	0.28	0.38	0.3	0.3
	881000	0.34	0.34	0.23	0.19	0.1
	704000	0.12	0.3	0.33	0.23	0.19
	731000	0.11	0.39	0.36	0.1	0.14
	898000	0.17	0.17	0.31	0.37	0.37
	820000	0.17	0.16	0.36	0.1	0.2