JujutsuLang - Compiler Design.

Objective

To design a C-like language where all keywords and operators are replaced with Jujutsu Kaisen-themed equivalents. This is for a compiler design project to implement a lexer/parser that recognizes these new keywords and operators.

1. Keywords Mapping

C Keyword	JujutsuLang	Reasoning / Logic
int	CursedEnergy	Numeric value, basic energy level.
float	ReversedFlow	Fractional or fine-tuned energy manipulation.
double	DomainPower	High-precision / large-scale numeric value.
char	SoulShard	Single character unit, smallest indivisible piece.
void	NullVoid	Represents absence of return value.
if	TriggerCondition	Conditional execution based on a situation.
else	CounterMove	Alternative action if condition fails.
switch	ShikigamiSummon	Choose among multiple options.
case	ShikigamiForm	Specific option in a switch.
for	BindingLoop	Loop bound by a rule or condition (like a vow).
while	CursedCycle	Repeats while a condition is true.
do	GuaranteedHit	Executes at least once, guaranteed action.
break	DomainShatter	Exit loop or switch early.
continue	FlowShift	Skip current iteration, continue loop.
return	SukunaRelease	Send a value back from a function.
struct	CursedArtifact	Group of related variables (like a cursed object).
typedef	ClanTechnique	Alias for a type, like a clan's signature move.
enum	CurseRank	Enumerated types, like curse classification.

const	ImmutableSeal	Cannot change; permanent effect.
static	AnchoredSeal	Persistent across calls, stays in memory.
extern	RemoteCursedEnergy	Declared elsewhere, used externally.
sizeof	DomainScale	Measures size of an object/type.
goto	TeleportStrike	Jump to a specific point in code.
main	CursedBattle	Program entry point, main fight.
union	MergedCurse	Store different types in same memory space.
volatile	UnstableEnergy	Value can change unexpectedly.
register	QuickStrike	Suggest to store in CPU register (fast access).
signed	PositiveNegativeEnergy	Can hold both positive and negative values.
unsigned	PureCursedEnergy	Only positive energy.
breakpoint*	CursedTrigger	Special debugging point (optional for your compiler).

2. Operators Mapping

C Operator	JujutsuLang	Reasoning / Logic
+	Add	Increase energy/power.
-	Drain	Decrease energy/power.
*	Amplify	Multiply effect/power.
/	Divide	Split energy.
%	ShardMod	Modulo, remainder of attack/energy.
=	Bind	Assign value.
==	Match	Check equality.
!=	Clash	Not equal, conflicting curse.
<	Below	Less than.
>	Above	Greater than.
<=	BelowEq	Less than or equal.
>=	AboveEq	Greater than or equal.
&&	Chain	Logical AND, like linking techniques.
||	Link	Logical OR, like connected techniques.
!	Neg	Negation / cancel effect.
++	Boost	Increment energy.
--	Drain	Decrement energy.

KHULNA UNIVERSITY OF ENGINEERING & TECHNOLOGY

Department of CSE

Compiler Project Progress Report Manual Tools: Using Flex

Submitted To:

Md. Badiuzzaman Shuvo

Lecturer

Department of Department of Computer Science and Engineering (CSE)

Khulna University of Engineering & Technology (KUET)

Subah Nawar

Lecturer

Department of Department of Computer Science and Engineering (CSE)

Khulna University of Engineering & Technology (KUET)

Submitted By:

Md. Saif Ahmed Shejan

Roll No: 2107009

Year: Third

Semester: Second

Department of Computer Science and Engineering (CSE)

Khulna University of Engineering & Technology (KUET)

Date of Submission: January 12, 2026