(8) Integrating Knowledge Bases for Rags

(V1) Integrating Knowledges Bases for Rags and External data sources in Rag systems.

→ Software/libraries used →

1. Python
2. V.S code
3. spacy → for nlp tasks
4. Hugging face transformer
5. Pytorch → for deep learning framework
6. Wikipedia API → for accessing large amount data
7. Flask → for lightweight web front ends

→ Aligning and linking Unstructured text with structured data →

→ Data alignment involves mapping unstructured data to structured formats, allowing system to process and retrieve information efficiently

→ Techniques like nlp and information extraction plays a significant role in the process,

→ Tools such as spacy, nltk, and Bert are commonly used for nlp tasks, facilitating the transformation of unstructured text into structured data

→ Named Entity Recognition, also called (Nerve) is a crucial technique in data allignment

→ Nerve involves identifying and classifying key information such as name, people, organisation and location

→ Within unstructured text, this is significant for understanding and organising data entity.

Scanned with OKEN Scanner

(12) Exploring Methods for Incorporating External Data into Rag

→ Integrating of external data sources is crucial in enhancing the accuracy and relevance of Rag systems, as it enables models to access a broader range of information

→ Domain specific databases provides highly specialised information that can be crucial for generating responses.
For instance, a rag model designed for healthcare applications might rely on medical databases, while one with rag model for finance relys on financial data.

→ Challenges & Considerations

→ Data quality and consistency → are paramounts to avoid inaccuracies in generated response

→ Data redundancy and noise → is very critical to prevent the model from being overwhelmed by irrelevant and repetitive information.

→ Scalability and Performance → must to optimized to handle large volumes of data efficiently

→ Privacy and ethical concerns → is important when dealing with sensitive or proprietary information and ensuring the usage of data aligns with legal and ethical standards

Scanned with OKEN Scanner

(13) Implementing and Evaluating knowledge Integration approach.

→ Entity linking →

→ Entity linking is the process of identifying and linking entities mentioned in the unstructured text of their corresponding entries in the knowledge base.

→ Entity linking process ensures that the rag model retrieves contextually accurate information

→ The process involves recognizing named entities, disambiguating them, and linking them to the relevant knowledge base entries.

→ Popular tools spacy, spotlight

→ And helps evaluating the effectiveness of entity linking can be done using metrics such as precision, recall, f1,

→ Knowledge Graph Embedding →

→ Knowledge Graph Embeddings are a method of representing entities and their relationship with any knowledge graph as continuous vector in a low dimension space.

→ These embeddings capture the semantic meaning of the entities and relationships which can be then integrated into Rag models to enhance retrieval accuracy.

→ These are various types of embeddings including → translational, semantic and path-based.

→ Knowledge guided retrieval →

→ Knowledge guided retrieval leverages structured knowledge to define and improve the retrieval process in rag systems.

Scanned with OKEN Scanner

4 Relevance and scoring

→ This approach involves using techniques such as query reformulation, contextual filtering, and rule based approach to guide the model in retrieving the most relevant information.

→ Knowledge guided retrieval is particularly useful in applications like FAQ retrieval and domain specific information retrieval where accuracy and relevance are paramount

→ Best practises →

→ Choosing the right tools and framework that aligns with your systems requirements is critical for successful implementation, continuous evaluation and iteration are necessary to maintain the performance of your RAG system.

Scanned with OKEN Scanner