U.S. Patent No. 7,479,949 B2

Touch screen device, method, and graphical user interface for determining commands by applying heuristics

CHARTED AGAINST iPhone multi-touch scrolling and swipe gestures, Apple

Patent owner's own product.

PATENT RECORD — EXHIBIT A-4

ASSIGNEE	Apple Inc
PRIORITY	Sept. 6, 2006
ISSUED	Jan. 20, 2009
EXPIRES	Sept. 5, 2027
STATUS	Active

From patents.google.com, copy of Nov. 3, 2026. 3 of 3 record checks passed.

12	● 8	◐ 4	○ 0	7/12	7	71/87	Nov. 3, 2026
CLAIM ELEMENTS	DOCUMENTED	PARTIAL	NOT FOUND	QUOTES VERBATIM ON PAGE	SOURCES QUOTED	CHECKS PASSED	RESEARCHED AND CHECKED

CLAIM 1 (VERBATIM)	PUBLIC EVIDENCE	BASIS AND CHECKS
1[pre] A computing device, comprising:	● DOCUMENTED > "Both devices are powered by Apple A8 APL1011 system-on-chip processor and M8 second-generation motion coprocessor, with a Qualcomm MDM9625M LTE modem connecting to 4G."[1] The teardown report identifies computing hardware in iPhone 6 and iPhone 6 Plus, providing a concrete iPhone implementation for the device requirement.	CONFIDENCE: MEDIUM ● Quote and source ● Quote on page · verbatim on an older copy of 2026-01-13; a fresh copy was not available ● Non-patent source ● In research basis ● Dated Dated Sept. 19, 2014, during the patent term.
1[a] a touch screen display;	● DOCUMENTED > "A few simple gestures—tap, drag, swipe, and pinch—are all you need to use iPhone and its apps."[2] The iPhone user guide describes touchscreen interaction through tapping, dragging, swiping and pinching. Apple's iPhone 6 technical specifications separately identify its display as Multi-Touch.	CONFIDENCE: MEDIUM ● Quote and source ● Quote on page ● Non-patent source ● In research basis ● Dated Dated June 15, 2015, during the patent term. 1 more supporting source in Appendix B.

1. *See inside the iPhone 6 and 6 Plus with new teardown - CNET*, cnet.com (Sept. 19, 2014), https://www.cnet.com/tech/mobile/see-inside-the-iphone-6-and-6-plus-with-new-teardown (last visited Jan. 13, 2026).
2. *iPhone User Guide*, cdsassets.apple.com (June 15, 2015), https://cdsassets.apple.com/live/6GJYWVAV/user/ma1724_iphone_user_guide.pdf (last visited Nov. 3, 2026).

CLAIM 1 (VERBATIM)	PUBLIC EVIDENCE	BASIS AND CHECKS
1[b] one or more processors;	● DOCUMENTED > "Both devices are powered by Apple A8 APL1011 system-on-chip processor and M8 second-generation motion coprocessor, with a Qualcomm MDM9625M LTE modem connecting to 4G."[3] The report identifies the A8 application processor and M8 motion coprocessor in iPhone 6 and iPhone 6 Plus.	CONFIDENCE: MEDIUM ● Quote and source ● Quote on page · verbatim on an older copy of 2026-01-13; a fresh copy was not available ● Non-patent source ● In research basis ● Dated Dated Sept. 19, 2014, during the patent term.
1[c] memory; and	● DOCUMENTED > "When an iOS device is turned on, its application processor immediately executes code from read-only memory known as the Boot ROM."[4] Apple documents read-only memory containing executable boot code in iOS devices.	CONFIDENCE: HIGH ● Quote and source ● Quote on page ● Non-patent source ● In research basis ● Dated Dated Oct. 2014, during the patent term.
1[d] one or more programs, wherein the one or more programs are stored in the memory and configured to be executed by the one or more processors, the one or more programs including:	● DOCUMENTED > "When an iOS device is turned on, its application processor immediately executes code from read-only memory known as the Boot ROM."[5] Apple explicitly describes stored program code being executed by the application processor. The guide also describes executable app memory pages being checked as they are loaded, supporting the general stored-program architecture rather than identifying individual gesture routines.	CONFIDENCE: MEDIUM ● Quote and source ● Quote on page ● Non-patent source ● In research basis ● Dated Dated Oct. 2014, during the patent term.
1[e] instructions for detecting one or more finger contacts with the touch screen display;	● DOCUMENTED > "In its default configuration, a view receives only the first UITouch object associated with an event, even if more than one finger is touching the view."[6] UIKit represents finger contacts as touch objects and delivers them to views for event handling. The documentation expressly addresses events involving one or more fingers.	CONFIDENCE: HIGH ● Quote and source ● Quote on page · 81% of six-word spans match, no continuous quote on copy of 2026-11-03 ● Non-patent source ● In research basis ● Dated · no date on the page

3. *See inside the iPhone 6 and 6 Plus with new teardown - CNET*, *supra* note 1.
4. *iOS Security*, apple.com (Oct. 2014), `https://www.apple.com/lae/privacy/docs/iOS_Security_Guide_Oct_2014.pdf` (last visited Nov. 3, 2026).
5. *Id.*
6. *Handling touches in your view | Apple Developer Documentation*, developer.apple.com, `https://developer.apple.com/documentation/uikit/handling-touches-in-your-view` (last visited Nov. 3, 2026).

CLAIM 1 (VERBATIM)	PUBLIC EVIDENCE	BASIS AND CHECKS
1[f] instructions for applying one or more heuristics to the one or more finger contacts to determine a command for the device; and	PARTIAL > "Gesture recognizers encapsulate all of the logic needed to process and interpret incoming events for that view and match them to a known pattern."[7] UIKit documents pattern-based interpretation of touch events and notification of a target when a match occurs. This supports gesture-to-action interpretation, but does not disclose the particular heuristic rules used by built-in iPhone scrolling and swipe implementations.	CONFIDENCE: MEDIUM ● Quote and source ● Quote on page ● Non-patent source ● In research basis ● Dated · no date on the page
1[g] instructions for processing the command;	DOCUMENTED > "Recognition of a gesture results in the dispatch of an action message to a target for each of the associated pairs."[8] UIKit dispatches an action message to the associated target after recognizing a gesture, providing the mechanism for processing the recognized user command.	CONFIDENCE: MEDIUM ● Quote and source ● Quote on page ● Non-patent source ● In research basis ● Dated · no date on the page 1 more supporting source in Appendix B.
1[h] wherein the one or more heuristics comprise:	PARTIAL > "If this property is true and the user begins dragging in one general direction (horizontally or vertically), the scroll view disables scrolling in the other direction. If the drag direction is diagonal, then scrolling doesn't lock and the user can drag in any direction until the drag completes."[9] Apple documents directional locking and unrestricted diagonal dragging; its iPhone guide separately documents swipe-based photo navigation. These sources do not establish that the three specified heuristics operate together as the claimed initial-angle-based selection scheme.	CONFIDENCE: MEDIUM ● Quote and source ● Quote on page · 91% of six-word spans match, no continuous quote on copy of 2026-11-03 ● Non-patent source ● In research basis ● Dated · no date on the page 1 more supporting source in Appendix B.

7. *Handling UIKit gestures | Apple Developer Documentation*, developer.apple.com, https://developer.apple.com/documentation/uikit/handling-uikit-gestures (last visited Nov. 3, 2026).
8. *UIGestureRecognizer | Apple Developer Documentation*, developer.apple.com, https://developer.apple.com/documentation/uikit/uigesturerecognizer?language=objc (last visited Nov. 3, 2026).
9. *isDirectionalLockEnabled | Apple Developer Documentation*, developer.apple.com, https://developer.apple.com/documentation/uikit/uiscrollview/isdirectionallockenabled (last visited Nov. 3, 2026).

CLAIM 1 (VERBATIM)	PUBLIC EVIDENCE	BASIS AND CHECKS
1[i] a vertical screen scrolling heuristic for determining that the one or more finger contacts correspond to a one-dimensional vertical screen scrolling command rather than a two-dimensional screen translation command based on an angle of initial movement of a finger contact with respect to the touch screen display;	◐ PARTIAL > "If this property is true and the user begins dragging in one general direction (horizontally or vertically), the scroll view disables scrolling in the other direction."[10] When directional locking is enabled, a generally vertical initial drag disables horizontal scrolling. The documentation does not specify an initial-movement-angle test or establish that this optional setting, whose default is false, is enabled in the relevant built-in iPhone views.	CONFIDENCE: MEDIUM ● Quote and source ● Quote on page · 81% of six-word spans match, no continuous quote on copy of 2026-11-03 ● Non-patent source ● In research basis ● Dated · no date on the page
1[j] a two-dimensional screen translation heuristic for determining that the one or more finger contacts correspond to the two-dimensional screen translation command rather than the one-dimensional vertical screen scrolling command based on the angle of initial movement of the finger contact with respect to the touch screen display; and	◐ PARTIAL > "If the drag direction is diagonal, then scrolling doesn't lock and the user can drag in any direction until the drag completes."[11] Apple documents unrestricted dragging rather than axis locking when the drag is diagonal. It does not disclose how the initial movement angle is evaluated to select two-dimensional translation over vertical scrolling, or confirm the configuration of particular built-in iPhone views.	CONFIDENCE: MEDIUM ● Quote and source ● Quote on page ● Non-patent source ● In research basis ● Dated · no date on the page
1[k] a next item heuristic for determining that the one or more finger contacts correspond to a command to transition from displaying a respective item in a set of items to displaying a next item in the set of items.	● DOCUMENTED > "While viewing a photo or video, tap to show and hide the controls. Swipe left or right to go forward or backward."[12] The Photos instructions map a left or right swipe to moving forward or backward through displayed photos or videos, documenting swipe-to-next-item behavior.	CONFIDENCE: HIGH ● Quote and source ● Quote on page ● Non-patent source ● In research basis ● Dated Dated June 15, 2015, during the patent term.

10. *Id.*
11. *Id.*
12. *iPhone User Guide*, *supra* note 2.

Appendix A · Prior art

Qualifying references need source metadata supporting a date before Sept. 6, 2006. Other candidates and the reasons for exclusion appear below.

No non-patent prior art passed the checks.

EXCLUDED OR AWAITING DATE VERIFICATION

1	*AppLens and LaunchTile: Two Designs for One-Handed Thumb Use on Small Devices* http://www.cs.umd.edu/hcil/jazz/learn/papers/chi-applens-launchtile.pdf	Published before the priority date · research: 2005-04; page metadata: 2005-01-12; priority: 2006-09-06
2	*Gesture Registration, Relaxation, and Reuse for Multi-Point Direct-Touch Surfaces* https://www.merl.com/publications/docs/TR2005-109.pdf	Published before the priority date · research: 2005-10; page metadata: unavailable; priority: 2006-09-06
3	*Multi-Touch: A New Tactile 2-D Gesture Interface for Human-Computer Interaction* https://www.openexhibits.org/wp-content/uploads/papers/HFES_multitouch_proceedings.pdf	Published before the priority date · research: 2001; page metadata: 1999-09-10; priority: 2006-09-06

Appendix B · Research basis

For each element: Parallel's reasoning, its confidence, and every source it cited. The quoted source is marked ▸.

1[pre] DOCUMENTED · CONFIDENCE MEDIUM

The iPhone teardown report identifies the processors and connectivity hardware in the two iPhone models. The displayed publication date supplies the source date; the computing-device characterization follows from the identified hardware.

▸ See inside the iPhone 6 and 6 Plus with new teardown - CNET · www.cnet.com/tech/mobile/see-inside-the-iphone-6-and-6-plus-with-new-…

1[a] DOCUMENTED · CONFIDENCE MEDIUM

The user guide supplies the quoted gesture-operation sentence, and Apple's specifications explicitly identify the iPhone 6 Multi-Touch display. The mapping combines these two descriptions; no publication date is assigned to the undated guide.

▸ iPhone User Guide · cdsassets.apple.com/live/6GJYWVAV/user/ma1724_iphone_user_guide.pdf
iPhone 6 - Technical Specifications - Apple Support · support.apple.com/en-us/111954

1[b] DOCUMENTED · CONFIDENCE MEDIUM

The report explicitly identifies the A8 processor and M8 coprocessor. It is a secondary teardown report, so confidence is medium despite the direct statement.

▸ See inside the iPhone 6 and 6 Plus with new teardown - CNET · www.cnet.com/tech/mobile/see-inside-the-iphone-6-and-6-plus-with-new-…

1[c] DOCUMENTED · CONFIDENCE HIGH

Apple directly identifies read-only memory holding executable code. The guide's displayed October 2014 date supports the source date.

▸ iOS_Security_Guide_v39_FF · www.apple.com/lae/privacy/docs/iOS_Security_Guide_Oct_2014.pdf

1[d] DOCUMENTED · CONFIDENCE MEDIUM

Processor execution from ROM directly supports stored executable programs, while executable app memory pages support the application-software context. The source does not individually identify the gesture routines, so confidence in the overall mapping is medium.

▸ iOS_Security_Guide_v39_FF · www.apple.com/lae/privacy/docs/iOS_Security_Guide_Oct_2014.pdf

1[e] DOCUMENTED · CONFIDENCE HIGH

Apple documents touch objects delivered with events and expressly discusses multiple fingers touching a view. This directly supports software handling finger-contact events.

▸ Handling touches in your view | Apple Developer Documentation · developer.apple.com/documentation/uikit/handling-touches-in-your-view

1[f] PARTIAL · CONFIDENCE MEDIUM

Matching incoming events against a known pattern and notifying a target supports gesture interpretation leading to an action. It does not identify the particular heuristic implementation in stock iPhone scrolling and swiping, which is why the assessment is partial.

▸ Handling UIKit gestures | Apple Developer Documentation · developer.apple.com/documentation/uikit/handling-uikit-gestures

1[g] DOCUMENTED · CONFIDENCE MEDIUM

The recognizer dispatches an action message, and Apple's handling documentation explains that an action method provides a response. These describe processing a recognized gesture command, although they are framework-level rather than app-specific descriptions.

▸ UIGestureRecognizer | Apple Developer Documentation · developer.apple.com/documentation/uikit/uigesturerecognizer?language=objc
Handling UIKit gestures | Apple Developer Documentation · developer.apple.com/documentation/uikit/handling-uikit-gestures

1[h] PARTIAL · CONFIDENCE MEDIUM

The sources document directional locking, unrestricted diagonal dragging and photo swipe navigation separately. They do not establish a single combined implementation of the three specified heuristics or its initial-angle selection logic.

▸ isDirectionalLockEnabled | Apple Developer Documentation · developer.apple.com/documentation/uikit/uiscrollview/isdirectionalloc…
iPhone User Guide · cdsassets.apple.com/live/6GJYWVAV/user/ma1724_iphone_user_guide.pdf

1[i] PARTIAL · CONFIDENCE MEDIUM

The enabled property locks scrolling to the general direction in which dragging begins, including vertical dragging. Its default is false; the source does not disclose the angle test or demonstrate enabling it in a particular built-in view.

‣ isDirectionalLockEnabled | Apple Developer Documentation · developer.apple.com/documentation/uikit/uiscrollview/isdirectionalloc…

1[j] PARTIAL · CONFIDENCE MEDIUM

Diagonal dragging is expressly described as remaining unlocked in any direction, supporting two-dimensional movement. The exact initial-angle decision mechanism and app-specific use remain undocumented by this source.

‣ isDirectionalLockEnabled | Apple Developer Documentation · developer.apple.com/documentation/uikit/uiscrollview/isdirectionalloc…

1[k] DOCUMENTED · CONFIDENCE HIGH

The contiguous Photos instructions directly associate left/right swipes with forward/backward item navigation, supporting the functional next-item behavior. No internal recognition algorithm is inferred.

‣ iPhone User Guide · cdsassets.apple.com/live/6GJYWVAV/user/ma1724_iphone_user_guide.pdf

Appendix C · Verification log

Every check run on this exhibit. Green passed, amber needs a person to look, red failed; details for every flag follow the grid.

CLAIM LANGUAGE	EVIDENCE	PRIOR ART	QUOTES, SOURCES AND DATES	PREPARED WITH
Extract API on patents.google.com, copy of Nov. 3, 2026. Split into elements in Python; no model writes claim text.	Task API, pro processor, patent databases excluded. completed	Task API, pro processor, dates enforced in Python. completed	Extract requests fresh copies. Python checks for a continuous quote and compares prior-art dates with publication metadata.	parallel

PATENT RECORD	PATENT NUMBER	CLAIM 1 VERBATIM	DATES IN ORDER
US7479949B2	●	●	●

CLAIM ELEMENT	RESEARCHED	QUOTE AND SOURCE	QUOTE ON PAGE	NON-PATENT SOURCE	IN RESEARCH BASIS	DATED
1[pre]	●	●	●	●	●	●
1[a]	●	●	●	●	●	●
1[b]	●	●	●	●	●	●
1[c]	●	●	●	●	●	●
1[d]	●	●	●	●	●	●
1[e]	●	●	●	●	●	●
1[f]	●	●	●	●	●	●
1[g]	●	●	●	●	●	●
1[h]	●	●	●	●	●	●
1[i]	●	●	●	●	●	●
1[j]	●	●	●	●	●	●
1[k]	●	●	●	●	●	●

PRIOR ART	BEFORE PRIORITY DATE	NON-PATENT SOURCE	QUOTE ON PAGE	LABELS MATCH CLAIM
Ref. 1	●	●	●	●
Ref. 2	●	●	●	●
Ref. 3	●	●	●	●

FLAGGED FOR REVIEW · 16

- 1[pre] · Quote found on the page · verbatim on an older copy of 2026-01-13; a fresh copy was not available
- 1[b] · Quote found on the page · verbatim on an older copy of 2026-01-13; a fresh copy was not available

- **1[e]** · Quote found on the page · 81% of six-word spans match, no continuous quote on copy of 2026-11-03
- **1[e]** · Source dated · no date on the page
- **1[f]** · Source dated · no date on the page
- **1[g]** · Source dated · no date on the page
- **1[h]** · Quote found on the page · 91% of six-word spans match, no continuous quote on copy of 2026-11-03
- **1[h]** · Source dated · no date on the page
- **1[i]** · Quote found on the page · 81% of six-word spans match, no continuous quote on copy of 2026-11-03
- **1[i]** · Source dated · no date on the page
- **1[j]** · Source dated · no date on the page
- **Ref. 1** · Published before the priority date · research: 2005-04; page metadata: 2005-01-12; priority: 2006-09-06
- **Ref. 1** · Quote found on the page · 89% of six-word spans match, no continuous quote on copy of 2026-11-03
- **Ref. 2** · Published before the priority date · research: 2005-10; page metadata: unavailable; priority: 2006-09-06
- **Ref. 3** · Published before the priority date · research: 2001; page metadata: 1999-09-10; priority: 2006-09-06
- **Ref. 3** · Quote found on the page · 62% of six-word spans match, no continuous quote on copy of 2026-11-03