## Instructions

## Yu-Ping Yang

## December 20, 2017

- The following five files will be output from the interface (under inputs/ directory):
  - eweld.in
  - eweld\_weld\_parameters.in
  - eweld\_boundary\_condition.in
  - eweld\_preheat\_interpass\_temperature.in
  - eweld\_temperature\_monitor.in
  - eweld\_mesh\_key.txt (Not need to do now. This option will allow users to input their own meshes.)
- For automatic mesh, the following steps will be run:
  - 1. Check if pass\_coordinates.out exists in input directory, if no, run utils/determine\_passes\_arc\_v4.exe to create inputs/pass\_coordinates.out ¹: ./utils/determine\_passes\_arc\_v4.out inputs/ eweld.in will be input.
  - 2. Run utils/Automesh\_v14.py from SALOME's Python Console to create Mesh\_3D.unv, or run without Salome GUI:

\$SALOMEPATH/salome start -t -w 1 utils/Automesh\_v14.py

- (a) The files will be input:
  - ./inputs/eweld.in
  - ./inputs/eweld\_weld\_parameters.in
  - ./setting/Setting\_arc\_efficiency\_dfault.in

<sup>&</sup>lt;sup>1</sup>On Linux, compile determine\_passes\_arc\_v4.out, to get determine\_passes\_arc\_v4.out via gfortran determine\_passes\_arc\_v4.for -o determine\_passes\_arc\_v4.out

```
- ./inputs/pass_coordinates.out
```

- (b) The files will be output:
  - Mesh\_3D.unv
  - model\_dflux.for
  - model\_step1.inp
- 3. Run ./utils/runCGX.sh to generate the nodesElems.inp and model\_film.in files (using cgx and unical):
  - ./utils/runCGX.sh Mesh\_3D.unv ./utils/write\_film.fbd
- 4. Run

python2 utils/Analysis\_file\_create.py

- The files will be input:
  - \* ./inputs/eweld.in
  - \* ./inputs/eweld\_boundary\_condition.in
  - \* ./inputs/eweld\_preheat\_interpass\_temperature.in
  - \* ./nodesElems.inp
- The files will be output:
  - \* model\_bc.in
  - \* model\_ini\_temperature.in
  - \* model\_material.in
- 5. Move model\_dflux.for to the CalculiX directory (to CalculiX-PW/src/) and rename to dflux.f, and compile CalculiX (see the notes in CalculiX-PW/README.md for compilation/installation of CalculiX). Or decompress tools/CalculiX-PW.tar (works under Ubuntu 14.04, if all the required packages for CalculiX are installed):

```
tar -xf tools/CalculiX-PW.tar
```

6. Run analysis.inp with CalculiX