

Hospital Database Project



We have been given a database which is having following schema

patients		
🔑	patient_id	INT
	first_name	TEXT
	last_name	TEXT
	gender	CHAR(1)
	birth_date	DATE
	city	TEXT
🔑	province_id	CHAR(2)
	allergies	TEXT
	height	INT
	weight	INT

doctors		
🔑	doctor_id	INT
	first_name	TEXT
	last_name	TEXT
	specialty	TEXT

admissions		
🔑	patient_id	INT
	admission_date	DATE
	discharge_date	DATE
	diagnosis	TEXT
🔑	attending_doctor_id	INT

province_names		
🔑	province_id	CHAR(2)
	province_name	TEXT

The data spans between a duration of a year between June 2018 to May 2019
And we are supposed go find the following questions using sql queries

1] Show unique first names from the patients table which only occurs once in the list.
For example, if two or more people are named 'John' in the first_name column then don't include their name in the output list. If only 1 person is named 'Leo' then include them in the output.

```
1 SELECT DISTINCT first_name
2 FROM patients
3 GROUP BY first_name
4 HAVING COUNT(first_name) = 1;
```

first_name
Abby
Adelaide
Adelia
Akira
Albert
Aldo
Alec
Alicia
Allan
Alpa
Amane
Amitabh
Angel
Angelina
Angus
Anne
Anton
Antonia
Anubis
Apolline
April
Ariel
Asa

Showing 1 to 100 of 319 results

Previous 1 2 3 ... 4 Next

2] Show patient_id and first_name from patients where their first_name start and ends with 's' and is at least 6 characters long.

```

1 SELECT patient_id,
2         first_name
3 FROM patients
4 WHERE first_name LIKE 's____s';

```

patient_id	first_name
496	Spiros
629	Spiros
648	Stanislaus
1273	Stanislaus
1789	Seamus
1926	Stanislaus
1996	Stanislaus
2258	Spiros
2378	Stanislaus
2771	Stanislaus
3487	Stanislaus

3] Show patient_id, first_name, last_name from patients whose diagnosis is 'Dementia'. Primary diagnosis is stored in the admissions table.

```

1 SELECT patients.patient_id,
2         first_name,
3         last_name
4 FROM patients JOIN admissions ON (admissions.patient_id = patients.patient_id)
5 WHERE diagnosis = 'Dementia';

```

patient_id	first_name	last_name
160	Miranda	Delacour
178	David	Bustamonte
207	Matt	Celine
613	Jaki	Granger
836	Montana	Vimes
924	Simon	Spellman
1201	Irene	Murphy
1264	Jillian	Valentine
1402	Kathryn	Hallow
1491	Doris	McGrew
1585	Alex	Cantropus
1749	Alejandro	Mellie
1798	Sister	Trenton
1844	Jadu	Wilson
1938	Anthony	Anneke
2292	Jessica	Talbot
2532	Lynn	Willing
2689	Kurt	Jones
2834	Juliet	Harkness
2975	Agnes	Barkley

4] Display every patient's first_name. Order the list by the length of each name and then by alphabetically.

```
1 SELECT first_name
2 FROM patients
3 ORDER BY LEN(first_name),
4          first_name ASC;
```

first_name
Al
Al
Al
Al
Al
Al
Al
Al
Bo
Bo
Bo
Bo
Bo
Bo
Bo

5] Show the total number of male patients and the total number of female patients in the patients table. Display the two results in the same row.

```
1 SELECT
2 (SELECT COUNT(*) FROM patients WHERE gender = 'M') AS MALE_COUNT,
3 (SELECT COUNT(*) FROM patients WHERE gender = 'F') AS FEMALE_COUNT;
```

MALE_COUNT	FEMALE_COUNT
2468	2062

6] Show first name , last name and allergies from patients which have allergies to either 'Penicillin' or 'Morphine'. Show results ordered ascending by allergies then by first_name then by last_name.

1	SELECT	first_name,	
2		last_name,	
3		allergies	
4	FROM	patients	
5	WHERE	allergies IN ('Penicillin' , 'Morphine')	

first_name	last_name	allergies
Briareos	Hayes	Morphine
Christine	Argyros	Morphine
Griselda	Hopper	Morphine
Henry	Huang	Morphine
Janice	Redfield	Morphine
Jesse	Guarnaccia	Morphine
Joel	Takata	Morphine
Jon	Guarnaccia	Morphine
Juan	Davies	Morphine
Kelly	Landsman	Morphine
Kent	Jacobs	Morphine
Mickey	Yamamoto	Morphine
Norman	Scott	Morphine
Patricia	Newbury	Morphine
Patty	Brady	Morphine
Raylan	Mallory	Morphine
Sarah	Pike	Morphine
Sarah Jane	Jones	Morphine
Temple	Starsmore	Morphine
Tugg	Travis	Morphine
Tyra	Shannon	Morphine
Uri	Falcon	Morphine
Abe	Luca	Penicillin

Showing 1 to 100 of 1104 results

Previous
1
2
3
...
12
Next

7] Show patient_id, diagnosis from admissions. Find patients admitted multiple times for the same diagnosis.

```

1 SELECT patient_id,
2         diagnosis
3 FROM admissions
4 GROUP BY patient_id,
5         diagnosis

```

patient_id	diagnosis
137	Pregnancy
320	Pneumonia
1577	Congestive Heart Failure
2004	Left Shoulder Rotator Cuff Repair
2859	Severed Spine At C3
3012	Appendicitis
3367	Pyelonephritis
3468	Congestive Heart Failure
4083	Congestive Heart Failure
4121	Congestive Heart Failure
4363	Congestive Heart Failure

8] Show all patient's first_name, last_name, and birth_date who were born in the 1970s decade. Sort the list starting from the earliest birth_date.

```

1 SELECT first_name,
2         last_name,
3         birth_date
4 FROM patients
5 WHERE YEAR(birth_date) BETWEEN 1970 AND 1979

```

first_name	last_name	birth_date
Frances	Kobayakawa	1970-01-02
Sunny	Burrell	1970-01-07
Penelope	Beckett	1970-01-14
Deborah	Stewart	1970-01-14
Augusta	Decker	1970-01-22
Sookie	Brearily	1970-02-01
Temple	Wylie	1970-02-10
Deanna	Spano	1970-03-23
Jadu	Principal	1970-03-28
Betty	Stephens	1970-03-28
Jo	Sahid	1970-03-31
Santino	Hawker	1970-04-08
Andy	Guarnaccia	1970-04-10
Richard	Arroway	1970-04-13
Alan	Davis	1970-04-14
Cameron	Spellman	1970-04-21
Bertha	Smart	1970-05-06
Nicky	Klump	1970-05-19
Rose	Petrie	1970-05-27
Kennv	Skelton	1970-05-29

9] We want to display each patient's full name in a single column. Their last_name in all upper letters must appear first, then first_name in all lower case letters. Separate the last_name and first_name with a comma. Order the list by the first_name in descending order

EX: SMITH,jane

```
1 SELECT
2     CONCAT(UPPER(last_name),',',LOWER(first_name))AS full_name
3 FROM patients
4 ORDER BY first_name DESC;
```

full_name
MILLER,zoe
CORBIE,ziva
KOBAYAKAWA,zenigata
OVERSTREET,zenigata
BENNETT,zen
MEPHESTO,zelda
MORRIS,zelda
THOMAS,zefram
FLUTE,zefram
TYRELL,zatanna
MARONEY,zatanna
WONG,zane
CHE,zane
DREW,zack
BAKSHI,zachary
PRESTON,yusuke
LAZARUS,yuri
PROVENZA,yuri
CHURCHILL,yuri
VANE,yukari
MCPHERSON,yosh
LYNCH,yosh
RANDALL,yuko

10] Show the province_id(s), sum of height; where the total sum of its patient's height is greater than or equal to 7,000.

```
1 SELECT province_id,
2     SUM (height)AS sum_of_height
3 FROM patients
4 GROUP BY province_id
5 HAVING SUM(height)>= 7000;
```

province_id	sum_of_height
BC	7720
NS	9765
ON	678037

11] Show patient_id, attending_doctor_id, and diagnosis for admissions that match one of the two criteria:

1. patient_id is an odd number and attending_doctor_id is either 1, 5, or 19.
2. attending_doctor_id contains a 2 and the length of patient_id is 3 characters.

```
1 SELECT patient_id,  
2         attending_doctor_id,  
3         diagnosis  
4 FROM admissions  
5 WHERE (patient_id % 2 != 0 AND attending_doctor_id IN ( 1 , 5 , 19))  
6        OR (attending_doctor_id LIKE '%2%' AND LEN(patient_id)= 3);
```

patient_id	attending_doctor_id	diagnosis
9	19	Ruptured Appendicitis
13	1	Renal Failure
15	5	Hiatal Hernia
31	19	Cardiovascular Disease
51	1	Undiagnosed Chest Pain
100	22	Depression, Dementia
100	21	Respiratory Failure
103	22	Ovarian Cyst
103	2	Basal Skull Fracture
104	25	Abdominal Pain
106	2	Dislocated R/Shoulder Broke L/Leg R/T Car Acc
108	12	Unstable Angina
110	23	Lumbar Disc Protrusion
111	1	Total Hysterectomy
111	27	Subdural Hematoma
112	23	Obsessive - Compulsive Order
114	26	MVA HI
115	12	CHF
118	25	Anterior MI
119	12	Renal Failure
120	26	Uterine Fibroid

Showing 1 to 100 of 663 results

Previous 1 2 3 ... 7 Next

12] Show first_name, last_name, and the total number of admissions attended for each doctor.

Every admission has been attended by a doctor.


```

1 SELECT d.first_name , d.last_name , COUNT(a.patient_id) AS total
2 FROM doctors AS d
3 JOIN admissions AS a ON a.attending_doctor_id = d.doctor_id
4 GROUP BY d.first_name , d.last_name

```

first_name	last_name	total
Angelica	Noe	209
Bobbi	Estrada	176
Claude	Walls	214
Donna	Greenwood	203
Douglas	Brooks	201
Flora	Moore	194
Hazel	Patterson	206
Heather	Beck	178
Irene	Brooks	189
James	Russo	197
Jeanette	Sites	180
Jenny	Pulaski	162
Jon	Nelson	181
Joshua	Green	187
Larry	Miller	200
Lisa	Cuddy	184
Marie	Brinkman	198
Mary	Walker	191
Mickey	Duval	183
Miriam	Tregre	168
Monica	Singleton	191
Ralph	Wilson	174
Scott	Hill	179
Simon	Santiago	190
Stephanie	Cohen	182
Tasha	Phillips	168

13]For each doctor, display their id, full name, and the first and last admission date they attended.

```

1 SELECT doctors.doctor_id,
2        CONCAT(doctors.first_name, ' ', doctors.last_name) AS full_name,
3        MIN(admissions.admission_date) AS first_date,
4        MAX(admissions.admission_date) AS last_date
5 FROM doctors JOIN admissions ON (admissions.attending_doctor_id = doctors.doctor_id)
6 GROUP BY doctors.first_name,
7          doctors.last_name;

```

doctor_id	full_name	first_date	last_date
13	Angelica Noe	2018-06-07	2019-06-04
18	Bobbi Estrada	2018-06-09	2019-06-01
1	Claude Walls	2018-06-10	2019-06-03
27	Donna Greenwood	2018-06-06	2019-06-05
11	Douglas Brooks	2018-06-10	2019-05-31
12	Flora Moore	2018-06-07	2019-06-05
7	Hazel Patterson	2018-06-10	2019-06-05
23	Heather Beck	2018-06-06	2019-06-04
16	Irene Brooks	2018-06-08	2019-06-03
4	James Russo	2018-06-10	2019-06-04
25	Jeanette Sites	2018-06-07	2019-06-05
24	Jenny Pulaski	2018-06-06	2019-06-05
9	Jon Nelson	2018-06-10	2019-06-05
2	Joshua Green	2018-06-06	2019-06-03
26	Larry Miller	2018-06-06	2019-06-05
21	Lisa Cuddy	2018-06-06	2019-06-05
15	Marie Brinkman	2018-06-09	2019-06-01
17	Mary Walker	2018-06-08	2019-06-05
8	Mickey Duval	2018-06-10	2019-06-05
3	Miriam Tregre	2018-06-06	2019-06-03
10	Monica Singleton	2018-06-09	2019-06-04
20	Ralph Wilson	2018-06-06	2019-06-01
5	Scott Hill	2018-06-06	2019-06-05

14] Display the total number of patients for each province. Order by descending.

```

1 SELECT province_names.province_name,
2        COUNT(patient_id) AS total_patients
3 FROM patients JOIN province_names ON (province_names.province_id = patients.province_id)
4 GROUP BY province_names.province_name
5 ORDER BY COUNT(patient_id) DESC;

```

province_name	total_patients
Ontario	4298
Nova Scotia	60
British Columbia	49
Alberta	47
Manitoba	31
Quebec	23
Saskatchewan	13
Newfoundland and Labrador	9

15]For every admission, display the patient's full name, their admission diagnosis, and their doctor's full name who diagnosed their problem.

```
1 SELECT CONCAT(patients.first_name, ' ', patients.last_name) AS patients_full_name,
2         admissions.diagnosis,
3         CONCAT(doctors.first_name, ' ', doctors.last_name) AS doctors_full_name
4 FROM patients
5     JOIN admissions ON (admissions.patient_id = patients.patient_id)
6     JOIN doctors ON (doctors.doctor_id = admissions.attending_doctor_id)
```

province_name	total_patients
Ontario	4298
Nova Scotia	60
British Columbia	49
Alberta	47
Manitoba	31
Quebec	23
Saskatchewan	13
Newfoundland and Labrador	9

16]display the first name, last name and number of duplicate patients based on their first name and last name.

Ex: A patient with an identical name can be considered a duplicate.

```

1 SELECT first_name,
2         last_name,
3         COUNT(*) AS duplicates
4 FROM patients
5 GROUP BY first_name,
6         last_name
7 HAVING COUNT(*) >1;

```

first_name	last_name	duplicates
Alexandra	Holroyd	2
Avon	Travis	2
Belladonna	Thomas	2
Chris	Johnson	2
Dol	Forelli	2
Emil	Owens	2
Jack	Bennett	2
Jack	McArthur	2
Jack	Valentine	2
Jackson	Kennedy	2
Jim	Grant	2
Kay	Sanderson	2
Luanne	Matthews	2
Marcus	Jackson	2
Mendy	Farrell	2
Sam	Carr	2
Sam	Jackson	2
Sam	Moss	2
Samantha	Blossom	2

17]Display patient's full name, height in the units feet rounded to 1 decimal, weight in the unit pounds rounded to 0 decimals, birth_date, gender non abbreviated.

Convert CM to feet by dividing by 30.48.

Convert KG to pounds by multiplying by 2.205.

```

1 SELECT CONCAT(first_name, ' ', last_name) AS full_name,
2         ROUND(height/30.48,1) AS height_in_feet,
3         ROUND(weight*2.205,0) AS weight_in_pounds,
4         birth_date,
5         CASE WHEN gender= 'M' THEN 'Male' ELSE 'Female' END AS gender
6 FROM patients;

```

full_name	height_in_feet	weight_in_pounds	birth_date	gender
Donald Waterfield	5.1	143	1963-02-12	Male
Mickey Baasha	6.1	168	1981-05-28	Male
Jiji Sharma	6.4	234	1957-09-05	Male
Blair Diaz	6.3	229	1967-01-07	Male
Charles Wolfe	1.5	22	2017-11-19	Male
Sue Falcon	1.4	11	2017-09-30	Female
Thomas O'Neill	5.9	258	1993-01-31	Male
Sonny Beckett	5.7	232	1952-12-11	Male
Sister Spitzer	5.7	209	1966-10-15	Female
Cedric Coltrane	5.2	135	1961-11-10	Male
Hank Spencer	5.2	163	1969-08-10	Male
Sara di Marco	4.8	101	1949-04-29	Female
Daphne Seabright	4.8	170	1954-11-18	Female
Rick Bennett	7.2	209	1977-01-27	Male
Amy Leela	5.6	159	1977-06-25	Female
Woody Bashir	5	130	1951-11-15	Male
Tom Halliwell	5.9	251	1987-08-01	Male
Rachel Winterbourne	5.3	209	1966-04-26	Female
John West	4.5	135	1961-06-19	Male
Jon Doggett	6.4	256	1951-12-25	Male
Angel Edwards	5.8	234	1975-08-22	Female

Showing 1 to 100 of 4530 results

[Previous](#)
[1](#)
[2](#)
[3](#)
[...](#)
[46](#)
[Next](#)

18]Show patient_id, first_name, last_name from patients who do not have any records in the admissions table. (Their patient_id does not exist in any admissions.patient_id rows.)

```

1 SELECT patient_id , first_name , last_name
2 FROM patients
3 WHERE patient_id NOT IN (
4     SELECT patient_id
5     FROM admissions )

```

patient_id	first_name	last_name
2	Mickey	Baasha
4	Blair	Diaz
5	Charles	Wolfe
14	Rick	Bennett
19	John	West
25	John	Farley
26	Nea	Kobayakawa
30	Roderick	Payne
42	Alice	Donovan
43	Stone	Cutting
44	Neil	Allan
50	Phil	Beckett
55	Rose	Spellman
57	Woody	Riviera
65	Haiku	Alpert
72	Lily	Vargas
80	Ernest	Clarkson
85	Phoebe	Bell
89	Sam	Spratt
95	Gene	Edwards
96	Jonny	Christian

Showing 1 to 100 of 1148 results

[Previous](#)
[1](#)
[2](#)
[3](#)
[...](#)
[12](#)
[Next](#)

19] Show all of the patients grouped into weight groups. Show the total number of patients in each weight group. Order the list by the weight group descending. For example, if they weigh 100 to 109 they are placed in the 100 weight group, 110-119 = 110 weight group, etc.

```

1 WITH cte AS (SELECT patient_id, weight,
2     CASE WHEN weight BETWEEN 0 AND 9 THEN 0
3     WHEN weight BETWEEN 10 AND 19 THEN 10
4     WHEN weight BETWEEN 20 AND 29 THEN 20
5     WHEN weight BETWEEN 30 AND 39 THEN 30
6     WHEN weight BETWEEN 40 AND 49 THEN 40
7     WHEN weight BETWEEN 50 AND 59 THEN 50
8     WHEN weight BETWEEN 60 AND 69 THEN 60
9     WHEN weight BETWEEN 70 AND 79 THEN 70
10    WHEN weight BETWEEN 80 AND 89 THEN 80
11    WHEN weight BETWEEN 90 AND 99 THEN 90
12    WHEN weight BETWEEN 100 AND 109 THEN 100
13    WHEN weight BETWEEN 110 AND 119 THEN 110
14    WHEN weight BETWEEN 120 AND 129 THEN 120
15    WHEN weight BETWEEN 130 AND 139 THEN 130
16    WHEN weight BETWEEN 140 AND 149 THEN 140
17    END AS weight_groups
18    FROM patients)
19
20 SELECT COUNT(*) AS total_patients , weight_groups
21 FROM cte
22 GROUP BY weight_groups
23 ORDER BY weight_groups DESC;

```

total_patients	weight_groups
6	140
59	130
191	120
426	110
507	100
403	90
478	80
633	70
685	60

20] Show patient_id, weight, height, isObese from the patients table. Display isObese as a boolean 0 or 1. Obese is defined as $\text{weight(kg)} / (\text{height(m)}^2) \geq 30$.

weight is in units kg.

height is in units cm.

```

1 SELECT
2     patient_id,
3     weight,
4     height,
5     weight / POWER(CAST(height AS float) / 100, 2) >= 30 AS isObbese
6 FROM patients

```

patient_id	weight	height	isObbese
1	65	156	0
2	76	185	0
3	106	194	0
4	104	191	0
5	10	47	1
6	5	43	0
7	117	180	1
8	105	174	1
9	95	173	1
10	61	157	0
11	74	158	0
12	46	145	0
13	77	146	1
14	95	220	0
15	72	172	0
16	59	153	0
17	114	179	1
18	95	163	1
19	61	138	1

21]Show patient_id, first_name, last_name, and attending doctor's specialty.

Show only the patients who has a diagnosis as 'Epilepsy' and the doctor's first name is 'Lisa'

Check patients, admissions, and doctors tables for required information.

```

1 SELECT p.patient_id , p.first_name , p.last_name , d.specialty
2 FROM patients AS p
3 JOIN admissions AS a
4 ON a.patient_id = p.patient_id
5 JOIN doctors AS d
6 ON d.doctor_id = a.attending_doctor_id
7 WHERE a.diagnosis = 'Epilepsy' AND d.first_name = 'Lisa'

```

patient_id	first_name	last_name	specialty
468	Frank	Anderson	Obstetrician/Gynecologist
701	Precious	Ashton	Obstetrician/Gynecologist

22]All patients who have gone through admissions, can see their medical documents on our site. Those patients are given a temporary password after their first admission. Show the patient_id and temp_password.

The password must be the following, in order:

- 1. patient_id**
- 2. the numerical length of patient's last_name**
- 3. year of patient's birth_date**

```

1 SELECT DISTINCT p.patient_id ,
2     CONCAT(p.patient_id , LENGTH(p.last_name) , YEAR(birth_date)) AS temp_pwd
3 FROM patients AS p
4 WHERE p.patient_id IN (
5     SELECT patient_id FROM admissions)

```

patient_id	temp_pwd
1	1101963
3	361957
6	662017
7	761993
8	871952
9	971966
10	1081961
11	1171969
12	1281949
13	1391954
15	1551977
16	1661951
17	1791987
18	18121966
20	2071951
21	2171975
22	2241975
23	2361998
24	2472001
27	2791964
28	2871953

Showing 1 to 100 of 3382 results

Previous 1 2 3 ... 34 Next

23]Each admission costs \$50 for patients without insurance, and \$10 for patients with insurance. All patients with an even patient_id have insurance.

Give each patient a 'Yes' if they have insurance, and a 'No' if they don't have insurance.

Add up the admission_total cost for each has_insurance group.

```

1 WITH cte AS (SELECT * , CASE WHEN is_insured = 'Yes' THEN 10 ELSE 50 END AS total
2                FROM(SELECT patient_id,
3                             CASE WHEN patient_id % 2 = 0 THEN 'Yes' ELSE 'No' END AS is_insured
4                             FROM admissions)
5                )
6 SELECT is_insured , SUM(total) AS cost_of_insurance
7 FROM cte
8 GROUP BY is_insured

```

is_insured	cost_of_insurance
No	127800
Yes	25110

24]Show the provinces that has more patients identified as 'M' than 'F'. Must only show full province_name

```

1 WITH cte AS (
2 SELECT pn.province_name ,
3        SUM(CASE WHEN gender = 'M' THEN 1 ELSE 0 END ) AS total_males ,
4        SUM(CASE WHEN gender = 'F' THEN 1 ELSE 0 END ) AS total_females
5 FROM patients AS p
6 JOIN province_names AS pn
7 ON pn.province_id = p.province_id
8 GROUP BY pn.province_name
9 )

```

province_name
Alberta
British Columbia
Manitoba
Newfoundland and Labrador
Nova Scotia
Ontario
Saskatchewan

25]We are looking for a specific patient. Pull all columns for the patient who matches the following criteria:

- First_name contains an 'r' after the first two letters.
- Identifies their gender as 'F'
- Born in February, May, or December
- Their weight would be between 60 kg and 80 kg
- Their patient_id is an odd number
- They are from the city 'Kingston'

```

1 SELECT *
2 FROM patients
3 WHERE first_name LIKE '__r%' AND
4       gender = 'F' AND
5       MONTH(birth_date) IN (2, 5, 12) AND
6       weight BETWEEN 60 AND 80 AND
7       patient_id % 2 != 0 AND
8       city = 'Kingston';

```

patient_id	first_name	last_name	gender	birth_date	city	province_id	allergies	height	weight
1839	Chris	Cardenas	F	1969-12-02	Kingston	ON	NULL	141	71

26]Show the percent of patients that have 'M' as their gender. Round the answer to the nearest hundredth number and in percent form.

```

1 SELECT CONCAT(ROUND((100.00 * SUM(CASE WHEN gender = 'M' THEN 1 ELSE 0 END) / COUNT(gender)
2 FROM patients

```

percent

54.48%

27]For each day display the total amount of admissions on that day. Display the amount changed from the previous date.

```

1 WITH cte AS (
2     SELECT * ,
3         LAG(total)OVER(ORDER BY admission_date) AS previous
4 FROM (
5     SELECT admission_date ,
6         COUNT(admission_date) AS total
7     FROM admissions
8     GROUP BY admission_date)
9 )
10 SELECT admission_date , total , (total - previous ) AS diff
11 FROM cte

```

admission_date	total	diff
2018-06-06	17	NULL
2018-06-07	9	-8
2018-06-08	9	0
2018-06-09	18	9
2018-06-10	12	-6
2018-06-11	22	10
2018-06-12	9	-13
2018-06-13	12	3
2018-06-14	14	2
2018-06-15	11	-3
2018-06-16	13	2
2018-06-17	20	7
2018-06-18	17	-3
2018-06-19	11	-6
2018-06-20	18	7
2018-06-21	18	0
2018-06-22	9	-9
2018-06-23	10	1

Showing 1 to 100 of 365 results

Previous 1 2 3 ... 4 Next

28]Sort the province names in ascending order in such a way that the province 'Ontario' is always on top.

```

1 SELECT province_name
2 FROM province_names
3 ORDER BY CASE WHEN province_name = 'Ontario' THEN 0 ELSE 1 END , province_name

```

province_name
Ontario
Alberta
British Columbia
Manitoba
New Brunswick
Newfoundland and Labrador
Northwest Territories
Nova Scotia
Nunavut
Prince Edward Island
Quebec
Saskatchewan
Yukon

29] We need a breakdown for the total number of admissions each doctor has started each year. Show the doctor_id, doctor_full_name, specialty, year, total_admissions for that year.

```

1 SELECT doctor_id,
2         CONCAT(d.first_name, ' ', d.last_name) AS doctor_full_name,
3         d.specialty,
4         YEAR(admission_date),
5         COUNT(admission_date) AS total_admissions
6
7
8 FROM doctors AS d
9 JOIN admissions AS a
10 ON (a.attending_doctor_id = d.doctor_id)
11 GROUP BY doctor_id,
12          first_name,
13          last_name,

```

doctor_id	doctor_full_name	specialty	year(admission_date)	total_admissions
1	Claude Walls	Internist	2018	105
1	Claude Walls	Internist	2019	109
2	Joshua Green	Cardiologist	2018	104
2	Joshua Green	Cardiologist	2019	83
3	Miriam Tregre	General Surgeon	2018	111
3	Miriam Tregre	General Surgeon	2019	57
4	James Russo	Obstetrician/Gynecologist	2018	116
4	James Russo	Obstetrician/Gynecologist	2019	81
5	Scott Hill	Gastroenterologist	2018	105
5	Scott Hill	Gastroenterologist	2019	74
6	Tasha Phillips	Psychiatrist	2018	88
6	Tasha Phillips	Psychiatrist	2019	80
7	Hazel Patterson	Oncologist	2018	111
7	Hazel Patterson	Oncologist	2019	95