RelationshipVista User Guide

RELATIONSHIPVISTA – VISUALIZE AND ANALYZE SALESFORCE RELATIONSHIPS 2
Gain Deeper Insights with Simplified Relationship Mapping 2
Key Features 3
Use Cases 4
Get Started 4
Introduction 4
Ardira RelationshipVista Component 5
RVC Component Properties 7
Relationship Views (“R-Views”) 8
Sample Data 9
Toolbar Actions 10
1. Expand All 11
2. Collapse All 12
3. Two-Panel Layout: 13
4. Full Screen 15
5. Explorer View 15
6. Tree View 16
7. Relationship View 17
8. Settings 17
R-View Configuration 18
Root Node Configuration 19
Object Node Configuration 20
Configuration for Junction Object 24
Features 26
Creating Records from Object Nodes 26
Restricting the display of view selector 28
Configuring views that a user can select 29
Configuring a default view for the users 30
Controlling if the users can create their own views 30
Displaying Record Action Icons Based on User Permissions 31
Right-to-Left Language Compatibile 32
How to create R-View 34
Configure View 34
Configure Root Node 34
Configure Object Node 36
How to Change Record URL Icons from Lightning Design System 39

How to Set Record Icon Background Color 40
Why RVC? 41
1. Optimized Data Navigation 41
2. Increased Productivity 42
3. Native Salesforce Integration & Security 42
4. Scalability & Global Support 42
Use Cases 42
Use Case 1: Sales Leadership – ROI & Pipeline Analysis 42
Configure View 42
Configure Root Node 43
Configure Object Node 45
Outcome 47
Use Case 2: Case Impact analysis 47
Configure View 47
Configure Root Node 48
Configure Object Node 49
Outcome 53
Have Questions? 54

RELATIONSHIPVISTA – VISUALIZE AND ANALYZE SALESFORCE RELATIONSHIPS

Gain Deeper Insights with Simplified Relationship Mapping

User Guide	Installation Guide	salesforce available on Appexchange

Ardira RelationshipVista (“RVC”) is a Lightning Web Component(LWC) that allows quickly navigating and visualizing all the related records of a record. The component can be dropped in a record detail page to visualize all the related records.

When an RVC component is dropped in a record detail page,

- It will automatically allow your users to navigate and visualize all the related records.
- Use Relationship Views (R-Views) to create custom visualizations of related records tailored to your needs.
- “R-Views” are similar to Salesforce “List Views”.
- Empower your users with flexibility - choose to allow them to configure their own

R-Views, or opt for pre-configured views to streamline data analysis.	

Key Features



- Rich, interactive and engaging visualization of your data map.
- Embed data maps directly into standard and custom object record details.
- Map relationships of multiple records across your org onto a single canvas!
- Visualize related records One-to-one, One-to-many, and Many-to-many relationships built using lookup and reverse lookup relationships including junction objects.
- Visualize relationship with explorer (indented tree) layout and graphical tree layout.
- Visualize records of specific objects; filter out unimportant related records.
- Group your related records using any field e.g. group opportunities by stage.
- Configure filters to limit what children records are visible under a parent record.
- Navigate across the hierarchy by clicking record and group nodes.
- Quickly view record data in a compact layout on mouse hover.
- Navigate to a record detail by clicking the record link.

	• Right-to-Left Language Compatibile • Language Translation Support

Use Cases

- Visualize various hierarchical records such as User Hierarchy, Account Hierarchy, Contact Hierarchy, Asset Hierarchy, and Case Hierarchy.
- Visualize an account's opportunities grouped by stage, lead source and $ value. Quickly navigate to opportunity contacts.
- Filter the records with the object's fields. For example, filter to show the opportunity whose amount is greater than $10000.
- Quickly locate an Account's Contracts, Products, Orders, Cases and more right in an account record page.
- Visualize an account's cases grouped by case origin, priority and status. Quickly navigate to case contacts, case activities, and more.

Get Started

- Click Get It Now to Get Started. Alternatively use a package link provided by Ardira.
- To know how to configure RelationshipVista, refer to our User Guide.
- When installing, install for all users so all your company users can take advantage of the component and quickly visualize related data.

Introduction

Ardira RelationshipVista (RVC) is a Lightning Web Component (LWC) that enables users to easily navigate and visualize all records related to a specific record. By adding the component to a record detail page, users can instantly explore its related data in a structured view.

Once the RVC component is placed on a record page, it automatically provides the ability to browse and visualize all associated records.

Relationship Views (R-Views) allow you to create customized visual representations of related data based on your requirements. These views function similarly to Salesforce List Views.

You can provide flexibility to users by allowing them to create and manage their own R-Views, or you can use predefined configurations to ensure consistent and streamlined data analysis.

Ardira RelationshipVista Component

To begin using RelationshipVista, open the record detail page in edit mode, create a custom tab, and add the **Ardira RelationshipVista** component to the page. You can name the tab as needed (for example, *RelationshipVista*).

The component is not restricted to a custom tab, you can place it anywhere on the record page based on your layout preference.





After adding the component, ensure that you save and activate the page.

For example, if the component is added to an Account record page, it will enable you to view and explore all records related to that account.



RVC Component Properties

The RVC component includes the following configurable properties:

Record Id: This represents the record whose relationships will be displayed. When the component is added to a record page, the Record Id is automatically populated, so no manual input is required.

Use Configuration:When a specific view configuration name is provided, the component renders exclusively using that configuration, and users cannot switch to other views. This behavior applies only when no views within the View Configuration are pinned. (Note: If any view is pinned, it overrides the specified configuration. In such cases, the pinned view is displayed in read-only mode.)

Allow Users to Update View Configuration: When enabled, users can create and modify their own view configurations. If disabled, users will not have permission to create or edit any configurations. Note: “Use Configuration” takes priority over “Allow Users to Update View Configuration.”)

Show: This setting determines which records are displayed in the visualization. The available options are “My Records” which shows only the records owned by the currently logged-in user, and “All Records” which displays all records accessible to the user. The default setting is **“**All Records.”

Show Objects: This setting allows you to limit which object types can be configured in the Object Node and Root Node settings by providing a comma-separated list of object API names. Only the specified objects will be available for selection during configuration.

Visible Records Limit: This setting defines the maximum number of child records displayed under a parent record. Any additional records beyond this limit can be viewed by clicking the "View n more..." option.

View Layout: This setting lets you choose which visualization layouts are available in the component. The options include:

- **All:** Enables all supported layouts and allows users to switch between them (default).
- **Explorer:** Displays the relationship view in an indented, hierarchical (explorer-style) format.
- **Tree:** Displays the relationship view as a graphical tree structure.

When Tree or Explorer is selected, the pinned view is displayed. If no pinned view is available, the view with the alphabetically first name is shown; if none exists, the default view is used. In all cases, the view is displayed in read-only mode, without the full-screen button and without the Relationship View dropdown.

Width: This setting defines the width of the visualization area. It can be specified in pixels, as a percentage of the container, or set to “auto” to adjust automatically based on the component size. In most cases, the default value of “100%” works best across layouts.

Height: This setting defines the height of the visualization area. It can be set in pixels, as a percentage of the container, or “auto” to adjust dynamically based on the component size. The default value of “auto” is generally suitable for most layouts.

Note: These properties can be overridden by view-level configurations.

Relationship Views (“R-Views”)

When the component is first added to a record page, relationships are displayed based on the attributes configured in the page builder. You can further customize these views using the Relationship View Selector.



Relationship Views (R-Views) allow you to tailor how related records are displayed, helping you focus on the most relevant data. Managing R-Views is similar to working with Salesforce List Views.

With R-View configurations, you can define each node in the hierarchy by:

- Restricting which types of records are shown
- Applying filters to refine results
- Grouping records based on object fields
- Sort records based on object fields
- And customizing other aspects of the visualization

Sample Data

When testing RVC in a sandbox or test environment, you can quickly load sample data using the RelationshipVista Getting Started tab.
Navigate to the “RelationshipVista Getting Started” tab from the App Launcher.



Click “Load Sample Data” to add sample records, allowing you to explore and experience RelationshipVista functionality.



The screenshots in the following sections are based on this sample data.



Toolbar Actions

The RelationshipVista toolbar includes actions that allow you to manage and interact with the relationship visualization.



1. Expand All

The Expand All option allows users to quickly expand the entire relationship hierarchy starting from the root node, making it easier to view related records across multiple levels without manually expanding each node.

When this option is used:

- All related object nodes under the root node are expanded automatically.
- The expansion respects the Visible Records Limit defined in the configuration
- Any additional records beyond this limit will remain hidden under the “View n more…” link and will not be expanded automatically.



2. Collapse All

The Collapse All option resets the relationship view by collapsing all expanded nodes. Only the root node and its immediate child objects remain visible.



3. Two-Panel Layout:

   RelationshipVista supports a Two-Panel View that allows users to navigate and interact with records on the same page.



When this mode is enabled, the interface is divided into two sections:

- The left panel displays the relationship hierarchy.
- The right panel displays the corresponding records or record details.

Behavior:

- When a user clicks on an Object Node or Group Node, the related records are displayed in a table list view in the right panel.



- When a Record Node is selected, the detailed view of that record is shown in the right panel.



- Users can also edit the record directly from the right panel, provided they have the necessary permissions.

If the user is not using the Two-Panel View and is in the normal mode, clicking on a record node will open the record detail page in a new browser tab instead of displaying it within the component.

4. Full Screen

Displays the RelationshipVista component in full-screen mode.



5. Explorer View

Displays the relationship visualization in an indented, hierarchical (Explorer-style) layout, where records and related objects are presented in a structured list format.



6. Tree View

Displays the relationship visualization in a graphical tree format, where records and related objects are represented as connected nodes in a visual map.



7. Relationship View

This option allows users to select or switch between available Relationship Views (R-Views)



8. Settings

This option provides access to additional options for the relationship view.



a. New: Create a new view.
b. Clone: Create a copy of an existing view.
c. Edit: Modify an existing view.
d. Delete : Remove an existing view.
e. Rename: Rename an existing view and update its configuration details.

R-View Configuration

A View Configuration allows you to define and manage the settings that control how records are displayed in the relationship view. Using these properties, you can control which records are shown, limit the number of visible records, and manage sharing preferences.

If your Salesforce administrator has enabled the required permissions, you can create, update, and manage view configurations as needed.

Steps to Open the Configuration Modal

1. Click on the **Settings (⚙️) icon** available in the relationship view.
2. Select either:
    - **New** – to create a new view configuration, or
    - **Rename** – to modify an existing view.
3. The **Configuration Properties modal** will open, allowing you to define or update the settings.





Configuration Options

Name: Specify the name of the R-View.
Show: Determine which records are displayed:

- My Records: Only records owned by the logged-in user.
- All Records: All records accessible to the logged-in user (default).

Pinned: When enabled, the view becomes the default for the user who created the View Configuration

Visible Records Limit: Set the maximum number of child records displayed for a parent record. Any additional records can be viewed by clicking the "View n more..." option. Note that this setting overrides any "Auto Expand " configurations on any Node Configuration..
Sharing Setting: Control who can see the R-view:

- **Only Me**: Visible only to the creator.
- **All Users**: Visible to every user in the organization.



Root Node Configuration

You can configure the root node in a Relationship View to control how the primary record and its related data are displayed.

Steps to Configure Root Node

1. Click on the **Settings (⚙️) icon** available in the relationship view.
2. Click **Edit**.
3. Click the settings icon next to the root node.
4. The **Root Node Configuration dialog** will open.



Configuration Options

1. **Object API Name:** Displays the object type of the root node.
2. **Record Node Label Field:** Select the field used as the label for the root node in the visualization.
3. **Auto Expand:** Automatically expands the root node to show its child records when the view loads.
4. **Show Objects:** Set of objects that will be displayed as children of the root node in the visualization.

   Note: The list of objects available in **Show Objects** is controlled by the administrator through RVC component settings.
   - Admins can define a comma-separated list of object API names
   - Only those objects will be available for selection
   - If no objects are specified, all related objects are available

Object Node Configuration

You can configure each node in a Relationship View to control how related records are displayed and navigated.

Steps to Configure a Node

1. Click on the **Settings (⚙️) icon**.
2. Click **Edit**.

3. Click the settings icon next to the required node.
4. The **Node Configuration dialog** will open with the available configuration options.





Configuration Options

1. **Object Node Label:** Change the label used for the object node in the visualization.

2. **Object Api Name:** Displays the object type of the current node.
3. **Record Node Label Field:** Select a field whose value will be used as the label for record nodes.
4. **Auto Expand:** Automatically expands the node and its immediate child records when the view is loaded.
5. **Display Configuration Node:** Show the configuration node itself in the visualization layout.
6. **Cascade Auto Expand:** If **Auto Expand** is enabled, this expands one additional level beyond object records.
7. **Display Record Node:** Show or hide record nodes. Useful for junction objects where nodes may not provide relevant information.
8. **Max Node Label Display Length:** Limit the number of characters displayed for a node label. Longer labels are truncated with "...".
9. **Record Icon URL:** Specify any SLDS icon to display for the record node. The URL must follow the SLDS format:

   ```
   /_slds/icons/<category>-sprite/svg/symbols.svg#<icon_name>
   ```

   Example:

   ```
   /_slds/icons/utility-sprite/svg/symbols.svg#account
   ```

10. **Record Icon Background Color:** Specify the background color of the icon using a HEX color code (e.g., #FF5733).
11. **Show Objects:** Set of objects that will be displayed as children of the object node in the visualization.
12. **Filter Records:** Apply filters to limit which child records are displayed under the node.
13. **Group Records:** Organize child records as sub-nodes under the parent node for easier visualization.
14. **Sort Records By:** Define the field used to sort child records.
15. **Sort Direction:** Choose ascending or descending order for the selected sort field.

Configuration for Junction Object





1. Account Contact Relationship is a junction object that can be enabled in Account Settings.
2. Below the junction object, the Id represents the Account Contact Relationship, i.e., the junction record.
3. **Cascade Auto Expand**: This setting enables automatic expansion of a node's child nodes. It is especially useful when working with junction objects.
4. **Display Record Node**: This setting allows you to hide the record node of a junction object in the visualization. This is helpful when you want to hide record IDs or other related details of the junction object.

The images below demonstrate the use of the Cascade Auto Expand and Display Record Node settings.In this example, Person Accounts are enabled, which allows a contact to be associated with multiple accounts through the AccountContactRelation junction object.



When “Display Record Node” is set to false, the record node is hidden. The relationship between the ‘New Person’ Account and other accounts (such as ‘Test Account 1, Test Account 2, and so on up to 4) is displayed directly, without showing the intermediate junction object record.



Features

Creating Records from Object Nodes

RelationshipVista allows users to create records directly from the relationship hierarchy when they have the necessary permissions. A **“+”** icon appears next to an Object Node for which the user can create records.

Steps to Create a Record:

1. Locate the Object Node in the hierarchy.
2. Click the **"+" icon** next to the node.
3. Fill out the form to create a new record.

Display Behavior:

- **Two-Panel View enabled:** the form appears in the right-hand panel.



- **Two-Panel View not open:** the form opens in a modal window.



Restricting the display of view selector

In some cases, an administrator may want to define a specific view and restrict all users to it. To achieve this, the view name can be configured in the “Use Configuration” component attribute within the page builder. When this attribute is set, the view selector is hidden from users. However, this behavior is overridden if a view is pinned in the View Configuration.



Configuring views that a user can select

In some cases, the administrator may want to provide users with multiple view options to choose from. To achieve this, the administrator can create multiple views. For each view that should be available to users, the “Sharing Setting” must be set to “All users can see.”



Configuring a default view for the users

The administrator can pin a view by enabling the “Pinned” attribute, making it the default view for all users. This works similarly to pinning Salesforce list views.



Controlling if the users can create their own views

In some cases, the administrator may want to allow users to create their own views. To enable this, the “Allow Users to Update View Configuration” page attribute must be checked in the page builder. Once enabled, users can create their own views and share them with others.



Displaying Record Action Icons Based on User Permissions

The action icons displayed for each record are based on the permissions of the currently logged-in user. Users will only see icons for the actions they are allowed to perform.

For example, if a user has permission to view a record but does not have permission to edit or delete it, only the View icon will be displayed. The Edit and Delete icons will not be shown. This ensures that users can only access actions they are authorized to perform.

Available Record Actions:

- **View**: Opens the record to display its details.
- **Edit**: Allows the user to modify the record.
- **Clone**: Creates a copy of the selected record with the same field values.
- **Delete**: Removes the record from the system.



Right-to-Left Language Compatibile

RelationshipVista fully supports Right-to-Left (RTL) language layouts, ensuring a seamless experience for users working in languages such as Hebrew and Arabic.

The component automatically adjusts its visual orientation to align with RTL reading direction, maintaining usability and consistency across global deployments


מכירות
בית
Chatter
הזדמנויות
הפניות
משימות
קבצים
חשבונות
אנשי קשר
מבצעי קידום
לוחות מחוונים
דוחות
קבוצות
חשבון
Ardira RV Test Account
סוג
טלפון
(180) 012-3456
אתר אינטרנט
/https://ardira.com
בעל חשבון
User User
אתר חשבון
תעשייה
Technology
מידע קשר
פרטים
RVC
חשבון
Account Vista
New
Clone
Edit
Delete
Rename
Ardira RV Test Account
Cases
Mechanical
Electrical
Electronic
Structural
Other
Contacts
TestContact 1
TestContact 10
TestContact 100
TestContact 11
TestContact 12
View 95 more...
Opportunities
Web
Phone Inquiry
Partner Referral
Purchased List
Other


מכירות
בית
Chatter
הזדמנויות
הפניות
משימות
קבצים
חשבונות
אנשי קשר
מבצעי קידום
לוחות מחוונים
דוחות
קבוצות
חשבון
Ardira RV Test Account
סוג
טלפון
(180) 012-3456
אתר אינטרנט
/https://ardira.com
בעל חשבון
User User
אתר חשבון
תעשייה
Technology
מידע קשר
פרטים
RVC
חשבון
Account Vista
New
Clone
Edit
Delete
Rename
Mechanical
Electrical
Electronic
Structural
Other
Cases
TestContact 1
TestContact 10
TestContact 100
TestContact 11
TestContact 12
View 95 more...
Contacts
Ardira RV Test Account
Web

How to create R-View

Configure how child records are displayed by creating a new view and applying sorting, filtering, and grouping options on the **Opportunity** object node.

Refer to the example below, where these configurations are applied to Opportunity records.

Configure View

1. Click on the Settings (⚙️) icon in the relationship view.
2. Click New.
3. The Configuration Properties modal will open.
4. Configure the following fields values as shown



Configure Root Node

After creating the view:

1. Click Edit.



2. Click the settings icon next to the root node.



3. The Root Node Configuration dialog will open.

4. Add Objects from Available to Selected as shown. Example: Opportunity, Case, Contact



5. Save the view

Configure Object Node

1. Click on the setting icon next to the Object Node



2. The Object Node Configuration dialog will open.

3. Configure the following fields values as shown



Opportunity records are displayed based on the applied filter conditions, grouped by the selected fields, and sorted according to the defined field and direction.



- Records Sorted by Amount





- Records Grouped by Lead Source

How to Change Record URL Icons from Lightning Design System

1. Go to the official Lightning Design System website, navigate to Icons or use the following link: https://www.lightningdesignsystem.com/icons/



2. Select the name of the icon file:

   a. For Standard Icons, copy the icon name and use it in the URL format: */_slds/icons/standard-sprite/svg/symbols.svg#**slds_icon_name***



   b. For Custom Icons, get the icon name from the Custom Icons section on the same site and use it in the URL as: */_slds/icons/custom-sprite/svg/symbols.svg#**slds_icon_name***



How to Set Record Icon Background Color

1) Use a color picker or the standard Inspect Element tool to obtain the color code and update it as follows :
   a) Right-click and select Inspect to open Developer Tools, or press F12.
   b) Use the color picker available in the Developer Tools to select a color.
   c) Click on any desired color, and its hex code will be copied to the clipboard.



2) Paste the selected color into the record icon background color field and click Save to apply it to the icon.



Why RVC?

1. Optimized Data Navigation

- **Reduced Click-Path:** Eliminates tab fatigue by consolidating multiple Related Lists into a single, interactive Lightning Web Component.
- **Immediate Context:** Provides a 360-degree view of Standard and Custom Object hierarchies without navigating away from the primary record.
- **Visual Data Scannability:** Uses Explorer and Graphical Tree layouts to make complex One-to-Many and Junction Object relationships instantly understandable.

2. Increased Productivity

- **Inline Record Actions:** Accelerates data entry and updates by allowing users to manage related records directly within the component.
- **Dynamic Data Segmentation:** Uses R-Views to group, sort, and filter records, allowing users to focus only on actionable data.
- **On-the-Fly Creation:** Simplifies business processes by enabling new record creation directly from the relationship map.

3. Native Salesforce Integration & Security

- **Security Alignment:** Inherits existing Salesforce Security Models, including Object-Level Security, Field-Level Security, and Sharing Rules.
- **SLDS Compliance:** Maintains a consistent look and feel with the Salesforce Lightning Design System, ensuring a seamless user experience.
- **Admin Governance:** Provides centralized control via the Lightning App Builder, allowing admins to lock configurations, pin default views, and restrict user-level modifications.

4. Scalability & Global Support

- **Performance Stability:** Manages high record volumes efficiently using Visible Records Limits to prevent page performance degradation.
- **Localization Ready:** Fully supports Translation Workbench and RTL (Right-to-Left) layouts for global orgs.

Use Cases

Use Case 1: Sales Leadership – ROI & Pipeline Analysis

Scenario:
A Sales VP at a tech company wants to audit "Closed Won" Opportunities on an Account to see which Lead Sources (e.g., Referral, Web, Partner) are driving the most revenue, sorted by the largest deals first.

How RelationshipVista Helps:
Instead of navigating multiple Reports or Related Lists, the manager can visualize all Opportunities directly from the Account record page.

Steps:

Configure View

1. Click on the Settings (⚙️) icon in the relationship view.
2. Click New.

3. The Configuration Properties modal will open.
4. Configure the following fields values as shown



Configure Root Node

After creating the view:

1. Click Edit.



2. Click the settings icon next to the root node.



3. The Root Node Configuration dialog will open.
4. In the Show Objects, add Opportunities Object to Selected Objects as shown



Configure Object Node

1. Click on the setting icon next to the Object Node



2. The Object Node Configuration dialog will open.

3. Configure the following fields values as below:

Hierarchy View Object Node Configuration

Object Node Label: Opportunities

Object Api Name: Opportunity

Record Node Label Field: Select an Option

Auto Expand: True | False

Display Configuration Node: True | False

Cascade Auto Expand: True | False

Display Record Node: True | False

Max Node Label Display Length: 40

Record Icon URL: /_slds/icons/standard-sprite/svg/symbols.svg#opportunity

Record Icon Background Color: #fcb95b

Show Objects

Available:
- ApprovalWorkItems (Reverse Lookup)
- Attachments (Reverse Lookup)
- Campaign (Lookup)
- ContactRequests (Reverse Lookup)
- ContentDocumentLinks (Reverse Lookup)
- Contract (Lookup)

Selected:

Filter Records

Field	Operator	Value	Actions
Stage	Equals	Closed Won	

Group Records

Group By	Show Grouping Node	Node Caption	Auto Expand	Actions
Lead Source	☐	Caption	☑	

Sort Records By: Amount

Sort Direction: Descending

Close | Save

Outcome

The Sales VP can now see all "Closed Won" Opportunities grouped by Lead Source and sorted by Amount — directly from the Account record page. This eliminates the need to run separate reports, making it easy to identify top-performing channels and largest deals at a glance.



Use Case 2: Case Impact analysis

Scenario:
A Customer Success Manager (CSM) wants to make sure big deals aren't lost because of unhappy customers. Often, a customer might have a major support problem (Case) at the same time they are supposed to sign a new deal (Opportunity). If the CSM doesn't know about the problem, they might lose the sale.

How RelationshipVista Helps:
Instead of jumping between different lists and pages, RelationshipVista shows everything in one map. It connects the problem of the Person to the Money. This lets the CSM see the risk immediately and fix the support issue before asking the customer for a renewal.

Steps:

Configure View

1. Click on the Settings (⚙️) icon in the relationship view.
2. Click New.
3. The Configuration Properties modal will open.

4. Configure the following fields values as shown



Configure Root Node

After creating the view:

1. Click Edit.
2. Click the settings icon next to the root node.



3. The Root Node Configuration dialog will open.
4. In Show Objects, move Cases to the Selected list.
5. Set Auto Expand as True

6. Click Save.



Configure Object Node

1. Click on the setting icon next to the Case Node

2. The Object Node Configuration dialog will open.
3. Configure the following fields values as below:



4. Click Save.

5. Click the settings icon next to the Contact node.
6. Configure the following fields values as below:



7. Click Save.

8. Click the settings icon next to the Opportunity node.

9. Configure the following fields values as below:



10. Click Save.

Outcome

The CSM can now see a connected view of Cases, Contacts, and Opportunities all from a single Account record. If a high-value Opportunity is at risk due to an open critical Case, the

CSM can spot it immediately and take action — without jumping between multiple pages. This reduces the chance of losing a renewal due to an unresolved support issue.



Have Questions?

For any questions related to RelationshipVista and how to configure to visualize your Salesforce records' relationships & hierarchies, feel free to Contact us @ support@ardira.com