

```

import { useState, useEffect, useRef } from "react";

const SECTIONS = ["Home", "Speaking", "Listening", "Reading", "Writing", "Vocab",

const NZ_VOCAB = [
  { term: "ACC", def: "Accident Compensation Corporation - NZ's no-fault injury s
  { term: "DHB", def: "District Health Board - regional health authority in NZ",
  { term: "Te Whatu Ora", def: "Health New Zealand - the national health authorit
  { term: "Whānau", def: "Extended family/family group - central to Māori wellbei
  { term: "Hauora", def: "Health and wellbeing in a holistic Māori sense", catego
  { term: "Tikanga", def: "Correct procedures/customs in Māori culture", category
  { term: "PRIME", def: "Primary Response in Medical Emergencies - rural first re
  { term: "Triage", def: "Prioritising patients by urgency of need", category: "C
  { term: "Handover", def: "Transfer of patient care between clinicians (ISBAR me
  { term: "Contraindication", def: "A condition where a treatment should not be u
  { term: "Dysuria", def: "Painful or difficult urination", category: "Clinical"
  { term: "Oedema", def: "Swelling caused by excess fluid in tissues", category:
  { term: "Dyspnoea", def: "Difficulty breathing / shortness of breath", category
  { term: "Palpitation", def: "Noticeably rapid, strong, or irregular heartbeat",
  { term: "Prognosis", def: "Likely course or outcome of a disease", category: "C
  { term: "ISBAR", def: "Identify, Situation, Background, Assessment, Recommendat
];

const SPEAKING_ROLEPLAYS = [
  {
    title: "Post-Op Pain Assessment",
    setting: "Surgical ward, Wellington Hospital",
    task: "Your patient (Mr. Tane Parata, 58) had a hip replacement 6 hours ago.
    tips: ["Use SOCRATES pain assessment", "Acknowledge patient concerns", "Expla
    patientLines: ["E hoa, the pain is really bad. I didn't expect this.", "Will
  },
  {
    title: "Discharge Instructions - Diabetes",
    setting: "Medical ward, Auckland City Hospital",
    task: "Discharge Mrs. Lim (72, T2DM) to home. Explain insulin injection techn
    tips: ["Check patient understanding with teach-back", "Use plain English", "P
    patientLines: ["I'm not sure I can do the injection myself.", "My daughter wi
  },
  {
    title: "Breaking Difficult News",
    setting: "Oncology clinic, Christchurch Hospital",
    task: "A biopsy has returned positive. Inform the patient sensitively and pro
    tips: ["Use SPIKES protocol", "Allow silence and emotional response", "Provid
    patientLines: ["Is it serious?", "I haven't told my family yet.", "What happe

```

```

    },
];

const READING_PASSAGES = [
  {
    title: "NZ Nursing Council Code of Conduct",
    excerpt: "Nurses in Aotearoa New Zealand are required to practise in a manner",
    questions: [
      { q: "What does the Code of Conduct require regarding Māori patients?", a: "Treating patients with respect and dignity" },
      { q: "Name two requirements mentioned in the passage.", a: "Treating patients with respect and dignity" },
      { q: "Which organisation sets nursing standards in NZ?", a: "The Nursing Council of New Zealand" }
    ]
  },
  {
    title: "Hand Hygiene Guidelines - NZ Ministry of Health",
    excerpt: "The 5 Moments for Hand Hygiene, developed by WHO and adopted by Te",
    questions: [
      { q: "How many moments for hand hygiene are identified?", a: "5 moments" },
      { q: "Which international body developed this framework?", a: "WHO (World Health Organization)" },
      { q: "What is the NZ health authority that adopted these guidelines?", a: "Ministry of Health" }
    ]
  }
];

const WRITING_TASKS = [
  {
    type: "Referral Letter",
    scenario: "Write a referral letter from a practice nurse to a GP regarding Mr. David Chen, 67, post laparoscopic cholecystectomy.",
    wordCount: "180-200 words",
    template: `[Date]\n\nDear Dr. [Name],\n\nRe: Mrs. Aroha Ngata, DOB: [Date], N`
  },
  {
    type: "Nursing Handover (ISBAR)",
    scenario: "Write a handover using ISBAR for Mr. David Chen, 67, post laparoscopic cholecystectomy.",
    wordCount: "150-180 words",
    template: `I - Identify:\nPatient: Mr. David Chen, DOB: ..., Ward: ...\n\nS -`
  }
];

const LISTENING_TIPS = [
  "Focus on speaker's main concern in the first 30 seconds",
  "Note numbers: dosages, times, BP readings",
  "Listen for NZ/Australian spelling cues (e.g. 'paediatric' not 'pediatric')",
  "Identify role relationships (doctor-nurse, nurse-patient)",
  "Watch for negatives: 'no known allergies' vs 'allergies to penicillin'",
  "Write abbreviations quickly: pt = patient, meds = medications",
  "In NZ context: listen for Te Reo Māori words in healthcare settings",

```

```

];

const BAND_DESCRIPTORS = {
  "B": { label: "Band B (Pass)", color: "#2d6a4f", desc: "Required for NZ nursing"},
  "C": { label: "Band C", color: "#d4a017", desc: "Below the required standard. D"},
  "A": { label: "Band A (Excellence)", color: "#1d4e89", desc: "Exceptional profe"},
};

const QUIZ_QUESTIONS = [
  { q: "What does 'NHI' stand for in NZ healthcare?", options: ["National Health"],
  { q: "Which framework is used for clinical handovers in NZ?", options: ["SBAR"],
  { q: "Te Whatu Ora replaced which organisation?", options: ["MOH", "DHBs", "ACC"],
  { q: "OET Writing sub-test requires a letter of approximately:", options: ["100"],
  { q: "Which term means 'extended family' in Te Reo Māori?", options: ["Tikanga"],
  { q: "The OET Speaking test consists of:", options: ["1 role play", "2 role pla"],
  { q: "Band B is required for NZ nursing registration. What is Band B equivalent to?", options: ["100"],
  { q: "Dyspnoea refers to:", options: ["Chest pain", "Difficulty breathing", "Irregular breathing"],
];

export default function App() {
  const [activeSection, setActiveSection] = useState("Home");
  const [quizIdx, setQuizIdx] = useState(0);
  const [quizSelected, setQuizSelected] = useState(null);
  const [quizScore, setQuizScore] = useState(0);
  const [quizDone, setQuizDone] = useState(false);
  const [vocabIdx, setVocabIdx] = useState(0);
  const [vocabFlipped, setVocabFlipped] = useState(false);
  const [speakIdx, setSpeakIdx] = useState(0);
  const [readIdx, setReadIdx] = useState(0);
  const [showAnswer, setShowAnswer] = useState({});
  const [writeIdx, setWriteIdx] = useState(0);
  const [writeDraft, setWriteDraft] = useState("");
  const [listenTipIdx, setListenTipIdx] = useState(0);
  const [progress, setProgress] = useState({ vocab: 0, quiz: 0, reading: 0 });
  const [aiFeedback, setAiFeedback] = useState("");
  const [aiFeedbackLoading, setAiFeedbackLoading] = useState(false);
  const [streakDays] = useState(4);

  const callClaude = async (prompt) => {
    setAiFeedbackLoading(true);
    setAiFeedback("");
    try {
      const res = await fetch("https://api.anthropic.com/v1/messages", {
        method: "POST",
        headers: { "Content-Type": "application/json" },
        body: JSON.stringify({
          model: "claude-sonnet-4-20250514",

```

```

        max_tokens: 1000,
        messages: [{ role: "user", content: prompt }]
    })
  });
  const data = await res.json();
  const text = data.content?.map(b => b.text || "").join("") || "No feedback
  setAiFeedback(text);
} catch {
  setAiFeedback("Unable to load AI feedback. Please check your connection.");
}
setAiFeedbackLoading(false);
};

const handleQuizAnswer = (idx) => {
  if (quizSelected !== null) return;
  setQuizSelected(idx);
  if (idx === QUIZ_QUESTIONS[quizIdx].correct) setQuizScore(s => s + 1);
};

const nextQuiz = () => {
  if (quizIdx + 1 >= QUIZ_QUESTIONS.length) {
    setQuizDone(true);
    setProgress(p => ({ ...p, quiz: Math.round(((quizScore + (quizSelected ===
  } else {
    setQuizIdx(i => i + 1);
    setQuizSelected(null);
  }
});

const resetQuiz = () => { setQuizIdx(0); setQuizSelected(null); setQuizScore(0)

const sections = {
  Home: <HomeScreen streak={streakDays} progress={progress} setSection={setActi
  Speaking: <SpeakingSection data={SPEAKING_ROLEPLAYS} idx={speakIdx} setIdx={s
  Listening: <ListeningSection tips={LISTENING_TIPS} idx={listenTipIdx} setIdx=
  Reading: <ReadingSection passages={READING_PASSAGES} idx={readIdx} setIdx={se
  Writing: <WritingSection tasks={WRITING_TASKS} idx={writeIdx} setIdx={setWrit
  Vocab: <VocabSection cards={NZ_VOCAB} idx={vocabIdx} setIdx={setVocabIdx} fli
  Progress: <ProgressSection progress={progress} streak={streakDays} bandDescri
};

return (
  <div style={styles.phone}>
    <div style={styles.statusBar}>
      <span style={styles.statusTime}>9:41</span>
      <span style={styles.statusIcons}>●●● 5G 📶</span>
    </div>

```

```

<div style={styles.screen}>
  <header style={styles.header}>
    <div style={styles.headerLeft}>
      <div style={styles.logoMark}>OET</div>
      <div>
        <div style={styles.appTitle}>NurseReady NZ</div>
        <div style={styles.appSub}>OET Exam Preparation</div>
      </div>
    </div>
    <div style={styles.streakBadge}>🔥 {streakDays}d</div>
  </header>

  <div style={styles.content}>
    {sections[activeSection]}
  </div>

  <nav style={styles.nav}>
    {SECTIONS.map(s => (
      <button key={s} onClick={() => { setActiveSection(s); setAiFeedback("
        <span style={styles.navIcon}>{navIcons[s]}</span>
        <span style={styles.navLabel}>{s}</span>
      </button>
    ))}
  </nav>
</div>
);
}

```

```

const navIcons = { Home: "🏠", Speaking: "🎤", Listening: "🎧", Reading: "📖", W

```

```

function HomeScreen({ streak, progress, setSection }) {
  const overall = Math.round(Object.values(progress).reduce((a, b) => a + b, 0) /
  return (
    <div style={styles.homeWrap}>
      <div style={styles.heroBanner}>
        <div style={styles.heroText}>Kia ora, Nurse! 🙌</div>
        <div style={styles.heroSub}>Your OET Band B journey starts here</div>
        <div style={styles.nzFlag}>🇳🇿 New Zealand Nursing Council Aligned</div>
      </div>

      <div style={styles.statsRow}>
        <div style={styles.statCard}>
          <div style={styles.statNum}>{streak}</div>
          <div style={styles.statLabel}>Day Streak</div>
        </div>
        <div style={styles.statCard}>

```

```

        <div style={styles.statNum}>{overall}%</div>
        <div style={styles.statLabel}>Overall Progress</div>
    </div>
    <div style={styles.statCard}>
        <div style={{ ...styles.statNum, color: "#2d6a4f" }}>B</div>
        <div style={styles.statLabel}>Target Band</div>
    </div>
</div>

<div style={styles.sectionLabel}>Quick Access</div>
<div style={styles.quickGrid}>
    {[
        { s: "Speaking", label: "Role Plays", icon: "🎤", color: "#e8f4f8" },
        { s: "Writing", label: "Letter Writing", icon: "✍️", color: "#f0f7ee" },
        { s: "Vocab", label: "Flash Cards + Quiz", icon: "📇", color: "#fff8e1" },
        { s: "Listening", label: "Listening Tips", icon: "🎧", color: "#fce4ec" }
    ].map(item => (
        <button key={item.s} onClick={() => setSection(item.s)} style={{ ...sty
            <span style={styles.quickIcon}>{item.icon}</span>
            <span style={styles.quickLabel}>{item.label}</span>
        </button>
    ))}
</div>

<div style={styles.tipBox}>
    <div style={styles.tipTitle}>💡 OET NZ Tip of the Day</div>
    <div style={styles.tipText}>NZ nurses use ISBAR for clinical handovers. P
</div>

<div style={styles.infoBox}>
    <div style={styles.infoTitle}>📋 OET for NZ Nursing Registration</div>
    <div style={styles.infoRow}><span>✅ Required score:</span><strong> Band
    <div style={styles.infoRow}><span>✅ Registered with:</span><strong> Nurs
    <div style={styles.infoRow}><span>✅ Test validity:</span><strong> 2 year
    <div style={styles.infoRow}><span>✅ Test centres:</span><strong> Aucklan
    </div>
</div>
);
}

```

```

function SpeakingSection({ data, idx, setIdx, callClaude, aiFeedback, aiFeedbackL
    const rp = data[idx];
    const [showTips, setShowTips] = useState(false);
    const [practicing, setPracticing] = useState(false);
    const [userResponse, setUserResponse] = useState("");

    return (

```

```

<div style={styles.sectionWrap}>
  <div style={styles.sectionHeader}>
    <div style={styles.sectionTitle}>🎤 Speaking Role Plays</div>
    <div style={styles.sectionPill}>NZ Hospital Settings</div>
  </div>

  <div style={styles.tabRow}>
    {data.map((r, i) => (
      <button key={i} onClick={() => { setIdx(i); setShowTips(false); setPrac
        style={{ ...styles.tabBtn, ...(i === idx ? styles.tabBtnActive : {})}
      )}}
    )}
  </div>

  <div style={styles.card}>
    <div style={styles.cardTag}>Role Play {idx + 1} of {data.length}</div>
    <div style={styles.cardTitle}>{rp.title}</div>
    <div style={styles.metaRow}>📌 {rp.setting}</div>
    <div style={styles.taskBox}><strong>Your Task:</strong><br />{rp.task}</div>
  </div>

  <button style={styles.toggleBtn} onClick={() => setShowTips(!showTips)}>
    {showTips ? "Hide Tips ▲" : "Show Band B Tips ▼"}
  </button>

  {showTips && (
    <div style={styles.tipsList}>
      {rp.tips.map((t, i) => <div key={i} style={styles.tipsItem}>✔ {t}</div>
    </div>
  )}

  <div style={styles.subTitle}>👂 Patient Lines to Respond To:</div>
  {rp.patientLines.map((line, i) => (
    <div key={i} style={styles.patientLine}>"{line}"</div>
  )}

  <div style={styles.subTitle}>📝 Practice Your Response:</div>
  <textarea
    style={styles.textarea}
    placeholder="Type what you would say to the patient..."
    value={userResponse}
    onChange={e => setUserResponse(e.target.value)}
    rows={4}
  />

  <button
    style={{ ...styles.primaryBtn, opacity: userResponse.length < 20 ? 0.5 :
    disabled={userResponse.length < 20}
    onClick={() => callClaude(`You are an OET examiner assessing a nurse prep
    Role play scenario: "${rp.title}" - ${rp.task}

```

Patient line: "\${rp.patientLines[0]}"

Nurse response: "\${userResponse}"

Give specific Band B feedback in 3 bullet points:

1. What was good (communication skills)
2. What to improve (language accuracy or clinical content)
3. One NZ-specific tip (cultural safety or NZ health system knowledge)

Keep it concise and encouraging.`))

```
>
  {aiFeedbackLoading ? "Getting AI Feedback..." : "🌟 Get AI Feedback"}
</button>

{aiFeedback && (
  <div style={styles.feedbackBox}>
    <div style={styles.feedbackTitle}>AI Examiner Feedback</div>
    <div style={styles.feedbackText}>{aiFeedback}</div>
  </div>
)}
</div>
);
}

function ListeningSection({ tips, idx, setIdx }) {
  return (
    <div style={styles.sectionWrap}>
      <div style={styles.sectionHeader}>
        <div style={styles.sectionTitle}>🎧 Listening Strategies</div>
        <div style={styles.sectionPill}>Band B Techniques</div>
      </div>
      <div style={styles.card}>
        <div style={styles.cardTag}>Tip {idx + 1} of {tips.length}</div>
        <div style={{ fontSize: 40, textAlign: "center", margin: "16px 0" }}>🎧</div>
        <div style={styles.listenTip}>{tips[idx]}</div>
      </div>
      <div style={styles.btnRow}>
        <button style={styles.navArrow} onClick={() => setIdx(i => Math.max(0, i
        <div style={styles.dotRow}>{tips.map((_, i) => <span key={i} style={{ ...
        <button style={styles.navArrow} onClick={() => setIdx(i => Math.min(tips.
      </div>
      <div style={styles.infoBox}>
        <div style={styles.infoTitle}>📋 NZ OET Listening Format</div>
        <div style={styles.infoRow}>Part A: <strong>Consultation (nurse-patient)</str
        <div style={styles.infoRow}>Part B: <strong>Short workplace extracts</str
        <div style={styles.infoRow}>Part C: <strong>Interviews / presentations</s
        <div style={styles.infoRow}>Duration: <strong>~45 minutes</strong></div>
      </div>
      <div style={styles.tipBox}>
```



```

    <div style={styles.tipTitle}>🇳🇿 NZ Context</div>
    <div style={styles.tipText}>Recordings often feature NZ/Australian accent
  </div>
</div>
);
}

```

```

function ReadingSection({ passages, idx, setIdx, showAnswer, setShowAnswer }) {
  const p = passages[idx];
  return (
    <div style={styles.sectionWrap}>
      <div style={styles.sectionHeader}>
        <div style={styles.sectionTitle}>📖 Reading Practice</div>
        <div style={styles.sectionPill}>NZ Health Documents</div>
      </div>
      <div style={styles.tabRow}>
        {passages.map((r, i) => (
          <button key={i} onClick={() => { setIdx(i); setShowAnswer({}); }}
            style={{ ...styles.tabBtn, ...(i === idx ? styles.tabBtnActive : {})}
          >>
        ))}
      </div>
      <div style={styles.card}>
        <div style={styles.cardTag}>NZ Source Document</div>
        <div style={styles.cardTitle}>{p.title}</div>
        <div style={styles.passageText}>{p.excerpt}</div>
      </div>
      <div style={styles.subTitle}>✎ Comprehension Questions</div>
      {p.questions.map((q, i) => (
        <div key={i} style={styles.qCard}>
          <div style={styles.qText}>Q{i + 1}: {q.q}</div>
          <button style={styles.revealBtn} onClick={() => setShowAnswer(a => ({
            [showAnswer[`_${idx}-${i}`]] ? "✓ " + q.a : "Reveal Answer"
          })}
            </button>
        </div>
      ))}
      <div style={styles.tipBox}>
        <div style={styles.tipTitle}>📖 Reading Strategy</div>
        <div style={styles.tipText}>Skim first for the main idea. Then scan for s
      </div>
    </div>
  );
}

```

```

function WritingSection({ tasks, idx, setIdx, draft, setDraft, callClaude, aiFeed
  const t = tasks[idx];
  const [showTemplate, setShowTemplate] = useState(false);
  return (

```

```

<div style={styles.sectionWrap}>
  <div style={styles.sectionHeader}>
    <div style={styles.sectionTitle}><img alt="pencil icon" data-bbox="515 85 535 100"/> Writing Practice</div>
    <div style={styles.sectionPill}>{t.type}</div>
  </div>
  <div style={styles.tabRow}>
    {tasks.map((task, i) => (
      <button key={i} onClick={() => { setIdx(i); setDraft(""); setAiFeedback
        style={{ ...styles.tabBtn, ...(i === idx ? styles.tabBtnActive : {})}
      )}}
    </div>
    <div style={styles.card}>
      <div style={styles.cardTag}>{t.type}</div>
      <div style={styles.taskBox}>{t.scenario}</div>
      <div style={styles.metaRow}><img alt="word count icon" data-bbox="465 315 485 330"/> Word count: <strong>{t.wordCount}</strong>
    </div>
    <button style={styles.toggleBtn} onClick={() => setShowTemplate(!showTemplate)}
      {showTemplate ? "Hide Template ▲" : "Show NZ Template ▼"}
    </button>
    {showTemplate && <pre style={styles.template}>{t.template}</pre>}
    <div style={styles.subTitle}>Your Draft:</div>
    <textarea
      style={{ ...styles.textarea, minHeight: 140 }}
      placeholder="Write your letter or handover here..."
      value={draft}
      onChange={e => setDraft(e.target.value)}
      rows={7}
    />
    <div style={styles.wordCount}>Words: {draft.trim() ? draft.trim().split(/\s
    <button
      style={{ ...styles.primaryBtn, opacity: draft.length < 50 ? 0.5 : 1 }}
      disabled={draft.length < 50}
      onClick={() => callClaude(`You are an OET Writing examiner for nurses app
Task: ${t.type} - ${t.scenario}
Student's letter: "${draft}"

Please provide feedback as an OET examiner:
1. Overall Band assessment (A/B/C)
2. Purpose & Tone (is it appropriate for NZ nursing context?)
3. Content (key clinical/administrative details included?)
4. Language (grammar, vocabulary, sentence structure)
5. One specific improvement for Band B
Use NZ English spelling and be direct but encouraging.`)}
    >
      {aiFeedbackLoading ? "Analysing..." : "🌟 Get OET Band Feedback"}
    </button>
    {aiFeedback && (

```

```

    <div style={styles.feedbackBox}>
      <div style={styles.feedbackTitle}>OET Examiner Feedback</div>
      <div style={styles.feedbackText}>{aiFeedback}</div>
    </div>
  )}
</div>
);
}

```

```

function VocabSection({ cards, idx, setIdx, flipped, setFlipped, quiz, quizIdx, q
  const [mode, setMode] = useState("cards");
  const card = cards[idx];
  return (
    <div style={styles.sectionWrap}>
      <div style={styles.sectionHeader}>
        <div style={styles.sectionTitle}>📖 Vocabulary</div>
        <div style={styles.sectionPill}>NZ Clinical Terms</div>
      </div>
      <div style={styles.tabRow}>
        <button style={{ ...styles.tabBtn, ...(mode === "cards" ? styles.tabBtnAc
        <button style={{ ...styles.tabBtn, ...(mode === "quiz" ? styles.tabBtnAct
      </div>

      {mode === "cards" && (
        <>
          <div style={styles.flashCard} onClick={() => setFlipped(!flipped)}>
            <div style={styles.flashCategory}>{card.category}</div>
            {!flipped ? (
              <>
                <div style={styles.flashTerm}>{card.term}</div>
                <div style={styles.flashHint}>Tap to reveal definition</div>
              </>
            ) : (
              <>
                <div style={styles.flashDef}>{card.def}</div>
                <div style={styles.flashHint}>Tap to see term</div>
              </>
            )}
          </div>
          <div style={styles.btnRow}>
            <button style={styles.navArrow} onClick={() => { setIdx(i => Math.max
            <div style={{ color: "#666", fontSize: 13 }}>{idx + 1} / {cards.lengt
            <button style={styles.navArrow} onClick={() => { setIdx(i => Math.min
          </div>
          <div style={styles.categoryFilter}>
            {[...new Set(cards.map(c => c.category))].map(cat => (
              <div key={cat} style={styles.catChip}>{cat}: {cards.filter(c => c.c

```

```

    )))
  </div>
</>
})

{mode === "quiz" && (
  <>
    {!quizDone ? (
      <div>
        <div style={styles.card}>
          <div style={styles.cardTag}>Question {quizIdx + 1} of {quiz.length}
          <div style={styles.qText}>{quiz[quizIdx].q}</div>
        </div>
        <div style={styles.optionsList}>
          {quiz[quizIdx].options.map((opt, i) => {
            let bg = "#f5f5f5";
            if (quizSelected !== null) {
              if (i === quiz[quizIdx].correct) bg = "#d4edda";
              else if (i === quizSelected) bg = "#f8d7da";
            }
            return (
              <button key={i} style={{ ...styles.optionBtn, background: bg }}
                {opt}
              </button>
            );
          })}
        </div>
        {quizSelected !== null && (
          <button style={styles.primaryBtn} onClick={nextQuiz}>
            {quizIdx + 1 >= quiz.length ? "See Results" : "Next Question →"}
          </button>
        )}
      </div>
    ) : (
      <div style={styles.resultsCard}>
        <div style={styles.resultEmoji}>{quizScore >= 6 ? "🎉" : "📖"}</div>
        <div style={styles.resultScore}>{quizScore} / {quiz.length}</div>
        <div style={styles.resultMsg}>{quizScore >= 6 ? "Excellent! You're" : "Good job!"}</div>
        <div style={{ ...styles.resultPct, color: quizScore >= 6 ? "#2d6a4f" : "#c0392b" }}>
          {quizScore >= 6 ? "100%" : `${(quizScore / quiz.length * 100).toFixed(0)}%`}
        </div>
        <button style={styles.primaryBtn} onClick={resetQuiz}>Retry Quiz</button>
      </div>
    )}
  </>
)}
</div>
);
}

```

```

function ProgressSection({ progress, streak, bandDescriptors }) {
  const overall = Math.round(Object.values(progress).reduce((a, b) => a + b, 0) /
  return (
    <div style={styles.sectionWrap}>
      <div style={styles.sectionHeader}>
        <div style={styles.sectionTitle}><img alt="Flag icon" data-bbox="515 160 535 175"/> My Progress</div>
        <div style={styles.sectionPill}>Towards Band B</div>
      </div>
      <div style={styles.progressHero}>
        <div style={styles.circleWrap}>
          <svg width={110} height={110}>
            <circle cx={55} cy={55} r={48} fill="none" stroke="#e0e0e0" strokeWid
            <circle cx={55} cy={55} r={48} fill="none" stroke="#2d6a4f" strokeWid
              strokeDasharray={`$${2 * Math.PI * 48 * overall / 100} $${2 * Math.PI
              strokeLinecap="round" transform="rotate(-90 55 55)" />
            </svg>
            <div style={styles.circleInner}><div style={styles.circleNum}>{overall}</div>
          </div>
          <div style={styles.streakInfo}><img alt="Fire icon" data-bbox="495 410 515 425"/> <strong>{streak} day streak</strong><br>
        </div>

    {Object.entries({ Vocabulary: progress.vocab, Quiz: progress.quiz, Reading:
      <div key={label} style={styles.progRow}>
        <div style={styles.progLabel}>{label}</div>
        <div style={styles.progBarWrap}>
          <div style={{ ...styles.progBar, width: `${val}%` }} />
        </div>
        <div style={styles.progPct}>{val}%</div>
      </div>
    )))

    <div style={styles.subTitle}>OET Band Descriptors</div>
    {Object.values(bandDescriptors).map(b => (
      <div key={b.label} style={{ ...styles.bandCard, borderLeft: `4px solid ${
        <div style={{ ...styles.bandLabel, color: b.color }}>{b.label}</div>
        <div style={styles.bandDesc}>{b.desc}</div>
      </div>
    ))}

    <div style={styles.tipBox}>
      <div style={styles.tipTitle}><img alt="Calendar icon" data-bbox="475 830 495 845"/> Study Plan - 8 Weeks to Band B</div>
      <div style={styles.tipText}>Weeks 1-2: Vocabulary & NZ system knowledge<b
    </div>
  </div>
);
}

```

```

const styles = {
  phone: { display: "flex", justifyContent: "center", alignItems: "center", minHe
  statusBar: { background: "#000", color: "#fff", display: "flex", justifyContent
  statusTime: { fontWeight: 700 },
  statusIcons: { fontSize: 11 },
  screen: { background: "#f8f9fa", width: 390, minHeight: 844, maxHeight: 844, di
  header: { background: "#fff", padding: "12px 16px", display: "flex", justifyCon
  headerLeft: { display: "flex", alignItems: "center", gap: 10 },
  logoMark: { background: "#2d6a4f", color: "#fff", fontWeight: 900, fontSize: 16
  appTitle: { fontWeight: 800, fontSize: 16, color: "#1a1a2e", fontFamily: "'Helv
  appSub: { fontSize: 11, color: "#888", fontFamily: "'Helvetica Neue', sans-seri
  streakBadge: { background: "#fff8e1", border: "1px solid #f9a825", borderRadius
  content: { flex: 1, overflowY: "auto", padding: "0 0 8px" },
  nav: { background: "#fff", borderTop: "1px solid #e8ecef", display: "flex", jus
  navBtn: { background: "none", border: "none", display: "flex", flexDirection: "
  navBtnActive: { background: "#e8f5e9" },
  navIcon: { fontSize: 18 },
  navLabel: { fontSize: 9, color: "#666", fontFamily: "'Helvetica Neue', sans-ser
  homeWrap: { padding: "0 0 16px" },
  heroBanner: { background: "linear-gradient(135deg, #2d6a4f 0%, #40916c 100%)",
  heroText: { fontSize: 20, fontWeight: 800, fontFamily: "'Helvetica Neue', sans-
  heroSub: { fontSize: 14, opacity: 0.9, fontFamily: "'Georgia', serif", fontStyl
  nzFlag: { marginTop: 8, fontSize: 12, opacity: 0.85, fontFamily: "'Helvetica Ne
  statsRow: { display: "flex", gap: 8, padding: "12px 16px 0" },
  statCard: { flex: 1, background: "#fff", borderRadius: 12, padding: "12px 8px",
  statNum: { fontSize: 22, fontWeight: 900, color: "#2d6a4f", fontFamily: "'Helve
  statLabel: { fontSize: 10, color: "#888", fontFamily: "'Helvetica Neue', sans-s
  sectionLabel: { fontSize: 13, fontWeight: 700, color: "#444", padding: "14px 16
  quickGrid: { display: "grid", gridTemplateColumns: "1fr 1fr", gap: 8, padding:
  quickCard: { border: "none", borderRadius: 12, padding: "14px 10px", display: "
  quickIcon: { fontSize: 24 },
  quickLabel: { fontSize: 12, fontWeight: 700, color: "#333", fontFamily: "'Helve
  tipBox: { margin: "12px 16px 0", background: "#e8f5e9", borderRadius: 12, paddi
  tipTitle: { fontWeight: 700, fontSize: 13, color: "#2d6a4f", fontFamily: "'Helv
  tipText: { fontSize: 13, color: "#2d6a4f", fontFamily: "'Georgia', serif", line
  infoBox: { margin: "12px 16px 0", background: "#fff", borderRadius: 12, padding
  infoTitle: { fontWeight: 700, fontSize: 13, color: "#1a1a2e", fontFamily: "'Hel
  infoRow: { fontSize: 12, color: "#555", fontFamily: "'Helvetica Neue', sans-ser
  sectionWrap: { padding: "12px 16px 16px" },
  sectionHeader: { display: "flex", justifyContent: "space-between", alignItems:
  sectionTitle: { fontSize: 18, fontWeight: 800, color: "#1a1a2e", fontFamily: "'
  sectionPill: { background: "#e8f5e9", color: "#2d6a4f", borderRadius: 12, paddi
  tabRow: { display: "flex", gap: 6, marginBottom: 12 },
  tabBtn: { background: "#e8ecef", border: "none", borderRadius: 8, padding: "6px
  tabBtnActive: { background: "#2d6a4f", color: "#fff" },
  card: { background: "#fff", borderRadius: 14, padding: "14px 14px", marginBotto

```

```
cardTag: { fontSize: 11, color: "#888", fontWeight: 700, fontFamily: "'Helvetica
cardTitle: { fontSize: 16, fontWeight: 800, color: "#1a1a2e", fontFamily: "'Hel
metaRow: { fontSize: 12, color: "#666", fontFamily: "'Helvetica Neue', sans-ser
taskBox: { background: "#f0f7ee", borderRadius: 10, padding: 12, fontSize: 13,
toggleBtn: { background: "none", border: "1px solid #2d6a4f", color: "#2d6a4f",
tipsList: { background: "#f0f7ee", borderRadius: 10, padding: 12, marginBottom:
tipsItem: { fontSize: 13, color: "#2d6a4f", fontFamily: "'Georgia', serif", mar
subTitle: { fontWeight: 700, fontSize: 13, color: "#444", fontFamily: "'Helveti
patientLine: { background: "#fff8e1", border: "1px solid #f9a825", borderRadius
textarea: { width: "100%", borderRadius: 10, border: "1px solid #ddd", padding:
primaryBtn: { width: "100%", background: "#2d6a4f", color: "#fff", border: "non
feedbackBox: { background: "#e8f5e9", borderRadius: 12, padding: 14, marginTop:
feedbackTitle: { fontWeight: 800, fontSize: 13, color: "#2d6a4f", fontFamily: "
feedbackText: { fontSize: 13, color: "#1b5e20", fontFamily: "'Georgia', serif",
listenTip: { fontSize: 16, color: "#1a1a2e", fontFamily: "'Georgia', serif", li
btnRow: { display: "flex", justifyContent: "space-between", alignItems: "center
navArrow: { background: "#fff", border: "1px solid #ddd", borderRadius: 10, pad
dotRow: { display: "flex", gap: 4 },
dot: { width: 7, height: 7, borderRadius: "50%", background: "#ddd" },
dotActive: { background: "#2d6a4f", width: 18, borderRadius: 4 },
passageText: { fontSize: 13, color: "#333", fontFamily: "'Georgia', serif", lin
qCard: { background: "#fff", borderRadius: 12, padding: "12px 14px", marginBott
qText: { fontSize: 13, color: "#1a1a2e", fontFamily: "'Georgia', serif", lineHe
revealBtn: { background: "#f0f7ee", border: "1px solid #c8e6c9", color: "#2d6a4
template: { background: "#f5f5f5", borderRadius: 10, padding: 12, fontSize: 11,
wordCount: { fontSize: 12, color: "#888", fontFamily: "'Helvetica Neue', sans-s
flashCard: { background: "linear-gradient(135deg, #2d6a4f 0%, #40916c 100%)", b
flashCategory: { fontSize: 11, fontWeight: 700, fontFamily: "'Helvetica Neue',
flashTerm: { fontSize: 28, fontWeight: 900, fontFamily: "'Helvetica Neue', sans
flashDef: { fontSize: 15, fontFamily: "'Georgia', serif", lineHeight: 1.6, font
flashHint: { fontSize: 11, opacity: 0.6, fontFamily: "'Helvetica Neue', sans-se
categoryFilter: { display: "flex", flexWrap: "wrap", gap: 6 },
catChip: { background: "#e8f5e9", color: "#2d6a4f", borderRadius: 12, padding:
optionsList: { display: "flex", flexDirection: "column", gap: 8, marginBottom:
optionBtn: { border: "1px solid #e0e0e0", borderRadius: 10, padding: "12px 14px
resultsCard: { background: "#fff", borderRadius: 16, padding: "28px 20px", text
resultEmoji: { fontSize: 48, marginBottom: 8 },
resultScore: { fontSize: 36, fontWeight: 900, color: "#1a1a2e", fontFamily: "'H
resultMsg: { fontSize: 14, color: "#555", fontFamily: "'Georgia', serif", margi
resultPct: { fontSize: 20, fontWeight: 700, fontFamily: "'Helvetica Neue', sans
progressHero: { display: "flex", alignItems: "center", justifyContent: "space-b
circleWrap: { position: "relative" },
circleInner: { position: "absolute", top: "50%", left: "50%", transform: "trans
circleNum: { fontSize: 20, fontWeight: 900, color: "#2d6a4f", fontFamily: "'Hel
circleLabel: { fontSize: 10, color: "#888", fontFamily: "'Helvetica Neue', sans
streakInfo: { fontSize: 15, color: "#555", fontFamily: "'Helvetica Neue', sans-
progRow: { display: "flex", alignItems: "center", gap: 10, marginBottom: 10 },
```

```
progLabel: { width: 70, fontSize: 12, color: "#555", fontFamily: "'Helvetica Ne
progBarWrap: { flex: 1, background: "#e0e0e0", borderRadius: 6, height: 10, ove
progBar: { height: "100%", background: "linear-gradient(90deg, #2d6a4f, #52b788
progPct: { width: 36, fontSize: 12, color: "#555", fontFamily: "'Helvetica Neue
bandCard: { background: "#fff", borderRadius: 12, padding: "12px 14px", marginB
bandLabel: { fontSize: 14, fontWeight: 800, fontFamily: "'Helvetica Neue', sans
bandDesc: { fontSize: 12, color: "#555", fontFamily: "'Georgia', serif", lineHe
};
```