Among the following identify the one in which dimensionality reduction reduces.

- a) Performance
- b) statistics
- c) Entropy
- d) Collinearity
- Ans: (d)
- 42) Which of the following machine learning algorithm is based upon the idea of bagging?
- a) Decision Tree
- b) Random Forest
- c) Classfication
- d) SVM

Ans:(B)

- 43) Choose a disadvantage of decision trees among the following.
- a) Decision tree robust to outliers
- b) Factor analysis
- c) Decision Tree are prone to overfit
- d) all of the above

Ans:(C)

44)

What is the term known as on which the machine learning algorithms build a model based on sample data?

- a) Data Training
- b) Sample Data
- c) Training data
- d) None of the above

Ans:(C)

45)

Which of the following machine learning techniques helps in detecting the outliers in data?

- a) Clustering
- b) Classification
- c) Anamoly detection
- d) All of the above

Ans:(C)

46)	Identify the incorrect numerical functions in the various function representation learning.
	 a) Support Vector b) Regression c) Case based d) Classification Ans:(C)
	47)
	Analysis of ML algorithm needs
	 a) Statistical learning theory b) Computational learning theory c) None of the above d) Both a and b Ans:(C)
	48)
	Identify the difficulties with the k-nearest neighbor algorithm. a) Curse of dimensionality b) Calculate the distance of test case for all training cases c) Both a and b d) None Ans:(C) 49) The total types of the layer in radial basis function neural networks is a) 1 b) 2 c) 3 d) 4 Ans:(C)
	Which of the following is not a supervised learning a) PCA b) Naïve bayes c) Linear regression d) KMeans Ans:(A)

of machine