# CITY INSON's Disease

# Clinical Global Impression of Severity

Parkinson's Disease

Protocol

Site Number

Screening Number

Randomization Number

**Assessment Date** 

Rater

Adapted from Guy W, editor. ECDEU Assessment Manual for Psychopharmacology. 1976. Rockville, MD, U.S. Department of Health, Education and Welfare

© MedAvante-ProPhase - Programming and Presentation Design 2022



Considering your total clinical experience with the Parkinson's Disease population, how ill is this patient with respect to:

### **Motor signs**

0 – Normal (no symptoms present)
1 – Very mild
2 – Mild
3 – Mild to moderate
4 – Moderate
5 – Severe
6 – Very severe

### Motor complications (dyskinesia and fluctuations)

- 0 Normal (no symptoms present)
- 1 Very mild
- 2 Mild
- 3 Mild to moderate
- 4 Moderate
- 5 Severe
- 6 Very severe

### **Cognitive status**

0 – Normal (no symptoms present)
1 – Slowness and/or minimal cognitive problems
2 – Mild cognitive problems; no limitations
3 – Mild to moderate cognitive problems; does not need help for basic activities of daily living
4 – Moderate cognitive problems; help is required for some basic activities of daily living
5 – Severe cognitive problems; help is required for most or all basic activities of daily living
6 – Severely disabled; helpless; complete assistance needed

### Disability

0 – No	ormal (no symptoms present)
1 – Mi	nimal slowness and/or clumsiness
2 – Slo	owness and/or clumsiness; no limitations
	nitation for demanding activities; does not need help for basic tivities of daily living
	mitation to perform basic activities of daily living; help is quired for some basic daily living activities
	reat limitation to perform basic activities of daily living; help is quired for most or all basic activities of daily living
6 – Se	everely disabled; helpless; complete assistance needed

### Notes

# **Signature History**

### **Completed and Signed by**

Name Date/Time (UTC)

## **Edited and Signed by**

Version Name Date/Time (UTC)