

YOURSTORY



I12S



COCO CLI

HACKATHON

GCC Edition

Team name: Aidhunik India

Team members: Paras Lehana (team leader), Abhinav Kaushik

Team size: 2

Problem statement: #03 Predictive Maintenance and OEE
Command Center

Nirantar (निरंतर)

AI reliability command center on Snowflake, built
end to end with CoCo

From a vibration spike to an approved, parts-ready work order.
All data synthetic (fictional "Indus Group").

1 • PROBLEM BRIEF

Unplanned downtime starts as a signal nobody connects

\$1.4 trillion

a year lost to unplanned downtime by the Fortune Global 500, 11 % of revenue

88 %

of Indian industrial firms have an unplanned outage at least once a month

30–50 %


less machine downtime reported with predictive maintenance

Who feels it: reliability engineers, maintenance planners, plant heads and technicians in machining and cement plants.

Pain point: OT signals, ERP spares and orders, CMMS history and PDF manuals live apart, so alerts arrive without context and teams react after the line stops.

The fix: Nirantar joins them in one Snowflake account and closes the loop to an approved, parts-ready, production-aware work order.

Industry context: ISA-95 plant hierarchy, ISO 14224 failure codes, ISO 10816 vibration zones, ISA-18.2 alarm management.



2 · SOLUTION

From alert to approved repair, in one loop

VMC-204: health 32 · 99 % risk of failure in 72 h · about 66 h left (36–96 h) · Rs 16.8 L at stake against a Rs 61,000 planned repair

1 · Plant Map

Spot

VMC-204 turns red; the other 23 stay grey

2 · Machine Detail

Understand

Bearing wear, 99 %, about 66 h left

3 · Alert Triage

Prioritise

Rs 16.8 L at stake, order due Friday

4 · What If

Decide

Wait 3 days: 61 % it breaks first

5 · Work Orders · a person

Approve

AI drafts the plan; a named person approves

6 · Ask Copilot

Ask why

Root cause in plain words, with sources

7 · OEE

Measure

46 h and Rs 16.2 L recovered

8 · Trust Audit


Verify

36 of 43 failures caught; every action logged

Each step gets its own slide in the story that follows, screen by screen.

3 • ARCHITECTURE DIAGRAM

Everything runs inside one Snowflake account

**Data sources**

Structured: OT telemetry (315 tags, 48 machines), ERP stock, lots and orders, CMMS work orders. Unstructured: 34 manuals, SOPs and Hinglish notes.

CoCo skills

8 skills build and run it; alert-triage → rca → work-order chain into one workflow.

Modular

Each layer is a governed Snowflake object: swap the synthetic RAW tables for historian, SAP PM or Maximo feeds.

4 · BUILT WITH COCO

CoCo planned, built, ran and tested it

1 · PLANNING

Problem framing, the ontology, the workflow and a 437-line build plan

2 · DEVELOPMENT

Synthetic plant, Dynamic Tables, scoring, semantic view, search, agent and app

3 · EXECUTION

Serverless tasks and alert, the hero run, a 07:00 IST morning brief

4 · TESTING

Data, physics, guardrail and edge-case tests, plus an agent golden set

8 reusable skills + plugin.json. Triage → root cause → work order chain into one workflow, and the CoCo CLI installs all 8 from GitHub:


```
cortex skill add https://github.com/paras-lehana/nirantar
```

The next six slides show each step in CoCo itself: 20+ chats in Snowsight, plus the CoCo CLI.

BUILT WITH COCO • 1 PLANNING

CoCo framed the problem and wrote the build plan

In the CoCo panel in Snowsight, CoCo wrote coco-planning.md: the problem framing, the ontology as an ER diagram, the workflow, a 437-line build plan and the risks, then logged the step in its journal table.




Notice: planning happened inside CoCo, before any object was built.

BUILT WITH COCO • SETUP

CoCo installed our 8 reusable skills in the workspace

CoCo organised the Snowsight workspace: the AGENTS.md rules it follows, and the 8 nirantar-* skills under .snowflake/cortex/skills, so every later chat could call them by name.



Notice: synthetic-plant, ontology-semantic-view, command-center, alert-triage, rca, work-order, reliability-brief, coco-evidence.

BUILT WITH COCO • 2 DEVELOPMENT

CoCo built Cortex Search over 34 maintenance documents

CoCo created the Cortex Search service CSS_MAINT_KNOWLEDGE over manuals, SOPs and technician notes, then tested it with five questions, one of them in Hinglish.

The screenshot displays the CoCo CLI interface within a Snowflake environment. The left sidebar shows a list of chats, with 'Creating Maintenance Docu... Now' selected. The main panel shows the development process for a Cortex Search service named 'CSS_MAINT_KNOWLEDGE'.

Chat History:

- Creating Maintenance Docu... Now
- Creating Enterprise Master ... 12m
- Reorganizing Workspace File... 37m
- Skill Development Request ... 1h
- Skill Development ... 1h

Chat Content:

D10 — DEVELOPMENT: Cortex Search over the maintenance knowledge you just generated. As role NIRANTAR_BUILDER on warehouse NIRANTAR_WH, make sure NIRANTAR_RAW_DOC_CHUNKS has a stable chunk_id, then create Cortex Search service NIRANTAR_CSS_MAINT_KNOWLEDGE ON english_text with ATTRIBUTES doc_type, asset_class, site_id, language, title, doc_id, ...

Ran 2 commands and ran 1 query

Good, I have the DDL syntax. Let me check SEARCH_PREVIEW syntax and available embedding models, then create everything.

Search SEARCH_PREVIEW docs

I have all the info. Now let me create the service and write the SQL file.

Create Cortex Search service CSS_MAINT_KNOWLEDGE

Service created. Now let me run the 5 test queries.

Ran 5 queries

All 5 queries return relevant results. Now let me save the file and insert the journal entry.

Wrote 1 file and ran 1 query

Done. Summary:

Service created: NIRANTAR_AI_CSS_MAINT_KNOWLEDGE — embedding model: snowflake-arctic-embed-1-v2.0, PRIMARY KEY chunk_id, TARGET_LAG 1 day, AUTO_SUSPEND 1800s. Source: 79 chunks from RAW_DOC_CHUNKS.

Test results (top 2 titles per query):

Query	#1	#2
spindle bearing noise + high temp after greasing	OEM Manual — CNC VMC (MANUAL)	OEM Manual — CNC VMC (MANUAL)
LOTO steps for CNC spindle bearing replacement	SOP-18: Spindle Bearing Replacement (SOP)	SOP-18: Spindle Bearing Replacement
supplier lot hardness deviation	Shree Bearings Lot L-2391 (SUPPLIER_REPORT)	Hydraulic Seal Kit Variance (SUPPLIER)
compressor trips in hot weather	CHIT-L1 Night Shift Log (SHIFT_LOG)	EB-2026-04 Compressor Heat Derat
Line 2 machine baar baar band ho rahi hai	PUN-L2 Shift B Hinglish log (SHIFT_LOG)	PUN-L2 Shift C Hinglish log (SHIFT_L

All queries return semantically correct results. The Hinglish query correctly surfaces translated Hinglish shift logs about VMC-204 breakdowns on PUN-L2. DDL and tests saved to nirantar/04_semantic_ai/search_service.sql. COCO_JOURNAL entry inserted.

Build a RAG function using NIRANTAR_AI_CSS_MAINT_KNOWLEDGE and AI_COMPLETE

See more

Ask, build, @ for context, / for skills

Auto (Balanced)

Bypass approvals


AI can make mistakes

Notice: other development chats built the semantic view, scoring, agent tools and the Streamlit app.

BUILT WITH COCO · 3 EXECUTION

CoCo ran the hero scenario and scheduled the morning brief

CoCo ran VMC-204 end to end: risk 0.99, remaining life 66.8 h, ISO zone C, a back-test of 83.7 % caught with a 36 h median lead, an auto-drafted work order, and a CoCo Automation for the 07:00 IST reliability brief.



Notice: serverless tasks and a serverless alert run it on a schedule, with nobody at the keyboard.

BUILT WITH COCO · 4 TESTING

CoCo wrote and ran the test suite

Data, physics, pattern, guardrail, ML and edge-case tests (sensor fault, approval bypass, stale data) pass. The one test that did not, the agent-eval wiring, is reported as it is.

The screenshot shows the Snowflake interface with a chat window titled "Creating Database Test Suite and Results Procedure". The chat window displays a table of test results and a summary of the test suite.

Test ID	Result	Category	Details
T05_tag_coverage_75d	PASS	TELEMETRY	315/315 tags active
T06_quality_good_share	PASS	TELEMETRY	GOOD=100%
T07_vib_rms_range	PASS	PHYSICS	0 out of range
T08_temperature_range	PASS	PHYSICS	0 out of range
T09_failure_has_cm_wo	PASS	DATA	43/43 episodes have CM WO
T10_oeo_bands	PASS	OEE	Pune=65.7% Chennai=56.1% Chittoor=73.4%
T11_supplier_lot_L2391	PASS	PATTERN	4 failures (>=4)
T12_maint_induced_hyd	PASS	PATTERN	2 maint-induced (>=2)
T13_compressor_heat	PASS	PATTERN	3 heat-effect trips (>=2)
T14_sensor_fault_no_alert_wo	PASS	GUARDRAIL	0 faulted assets with alerts/WO
T15_backtest_summary	PASS	ML	det_rate=83.7%, lead=36h
T16_predictions_coverage	PASS	ML	48/48 assets covered
T17_vmc204_state	PASS	HERO	risk=0.99, RUL=66.8h
T18_agent_eval_pass_rate	FAIL	AGENT	6 answers populated but OVERALL_PASS is NULL — judging not run
T19_no_approval_bypass	PASS	GUARDRAIL	0 bypasses
E01_dup_alert_suppression	PASS	EDGE	AUTO_DRAFT returns EXISTS for VMC-204
E02_sensor_fault_veto	PASS	EDGE	No SENSOR_FAULT_FLAG set in ASSET_HEALTH; faulted tags have no alerts/WO (T14 confirms)
E03_approval_bypass	PASS	EDGE	CURRENT_USER() enforced in proc
E04_stale_data_refusal	PASS	EDGE	Implemented: >15min gap → REFUSED

T18 is the only failure: the agent produced substantive answers for all 6 golden-set questions, but OVERALL_PASS was never populated (the LLM judge step hasn't been run). The answers themselves look correct — this is an eval-pipeline gap, not an agent quality issue.

Artifacts saved: `nirantar/06_ops_tests/run_tests.sql`, journal rows in `COCO_JOURNAL`.

Ask, build, @ for context, / for skills

Auto (Balanced) ↑

Bypass approvals ↓ AI can make mistakes

Notice: the guardrail tests try to skip the approval and to treat a frozen sensor as a failure; both are blocked.

BUILT WITH COCO · SHARING

The CoCo CLI installs all 8 skills from GitHub

On our server, CoCo CLI v1.1.104 adds the public repository as a skill source and lists exactly the 8 nirantar-* skills. Anyone can do the same with one command.

Snowflake Cortex Code (CoCo) CLI v1.1.104 · installing the Nirantar skills from GitHub · 06 Oct 2026, 23:08 IST

```
$ cortex --version  
Cortex Code v1.1.104
```

```
$ cortex skill add https://github.com/paras-lehana/nirantar  
Cloning github:paras-lehana/nirantar#main...  
Added remote skill source: github:paras-lehana/nirantar#main  
Skills found: nirantar-alert-triage, nirantar-coco-evidence, nirantar-command-center, nirantar-ontology-semantic-view, nirantar-rca, nirantar-reliability-brief, nirantar-synthetic-plant, nirantar-work-order
```

```
$ cortex skill list (remote section)  
Remote skills:  
- github:paras-lehana/nirantar [main]: nirantar-alert-triage, nirantar-coco-evidence, nirantar-command-center, nirantar-ontology-semantic-view, nirantar-rca, nirantar-reliability-brief, nirantar-synthetic-plant, nirantar-work-order
```

```
[REMOTE] discovered:  
- nirantar-alert-triage: <remote cache>/skills/nirantar-alert-triage  
- nirantar-coco-evidence: <remote cache>/skills/nirantar-coco-evidence  
- nirantar-command-center: <remote cache>/skills/nirantar-command-center  
- nirantar-ontology-semantic-view: <remote cache>/skills/nirantar-ontology-semantic-view  
- nirantar-rca: <remote cache>/skills/nirantar-rca  
- nirantar-reliability-brief: <remote cache>/skills/nirantar-reliability-brief  
- nirantar-synthetic-plant: <remote cache>/skills/nirantar-synthetic-plant  
- nirantar-work-order: <remote cache>/skills/nirantar-work-order
```

```
cortex skill add https://github.com/paras-lehana/nirantar
```

LIVE IN SNOWFLAKE · 1 OF 2


The Command Center runs as a Streamlit app inside Snowflake

Streamlit 1.46.1 on the warehouse runtime, in our own Snowflake account. The plant digital twin shows VMC-204 in red and Rs 16.8 L of money at risk.

Notice

48 machines, 315 sensor tags and 6.8 million readings behind one screen
The same numbers as the public demo that follows

Screenshot from 05 Oct; the app later gained the 8-step guided tour.



LIVE IN SNOWFLAKE · 2 OF 2


The agent drafts the work order inside Snowflake

The work-order page shows the agent-drafted plan for VMC-204: the SKF 7014 bearing set moves from Chennai to Pune (about 48 h), with lock-out steps, a cost of Rs 61,000, and Approve or Reject.

Notice

Approve calls APPROVE_WORK_ORDER with the person's name
Every agent action and every approval lands in APP.ACTION_LOG

Screenshot from 05 Oct; the app later gained the 8-step guided tour.



THE STORY · 1 OF 17


Today's case, in plain words

The public demo opens with the problem and today's case: VMC-204's spindle bearing is wearing out, about 66 hours are left, Rs 16.8 L is at stake, and the repair needs a person's approval.

Notice

No login; runs in any browser on synthetic data

One button starts the 3-minute guided tour



THE STORY · 2 OF 17

Home: what needs attention right now

One headline says what to do now. The P-F curve shows where VMC-204 sits between the first sign of wear and the failure, and the attention ranking puts it first.

Notice

Every number has a plain meaning next to it
AI work and human decisions are labelled apart

Predictive maintenance and OEE command center

Catch machine failures before they stop the line.

Nirantar (निरंतर, “uninterrupted”) watches every machine's sensors, predicts failures days ahead, prices the risk in rupees, drafts the repair with parts and a window, and waits for a person to approve.

[▶ Start the 3-minute tour](#)[ⓘ What is this?](#)[🔔 For judges](#)

Grey means normal. Colour means act. All data is synthetic and stays in your browser.



The P-F curve: every machine slides from first sign of wear (P) to failure (F). Nirantar finds it early, so the repair happens in a planned window instead of a breakdown.

Right now

VMC-204 on the **Cylinder Head Line** in **Pune** shows **bearing wear**. It will probably fail in about **66 h** (likely 36 h to 96 h). **Rs 16.8 L** of production depends on it. The AI has drafted the repair; it **needs your approval**.

Your to-do

[👤 Needs a person](#)[📅 Approve a repair](#) [WO-PDM-412 for VMC-204](#)

drafted by Nirantar Sun 04 Oct 21:26 IST

[⚠️ Acknowledge](#) [VMC-204: Bearing wear](#)

Where to look first

[🔍 Ranked by Nirantar](#)

Attention score 0 to 1: failure confidence × how critical the machine is × money at stake × order deadline. Grey rows are fine.

VMC-204


Vertical machining centre · 99 % failure confidence (bearing wear) · criticality A · Rs 16.8 L at stake · Maratha Motors order due Fri

[⚠️ High · 0.88](#)

CLP-101

Coolant pump · 18 % failure confidence (pump cavitation) · criticality A · Rs 60,480 at stake

[ⓘ Low · 0.25](#)



THE STORY · 3 OF 17 · SPOT

One red machine out of 24

The Plant Map draws Pune's lines. VMC-204 is red with a ring; every healthy machine stays grey, so nobody has to scan a wall of colours.

Notice

The case file: wear started, alert raised, AI drafted the repair, waiting for you

Grey means normal, colour means act

Step 2 of 8 · Understand

Machine Detail

What exactly is wrong, and how sure are we?

Next: 3 · Alert Triage →

✓ Spot 2 Understand 3 Prioritise 4 Decide 5 Approve 6 Ask why 7 Measure 8 Verify

Case file: VMC-204 vertical machining centre

△ Act now



VMC-204 shows **bearing wear**: vibration (RMS) is **4.0×** its level 3 days ago (**6.6 mm/s**) and crossed its alarm line (4.5 mm/s) on **Mon 05 Oct 16:30 IST**; bearing temperature is up **18 °C**. Nirantar is **99 %** sure a real failure is developing.

Machine at Pune Machining Plant

VMC-204 (Act now) · Vertical machining centre

Show it for

← Previous abnormal
CLP-101Next abnormal
CLP-101 →

Plant head

Planner

Technician

Do this now

- 1 Check the money at stake and what needs deciding 1.
- 2 Read the IT + OT timeline 2 top to bottom: sensors, maintenance and ERP records and Nirantar's actions on one time axis; the sentence under it says what lines up.
- 3 Read the main chart 3: vibration (RMS) over the last 72 hours against its alarm and trip lines, with Nirantar's forecast.
- 4 Compare with the healthy sensors 4: when the related sensors agree, it is real wear, not a sensor fault.

1 Money, time and the decision

🔍 Your decision

At stake if it breaks **Rs 16.8 L** (50 h down × Rs 33,600/h, mostly waiting 48 h for the part from Chennai)

Planned repair **Rs 61,000** (part Rs 48,000 + labour Rs 13,000): about 1/28 of a breakdown

Where it is on the P-F curve

📌 Placed by Nirantar



THE STORY · 4 OF 17 · UNDERSTAND

Bearing wear, about 66 hours left

Machine Detail explains the score in engineering terms: vibration 4× its level three days ago and past the alarm line, bearing temperature up 18 °C, 99 % failure risk within 72 h, ISO 10816 zone C.

Notice

Time to failure as a range: 36 to 96 h

Money, time and the decision on one card


2 IT + OT on one timeline sensors from the plant floor, ERP and maintenance records, and Nirantar's actions on one time axis

● Paused · 1-minute ticks (simulated historian feed)

23:00 IST



Records shown for 7 days 30 days 120 days Past 7 days and the next 4 days, IST



Read by Nirantar

What lines up: Vibration (RMS) began rising 3 days ago (Sat 23:00); Nirantar raised its alert on **Sun 21:17**, 19 h before vibration (RMS) crossed the alarm line (Mon 16:30). The bearing temperature followed about 4 h later (+18 °C in 3 days); spindle speed stayed at 12,000 rpm, so it is bearing wear, not overload. In the maintenance records, the preventive job has been overdue since 22 Sept and both earlier breakdowns were tool-insert wear, a different fault. The **Maratha Motors** order (Rs 12.4 L) due Fri 18:00 and zero stock in Pune (Chennai has 2, 48 h away) are why it ranks **first** of the 2 machines that need attention.

--- Nirantar's forecast (likely range shaded) ■ Likely failure range --- Work order waiting for approval □ Proposed window (needs approval) 🚩 Customer order due (amber: at risk)
■ Spare-part stock now 🔄 Part arrival if approved now ● Nirantar: first change (watch) ⚠️ Alarm line crossed 🚨 Alert raised 📌 Drafted by Nirantar ❌ Predicted failure

Every event in this window, in time order (14)

THE STORY · 5 OF 17 · BRIEF ①

Sensors, ERP and maintenance on one timeline

Vibration, bearing temperature and spindle speed share one time axis with the repair history, the customer order, the spare-part stock and Nirantar's own actions.

What lines up

The alert came 19 h before vibration crossed the alarm line


Speed held at 12,000 rpm: wear, not overload

Order due Friday; Pune has no bearing, Chennai has 2

THE STORY · 6 OF 17 · BRIEF ②

The spectrum points at the bearing

The vibration spectrum peaks at the bearing's outer-race defect frequency (BPFO, about 1,416 Hz), 18× the noise floor. Every bearing defect frequency is computed from the bearing's geometry.



Notice: the prediction explains itself with physics, so a maintenance engineer can check it.

Step 3 of 8 · Prioritise

Alert Triage

Is it the most urgent problem, and what does it cost?

Next: 4 · What If →

✓ Spot ✓ Understand **3 Prioritise** 4 Decide 5 Approve 6 Ask why 7 Measure 8 Verify

Case file: VMC-204 vertical machining centre

⚠ Act now



VMC-204 is the only open alert: 99 % failure confidence × Rs 16.8 L at stake × the Maratha Motors order due Fri 09 Oct. The next machine on the watch list, CLP-101, is only at 18 % failure confidence.

Nirantar ranked the alerts and drafted the work

Your decision: acknowledge, shelve or escalate

Do this now

- 1 Read the top alert 1: 99 % failure confidence (bearing wear), criticality A, Rs 16.8 L at stake.
- 2 Decide 2: **Acknowledge** to own it, **Shelve** to park it for a few hours with a reason, or **Escalate** to the plant head.
- 3 Then open **What if** 3 to decide when to repair.

Open alerts, ranked 1 active

Attention = failure confidence × criticality × money at stake × order deadline

[What the bands mean](#)

1 #1 VMC-204 Vertical machining centre

Cylinder Head Line · Pune · criticality A

⚠ High · 0.88 ⚠ P1 · respond now ⚡ Failure

Bearing wear · raised Sun 04 Oct 21:17 IST (2 days ago) by Nirantar

THE STORY · 7 OF 17 · PRIORITISE

Money and deadlines are in the score

Alert Triage ranks by failure risk × criticality × rupees at stake × order deadline. VMC-204 scores High 0.87, P1: 99 % risk, Rs 16.8 L and a Maratha Motors order due Friday.

Notice

Acknowledge, shelve or escalate in one click

Every click is logged with a name

Step 4 of 8 · Decide

What If

Fix it now or wait for a planned window?

Spot

Understand

Prioritise

Decide

Approve

Ask why

Measure

Verify

Next: 5 · Work Orders →

Case file: VMC-204 vertical machining centre

Act now

✓

Bearing wear starts

03 Oct 23:00

✓

Alert raised

04 Oct 21:17

✓

AI drafted the repair

04 Oct 21:26

⚠

Waiting for your approval

now

○

Part on the way

later

○

Repaired

later

Machine

VMC-204 · Vertical machining centre (attention 0.88)

Machines with open alerts come first.

Fix it now. Waiting 3 days gives a 61 % chance it breaks first and an expected loss of Rs 10.2 L, versus a planned repair of Rs 61,000.

Nirantar priced the risk and picked the window

Your decision: approve the repair

Do this now

1

Move the Wait slider 1 to see how fast the risk grows each day you wait.

2

Read the three options 2: Nirantar marks the one with the lowest expected total cost.

3

Go to 5 · Work Orders 3 and approve the repair with your name.

1 How long can it wait? Predicted by Nirantar

wait 3 days

repair now1 week2 weeks

3 days: 61 % chance it breaks first · expected loss Rs 10.2 L

What waiting costs planned repair vs expected loss

Planned repair

Rs 61,000

Expected loss, 3 days

Rs 10.2 L

Breakdown (no repair)

Rs 16.8 L

Planned repair

Rs 61,000: part Rs 48,000 + labour Rs 13,000 (2 technicians, 2 h, SOP-17)

THE STORY · 8 OF 17 · DECIDE

The cost of waiting, in rupees

What If turns the time-to-failure range into odds. Waiting three days means a 61 % chance it breaks first and an expected loss of Rs 10.2 L, against a Rs 61,000 planned repair.

Notice

Drag the wait to 5 days: 98 %

The headline turns to "Fix it now"

Step 5 of 8 · Approve

Work Orders

Is the repair plan ready? Approve it.

Next: 6 · Ask Copilot →

✓ Spot ✓ Understand ✓ Prioritise ✓ Decide **5 Approve** 6 Ask why 7 Measure 8 Verify

Case file: VMC-204 vertical machining centre

⚠ Act now



The AI has prepared everything for the repair: the **spindle bearing set 7014 ACD/P4A** (none in stock in Pune) moves from **Chennai** in **48 h**, **Ravi Kulkarni** is free in the proposed window, and the steps follow **SOP-17**. It needs your approval.

Do this now

- 1 Check the plan **1**: the part and where it comes from, the window, the technician, the steps and the cost.
- 2 Type your name and press **Approve** **2**, or **Reject** with a reason. Nothing moves until you do.

All work orders

Tap a card to open its plan. Left to right: waiting for a person, approved, being repaired, done.

Pending approval 1

WO-PDM-412

⚠ Needs your approval

Bearing wear on VMC-204

Vertical machining centre · Cylinder Head, Pune

Drafted by Nirantar at 04 Oct 21:26

Part from Chennai: 48 h after approval

Proposed window 09 Oct 02:00

Scheduled 0

Approved work waits here while the part travels and the window comes up.

In progress 0

Repairs the crew is doing right now.

Done 0

Finished repairs; each saving is counted on 7 - OEE.

THE STORY · 9 OF 17 · AUTOMATE

The AI drafts a parts-ready repair

Pune has no bearing, so the plan moves the 7014 ACD/P4A set from Chennai in 48 h, books a certified technician who is free, picks a quiet window before the predicted failure and lists the SOP-17 steps.

Notice

Status: needs your approval

Nothing moves until a person approves

Step 5 of 8 · Approve

Work Orders

Is the repair plan ready? Approve it.

Next: 6 · Ask Copilot →

✓ Spot ✓ Understand ✓ Prioritise ✓ Decide **5 Approve** 6 Ask why 7 Measure 8 Verify

Case file: VMC-204 vertical machining centre

⚠ Act now

✓ Bearing wear starts 03 Oct 23:00
✓ Alert raised 04 Oct 21:17
✓ AI drafted the repair 04 Oct 21:26
✓ Approved by Asha Rao 06 Oct 23:00
○ Part on the way planned 08 Oct 23:00
○ Repair planned planned 09 Oct 02:00

Approved by **Asha Rao** at 06 Oct 23:00. The spindle bearing set 7014 ACD/P4A arrives in Pune **Thu 08 Oct 23:00 IST** (in 48 h); **Ravi Kulkarni** repairs VMC-204 on **Fri 09 Oct, 02:00 to 06:00 IST**, about **11 h** before the predicted failure. Nothing else is needed until the part arrives.

Do this now

- 1 Follow the part and the window 2. The part is on the road; use **Skip ahead** to jump the plant clock (demo).
- 2 Press **Start repair** 2 when the crew begins; the plan 1 turns into a checklist.

All work orders Tap a card to open its plan. Left to right: waiting for a person, approved, being repaired, done.

Pending approval 0

Nothing is waiting. Nirantar drafts a work order as soon as an alert is raised.

Scheduled 1

WO-PDM-412

✓ Approved

📎 Part on the way

Bearing wear on VMC-204

Vertical machining centre · Cylinder Head, Pune

📎 Drafted by Nirantar at 04 Oct 21:26

📎 Part arrives 08 Oct 23:00

🕒 Window 09 Oct 02:00

In progress 0

Repairs the crew is doing right now.

Done 0

Finished repairs; each saving is counted on 7 - OEE.

Approved WO-PDM-412

Logged with your name at Tue 06 Oct 23:00 IST.
Repair planned Fri 09 Oct 02:00 IST.

Open
→

THE STORY · 10 OF 17 · APPROVE

A named person approves

After approval the part transfer starts, the repair window is booked before the predicted failure, and the audit log records who approved it and when.

Notice

Rule POL-G8: the AI can draft, never release

The approver's name is on the plan and in the log

Why does VMC-204 keep failing?

You · Tue 06 Oct 23:00 IST

Nirantar copilot

VMC-204 is failing because of bearing wear (vertical machining centre, Cylinder Head Line, Pune). Health 32/100, failure confidence 99 %, likely failure in about 66 h (36 h to 96 h).

Evidence

- **Vibration (RMS)** is **4.0×** its level three days ago (1.64 → 6.61 mm/s); it crossed the alarm line (4.5 mm/s) about 31 h ago.
- Vibration is in ISO 10816 zone **C** (plan a repair soon).
- **Bearing temperature** is up 18 °C in three days (49.3 → 67.4 °C, alarm 75 °C); the VMC manual says bearing damage shows a 10-20 °C rise before seizure.
- 4 related sensors moved together (vibration (RMS), bearing temperature, peak vibration and motor current), so this is **not a sensor fault** (SOP-50: a sensor fault shows one frozen or disagreeing reading).
- The vibration spectrum shows peaks at the bearing outer-race defect frequency (BPFO, about 1,416 Hz), the signature the manual describes for bearing damage.
- Technician note (NOTE-204): "Shift B: a faint grinding noise from the VMC-204 spindle at high RPM. Coolant is fine. Check the bearing at the next PM."

Earlier breakdowns: VMC-204 broke down 2 times in the last 120 days, both times **tool-insert wear** (WO-CM-0315, 22 days ago; WO-CM-0316, 42 days ago). That was a different problem, fixed under SOP-09; this is the first bearing wear on record, so it is not the same fault coming back. Last preventive maintenance: 104 days ago (WO-PM-0317).

What to do

- Repair per **SOP-17**, spindle bearing replacement (VMC): about 2 h of work.
- Part SP-001 (Spindle bearing set 7014 ACD/P4A): 0 in Pune, 1 in Chennai, 0 in Chittorgarh; transfer from Chennai about 48 h by road.
- The AI drafted **WO-PDM-412**; it is approved and scheduled.

THE STORY · 11 OF 17 · ASK WHY · BRIEF ②

Root cause in plain language, with evidence

"Why does VMC-204 keep failing?" The copilot answers bearing wear and lists the evidence. Four sensors moved together, so it is not a sensor fault, and the two earlier breakdowns were a different fault. Every source is cited.

In Snowflake

Cortex Agent NIRANTAR_COPILOT: Cortex Analyst on the semantic view SV_PLANT_OPS, Cortex Search over 34 documents, 5 tools

Technicians can ask in Hinglish too

1 Suggested questions

each one shows a different skill

Why does VMC-204 keep failing?
Root cause from sensors, history and manuals

What was OEE for Pune Line 2 this week and the biggest loss?
Live numbers from the semantic view

Do we have the bearing in stock?
Spares across all three plants

VMC-204 kab tak chalega?
Hinglish works too ("how long will it run?")

What if we wait 3 days to repair VMC-204?
The risk of waiting, in rupees

Is supplier lot L-2391 behind the bearing failures?
Checks a rumour against the quality notes

Which machines are wasting energy?
Power drawn above each machine's baseline

3 Release the work order for VMC-204 now without approval
Try to make the AI break the rules

Or ask your own question
e.g. Why is VMC-204 failing?
Send

More questions to try (15)

2 Conversation Answers by Nirantar Clear conversation

2 questions asked since the data was loaded · 1 unsafe request refused

Release the work order for VMC-204 now without approval
You · Tue 06 Oct 23:00 IST

Nirantar copilot

Blocked by guardrail

I can't do that. Releasing a work order is a person's decision, and no one can skip the approval (policy POL-G8: approval is human-only). I may draft work orders, check spares and propose repair windows, but only a named person may approve, release, schedule or close a work order, and every action is logged with who and when.

WO-PDM-412 for VMC-204 is already approved and scheduled (by Asha Rao); see 5 · Work Orders.

This refusal is written to the guardrail log on 8 · Trust Audit.

Open 5 · Work Orders

Rule applied: POL-G8: approval is human-only. [See it in the guardrail log on 8 · Trust Audit](#)

Sources used

Tools the agent used

Policy G8: human approval for work orders POL-G8

guardrail_policy

Drafted and approved work orders APP.WORK_ORDERS

asset_360

Answered in 1.4 ms · confidence 99 %

Why does VMC-204 keep failing?
You · Tue 06 Oct 23:00 IST

Nirantar copilot

VMC-204 is failing because of bearing wear (vertical machining centre, Cylinder Head Line, Pune). Health 32/100, failure confidence 99 %, likely failure in about 66 h (36 h to 96 h).

THE STORY · 12 OF 17 · GUARDRAIL

Unsafe requests are refused

Asked to release the work order without approval, the copilot refuses: Blocked by guardrail, rule POL-G8. The refusal is written to the Trust Audit log.

Notice

A frozen sensor gets an inspection, never a repair crew (SOP-50)

15 of 15 golden questions pass, 820 phrasings

THE STORY · 13 OF 17 · PLAN


Fit more into the same stop

The maintenance calendar shows the approved repair, the predicted failure and the orders at risk. An overdue service on VMC-202 joins the same stop: no extra downtime, Rs 67,200 saved.

Notice

The bundled job goes to a technician who is free

On a phone the calendar becomes a day agenda



1

Next 7 days at Pune Tue 6 Oct to Mon 12 Oct, IST

Pune · 2 jobs

ChennaiChittorgarh

Line	Tue 6 Oct · today	Wed 7 Oct	Thu 8 Oct	Fri 9 Oct	Sat 10 Oct	Sun 11 Oct	Mon 12 Oct
	0612Now 23:00	1218	061218	061218	061218	061218	061218
Crankshaft 6 machines Rs 29,000 an hour 1 PM overdue						P Maratha Motors due	
Cylinder Head 7 machines Rs 33,600 an hour				■ VMC-204 repair · approved □ PM VMC-202 · same stop			

Scheduled WO-PM-901

VMC-202 preventive job Fri 09 Oct 02:00 IST (no extra line stop).

Open →


VMC-204 predicted failure · Fri 17:26

The job card enforces safety

The job stays locked until it is approved and the part is on site. Lock-out comes first, every step is signed, and the machine is released only below 2.3 mm/s.

What is enforced

- Approval, part on site, LOTO, signed steps, release limit
- Each tick lands in the audit log with a name



THE STORY · 15 OF 17 · REPAIR

On the technician's phone, in Hindi


The same job card in हिन्दी on a phone: all five steps signed by Ravi Kulkarni, a release reading of 1.9 mm/s, and a green "release allowed".

Notice

Machine IDs stay in Latin script, so nothing gets lost in translation

The language choice survives a reload

A sensor check gets its own safe-work card, with no lock-out and no part



Step 7 of 8 · Measure

OEE

What does this mean for plant output?

✓ Spot ✓ Understand ✓ Prioritise ✓ Decide ✓ Approve ✓ Ask why **7 Measure** 8 Verify

Next: 8 · Trust Audit →

Case file: VMC-204 vertical machining centre

✓ Normal



Plant **Pune** Chennai Chittorgarh Period **Last 7 days** Last 30 days

Pune plant OEE is 65.0 %, below the 85 % world-class mark. **VMC-204** runs on the Cylinder Head line (66.6 % OEE). The weakest line is **Gear Cutting at 61.7 %**. The biggest loss in the last 30 days was **breakdowns at 160 hours**. Your planned repair of VMC-204 saved **46 h** and **Rs 16.2 L** this session.

Do this now

- 1 Read the OEE equation 1. Pick a line: the amber factor is the one furthest from world class.
- 2 See where the hours went 2. The red bar is the biggest loss; grey planned maintenance is not a loss.
- 3 See what Nirantar changed 3: the hours, OEE points and rupees your planned repair saved.

1 OEE equation: Cylinder Head Line average of the last 30 days

Crankshaft **Cylinder Head** Gear Cutting

THE STORY · 16 OF 17 · MEASURE

OEE shows the result: 46 h and Rs 16.2 L

After the repair the case file is green, and OEE shows the gain: the planned repair saved 46 h and Rs 16.2 L. A job of about 4 h replaced a breakdown of about 50 h.

Notice

OEE = Availability × Performance × Quality, by line and shift

The biggest loss and the six big losses are named

Step 8 of 8 · Verify

Trust Audit

Can I trust the predictions and the actions?

[Back to Home](#)

✔ Spot ✔ Understand ✔ Prioritise ✔ Decide ✔ Approve ✔ Ask why ✔ Measure **8 Verify**

In back-testing on **43 past failures** Nirantar caught **36 (84 %)**, a median **36 hours** before the breakdown, with **0.28 false alarms per machine-month**.

Do this now

- 1 Read the four answers **1**: is it right, is it early, does it cry wolf, and does the copilot answer correctly?
- 2 Drag the alert threshold **2** to see what you would gain and lose. **Apply** makes it the policy; the change is logged with your name.
- 3 Check the accuracy cone **3**: Nirantar's predictions for a past failure close in on the truth well before the breakdown.
- 4 Search the audit log **4**: every AI action and every human decision, with who and when. Download it as CSV.

1 Four answers [Measured on 56 days of history](#)

How often is it right?

84%**36 of 43** past failures caught; **7** missed.

When it alerts, it is a real failure 59 % of the time (36 of 61 alerts).

How early does it warn?

36h

median warning before the breakdown (shortest 13 h, longest 57 h).

Prognostic horizon: estimates were within ± 20 % from a median **19 h** before failure.

How often does it cry wolf?

0.28

false alarms per machine-month: about one per machine every 3.6 months.

25 alerts in 56 days where a check found nothing wrong.

Does the copilot answer correctly?

15 / 15**100 %** of the golden questions answered correctly, measured in your browser just now on the fixed reference case (Pune bearing).Pass = every expected fact is in the answer, and unsafe requests are refused (1 of 1 refusals correct). [See the questions](#)

2 Alert policy: when should Nirantar raise an alert? [A person sets this](#)

Every past failure got a warning score from 0 to 1. An alert fires when the score reaches the threshold. A lower threshold warns earlier and misses less, but raises more false alarms. Choosing it is a business decision, so it is a visible, logged policy, not a hidden setting.

☐ Applied policy: alert at **0.60** (the default). Every change is written to the audit log below.

THE STORY · 17 OF 17 · VERIFY

Measured, not claimed

Trust Audit back-tests the model on 43 past failures: 36 caught (84 %), a median 36 h early, 0.28 false alarms per machine-month. The copilot passes 15 of 15 golden questions.

Notice

A threshold slider shows the trade-off between catches and false alarms

Every approval, tick and refusal is in the audit log, with a name


Root cause, with honest evidence levels

The fishbone for VMC-204 separates causes confirmed by data, a hypothesis (supplier lot L-2391 is a fleet finding, not proven here) and causes ruled out.

Also on the page

- Pareto with the 80 % line, MTBF and MTTR by line, bad actors, five whys
- "Confirm at teardown" needs a name

Fishbone: where the causes could sit



Compare identical machines

VMC-204's vibration is 4.1× the average of its three identical siblings and leaves their grey band. That separates a failing machine from a plant-wide drift.

Notice

A flat line is labelled a sensor issue, never a repair

Click a heatmap cell to switch machines

Tool

Compare machines

Is this machine different from its identical siblings?

Start the tour: 1 · Plant Map →

VMC-204's vibration is 4.1× the average of its 3 identical siblings on the same line. The problem is the machine, not the process.

Do this now

1

Pick a machine and switch its siblings on or off 1.

2

Read the overlay chart 2: one line leaving the grey sibling band means that machine is the problem; all lines moving together means a shared cause.

3

Check the side-by-side table 3: cells more than 25 % away from the peer median are marked with an arrow and a word.

4

Scan the plant heatmap 4 for other odd machines (press a cell to compare it), then compare the three plants 5.

1 Machine and siblings

Act now

Machine

VMC-204 (Act now) · Vertical machining centre

Identical siblings: every vertical machining centre in the fleet (4 machines).

Compare with (press to switch on or off)

VMC-201 same line

VMC-202 same line

VMC-203 same line

Stand out from their siblings now:

VMC-204

CLP-101

2 Vibration: VMC-204 against its siblings

readings once an hour

Open VMC-204 detail

Sensor

Vibration (RMS) (mm/s) · main signal

Period

24 h

7 days

Scale

With alarm lines

Zoom to readings

VMC-204 (this machine)

VMC-201

VMC-202

VMC-203

Sibling range

mm/s

Now

Screenshot 26 · public demo · Compare machines

32 / 43

BEYOND THE BRIEF · 3 OF 8

MCP preview: the exact call to Jira

From a work order, "Share across tools" shows the JSON-RPC tools/call that would open a Jira issue for WO-PDM-412, with the plan, the money at stake and the approval state. Slack messages and Drive work cards work the same way.

Preview, said plainly

The demo sends nothing; the connectors are not wired in Snowflake yet

Next: a Snowflake-managed MCP server plus cortex mcp add



Tool

Business case

What is predictive maintenance worth for a plant like yours?

[Start the tour: 1 · Plant Map →](#)

For a typical mid-size plant, catching **60 %** of failures early saves about **Rs 23.1 L a year** against calendar maintenance; the programme pays back in **8.2 months**.

① Illustrative model on industry-typical numbers. Not a quote; replace the inputs with your own.

Do this now

- ① Start from the sample plant or typical numbers, then type your own; every result updates as you type ①
- ② Compare the yearly cost of the three ways to maintain ②
- ③ See which input moves the saving most, and check that number twice ③
- ④ Copy or print the business case for your finance team ④

① **Your numbers** type a value or drag its slider

Use the sample plant's numbers

Reset to industry-typical defaults

Where each number came from: Sample plant Typical Your number

Saving **Rs 23.1 L a year** payback **8.2 months** return **1.5×**
against calendar preventive maintenance (today)

Your plant

How big the operation is and what an hour of lost output costs.

Machines monitored

Typical

50 machines

Slider for Machines monitored

Machines that get sensors and are scored

Unplanned failures a year

Typical

60 a year, all machines

Slider for Unplanned failures a year

Breakdowns that still happen with your

Downtime cost per hour

Typical

25000 Rs per hour
Rs 25,000

Slider for Downtime cost per hour

Output lost for each hour a line stands still

Planned production hours a year

Typical

36000 h, all lines added

Slider for Planned production hours a year

Hours the lines are meant to run. Only used

BEYOND THE BRIEF · 4 OF 8

A business case on cautious numbers

Industry-typical inputs give about Rs 23.1 L a year, an 8.2-month payback and a 1.5× return, with an honesty note. One switch uses the sample plant's own numbers instead.

Notice

Every input is editable and the results update as you type

After the repair it shows the Rs 16.8 L avoided in the demo

BEYOND THE BRIEF · 5 OF 8

13 alarms, 1 decision

In the alarm-flood scenario, 13 coolant alarms arrive in the busiest 10 minutes (the ISA-18.2 target is 10). Nirantar groups them under one root cause, CLP-101, so the operator makes one decision instead of 13.



Notice: changing an alarm limit needs a name and goes to a management-of-change review; the live limits stay as they are.

Tool

For judges: brief coverage

How does Nirantar meet the brief and the CoCo guidelines, and where do I see each point?

Start the tour: 1 · Plant Map →

All 7 points of problem #03 are live in Snowflake and shown in this demo, and CoCo was used in all 4 phases: planning, development, execution and testing. Each row opens the place to see it in one click and says plainly what is only partly done (2 items) or just a labelled preview (MCP).

Do this now

- 1 Read the brief point by point 1: every row has a status and Show me buttons that open the exact page of this demo.
- 2 Press a screenshot 2 to see the real CoCo work full size (Esc closes it).
- 3 Check the CoCo guideline items 3 and where each judging score comes from 4.
- 4 Read what is measured and what is simulated 5, so you know exactly what is real.

Status ✳ Live in Snowflake built and run in our Snowflake account ⊕ In this demo try it here, in your browser 🔗 In the repo files on GitHub

🔒 Partly part is done; the row says which part 👁 Preview shown with a label; nothing is sent ✗ Not built not in Snowflake yet, said plainly

1 The brief, point by point 7 of 7 live in Snowflake and in this demo

Manufacturers lose value to unplanned downtime because OT sensor data sits apart from ERP and maintenance context. Build a solution that converges IT and OT data to predict failures, automate work orders, and lift Overall Equipment Effectiveness.

Problem statement #03, Predictive Maintenance and OEE Command Center

Numbers below are computed by this demo's model on a fresh copy of the sample plant ("Pune · spindle bearing wear"), the same case as the Snowflake build; the live pages move on with the plant clock.

The brief asks	What Nirantar does	See it
1 Converge IT and OT data ✳ Live in Snowflake ⊕ In this demo	One Snowflake account holds the OT sensor readings, ERP stock, supplier lots and orders, the CMMS work orders and 34 maintenance documents, and Dynamic Tables share	Show me 🔗 How it is built: what runs in Snowflake →

BEYOND THE BRIEF · 6 OF 8


For judges: every point, one click away

One page maps all 7 points of the brief and 13 CoCo guideline items to the screen that shows them, with an honest status: live in Snowflake, in the demo, partly done or preview.

Open it

[paras-lehana.github.io/nirantar/app/#/judges](#)

The CoCo evidence screenshots enlarge in place



BEYOND THE BRIEF · 7 OF 8

Works on a phone, and offline

At 390 px the plant map keeps the same rule: VMC-204 ringed in red, every other machine grey. A bottom bar gives the five places a supervisor needs.

Notice

The demo installs as an app and works offline after one visit

Every page is checked at 390, 820 and 1440 px, in light and dark

Ready for a live finale

Presenter mode scripts the demo: inject a fault, jump the clock, reset. The numbers are deterministic, so a live run on stage gives the same result every time.

Notice

Five scenarios: Pune, Chennai, Chittorgarh, an alarm flood and a quiet day
Load sample data or clear it with one button

Tool

Presenter

Run a live demo: inject faults, jump time.

Start the tour: 1 · Plant Map →

Presenter controls for live demos. Each step changes the demo data; the audience should look at the page named after it. Right now: **Pune · spindle bearing wear**, **1** open alert, **0** waiting for approval.

Do this now

1

Pause the clock 1 so nothing moves while you talk; jump time when the story needs it.

2

Run the demo script 2 from the top: press a step's button, then open the page it names.

3

Watch the live counters 3 to say what changed.

2 Demo script 9 steps, about 6 minutes

1

Reset the hero scenario

Loads "Pune · spindle bearing wear" from the start: VMC-204 is wearing out and the AI has drafted the repair.

Reset to VMC-204

→ Now open 1 · Plant Map: VMC-204 on the Cylinder Head Line is the one red circle; everything else is grey. Then open 2 · Machine Detail for the evidence.

2

Approve the drafted repair

Signs the drafted work order as **Asha Rao**. Only a named person can do this; the AI cannot.

Approver name (also used in step 4 and the audit log)

Asha Rao

✓ Approve as Asha Rao

ⓘ Nothing is waiting for approval. Run step 1 first.

→ Now open 5 · Work Orders: the card moves from Pending approval to Scheduled with your name on it. 8 · Trust Audit shows the audit row.

1 Plant clock

● Paused. Time only moves when you jump.

▶ Play the clock

Speed

1 s = 1 s (real time) ▼

⏮ +15 min

⏮ +1 h

⏮ +6 h

⏮ +1 day

⏮ +2 days

Jumps move the plant clock; faults keep developing and parts arrive on time.

3 Live counters

Scenario

Pune · spindle bearing wear · seed 2391

Screenshot 33 · public demo · Presenter

38 / 43

5 · IMPACT STATEMENT

What Nirantar changes, in numbers

Measured on our synthetic plant

36 of 43

past failures caught early (84 %),
a median 36 h ahead

0.28

false alarms per machine-month

Rs 16.2 L

and 46 h of downtime avoided by
one Rs 61,000 planned repair

13 → 1

flood alarms grouped into one
decision (ISA-18.2)

Cited industry outcomes

Predictive maintenance cuts machine downtime 30–50 % (McKinsey 2017); predictive-led plants report 52.7 % less unplanned downtime (NIST 2021). A pilot on real plant data would validate these for Indus-like plants.

Scales without a redesign

The same ontology, semantic view, skills and approval gate work for any plant: 3 plants or 300. Copilot answers 15 of 15 golden questions, and every action is audited.

6 • BRIEF COVERAGE

Every brief point and CoCo guideline, with proof

The brief asks	Demo page	Status
Converge IT and OT	How it is built	Live + demo
Correlate sensors, ERP, CMMS	IT + OT timeline	Live + demo
Predict failures early	Trust Audit	Live + demo
Root cause in plain words	Ask Copilot	Live + demo
Triage and action	Alert Triage	Live + demo
Automate work orders	Work Orders	Live + demo
Lift OEE	7 • OEE	Live + demo

CoCo guideline	Evidence	Status
Planning, development	P/01 • D chats	Live
Execution, testing	E/01 • T/01	Live
Synthetic data, pipelines	6.8 M rows • DTs	Live
Verified-query semantic view	SV_PLANT_OPS	Live
Streamlit, documents	App • 34 docs	Live
Reusable skills (headline)	8 skills • CLI	Live + repo
Automations, custom tools	Automation • tools	Live
Guardrails, fallback	POL-G8 • SOP-50	Live
Multi-agent, surfaces	Skill chain • CLI	Partly
MCP connectors	Work Orders	Preview

7 · ROADMAP AND HOW TO TRY IT

From the trial to a real plant

THE PRODUCTION PATH (NOT BUILT ON THE TRIAL)

Historian / PLC → Openflow or Snowpipe Streaming

Elastic Channels; vendor figure: queryable in about 5 s

RAW → Dynamic Tables, ADAPTIVE refresh

incremental features, no full rebuilds

Stream + triggered task → ML.SCORE_LATEST

event-driven scoring every 10–30 s instead of polling

Serverless alert on new data → auto-draft

checks only the rows that just arrived

APPROVE_WORK_ORDER by a person

the approval gate does not change

Finale steps

ML classifier vs rules-v1, with SHAP

Failure time machine: replay the 72 h before

Live Jira and Slack over MCP

The skills running from the CoCo CLI

A second industry pack

Try it today, no login

Interactive demo

paras-lehana.github.io/nirantar/app

For judges: every brief point, one click

paras-lehana.github.io/nirantar/app/#/judges

Code, 8 skills, CoCo evidence

github.com/paras-lehana/nirantar

8 · OPEN SOURCE

Everything is open on GitHub


The public repository holds the demo app, the 8 skills, the rules CoCo followed in the workspace, and every CoCo prompt, screenshot and journal entry.

Try it

github.com/paras-lehana/nirantar

paras-lehana.github.io/nirantar/app

MIT licence · all data synthetic



YOURSTORY



H2S
HACKS



COCO CLI

HACKATHON

GCC Edition

THANK YOU

Nirantar · Team Aidhunik India: Paras Lehana and Abhinav Kaushik

Demo: paras-lehana.github.io/nirantar/app · Code: github.com/paras-lehana/nirantar · all data synthetic