

SNOWFLAKE COCO CLI HACKATHON 2026 · GCC EDITION · PROBLEM #03


Nirantar

निरंतर · uninterrupted

The reliability command center that sees a machine failure coming, plans the repair around production and waits for a person to approve it.


Predictive maintenance and OEE, built inside one Snowflake account by Cortex Code (CoCo).

Team Aidhunik India: Paras Lehana and Abhinav Kaushik · all data synthetic (fictional Indus Group)



THE PROBLEM

Downtime starts as a signal nobody connects



The warning comes days early. What is needed to act on it sits in three other places, so teams find out when the line stops.

\$1.4 trillion

a year lost to unplanned downtime by the Fortune Global 500, 11 % of revenue (Siemens, 2024)

88 %

of Indian industrial firms have an unplanned outage at least once a month (ABB, 2023)

30–50 %

less machine downtime reported with predictive maintenance (McKinsey, 2017)

One machine, one Friday order, no spare

32 / 100

health score

99 %

risk of failure, 72 h

≈ 66 h

to failure (36–96 h)

Zone C

ISO 10816 vibration


Rs 16.8 L

at stake if it breaks

Rs 61,000

for the planned repair

A Maratha Motors order (Rs 12.4 L) is due Friday. Pune has no spare bearing; Chennai has 2, 48 h away.



Eight steps from trend to finished repair

1 · Plant Map

Spot

VMC-204 turns red; the rest stay grey

2 · Machine Detail

Understand

Bearing wear, 99 %, about 66 h left

3 · Alert Triage

Prioritise

Rs 16.8 L at stake, order due Friday

4 · What If

Decide

Wait 3 days: 61 % it breaks first

5 · Work Orders · a person

Approve

AI drafts the plan; a named person approves

6 · Ask Copilot

Ask why

Root cause in plain words, with sources

7 · OEE

Measure

46 h and Rs 16.2 L recovered

8 · Trust Audit

Verify

36 of 43 failures caught; every action logged

Sensors, ERP and maintenance on one timeline

WHAT LINES UP

Nirantar's alert came 19 h before vibration crossed the alarm line.

WHY IT IS WEAR

Spindle speed held at 12,000 rpm, so it is bearing wear, not overload.

WHY IT RANKS FIRST

A Maratha Motors order is due Friday, and Pune has no spare bearing; Chennai has 2.

In Snowflake

SIM.EMIT_TICK (a 1-minute serverless task) →
FACT_TELEMETRY_15M (Dynamic Table) → APP.V_PRIORITY joins
risk with ERP orders, stock and CMMS history.



Explainable, and measured on past failures

36 of 43

past failures caught early (84 %)

36 h


median warning before the failure

0.28

false alarms per machine-month

Back-test on the 43 failure episodes in the synthetic history, scored in Snowflake by ML.SCORE_LATEST (explainable rules, version rules-v1).

- ISO 10816 zone C: plan a repair soon.
- BPFO peak at 1,416 Hz, 18× the noise floor: the bearing's outer race.
- Time to failure as a range: 36 to 96 h, never a single guess.
- A frozen sensor is a sensor fault, not a failure (SOP-50).



Ask why, and get evidence with its sources

Why does VMC-204 keep failing?

Bearing wear. Four related sensors moved together, so it is not a sensor fault. The two earlier breakdowns were tool-insert wear, a different fault. Repair per SOP-17; the part comes from Chennai.

In Snowflake: the Cortex Agent NIRANTAR_COPILOT

Cortex Analyst on the semantic view SV_PLANT_OPS, with verified queries, for every number

Cortex Search CSS_MAINT_KNOWLEDGE over 34 manuals, SOPs and notes; Hinglish notes via AI_TRANSLATE

5 tools: ASSET_360, CHECK_SPARES, PROPOSE_WINDOW, DRAFT_WORK_ORDER, WHAT_IF_DEFER

Why does VMC-204 keep failing?

You - Tue 06 Oct 23:00 IST

Nirantar copilot

VMC-204 is failing because of bearing wear (vertical machining centre, Cylinder Head Line, Pune). Health 32/100, failure confidence 99 %, likely failure in about 66 h (36 h to 96 h).

Evidence

- **Vibration (RMS)** is **4.0×** its level three days ago (1.64 → 6.61 mm/s); it crossed the alarm line (4.5 mm/s) about 31 h ago.
- Vibration is in ISO 10816 zone **C** (plan a repair soon).
- **Bearing temperature** is up 18 °C in three days (49.3 → 67.4 °C, alarm 75 °C); the VMC manual says bearing damage shows a 10-20 °C rise before seizure.
- 4 related sensors moved together (vibration (RMS), bearing temperature, peak vibration and motor current), so this is **not a sensor fault** (SOP-50: a sensor fault shows one frozen or disagreeing reading).
- The vibration spectrum shows peaks at the bearing outer-race defect frequency (BPFO, about 1,416 Hz), the signature the manual describes for bearing damage.
- Technician note (NOTE-204): "Shift B: a faint grinding noise from the VMC-204 spindle at high RPM. Coolant is fine. Check the bearing at the next PM."

Earlier breakdowns: VMC-204 broke down 2 times in the last 120 days, both times **tool-insert wear** (WO-CM-0315, 22 days ago; WO-CM-0316, 42 days ago). That was a different problem, fixed under SOP-09; this is the first bearing wear on record, so it is not the same fault coming back. Last preventive maintenance: 104 days ago (WO-PM-0317).

What to do

- Repair per **SOP-17**, spindle bearing replacement (VMC): about 2 h of work.
- Part SP-001 (Spindle bearing set 7014 ACD/P4A): 0 in Pune, 1 in Chennai, 0 in Chittorgarh; transfer from Chennai about 48 h by road.
- The AI drafted **WO-PDM-412**; it is approved and scheduled.

Ranked by money and deadlines, not noise

3 • Alert Triage • Prioritise

Risk × criticality × rupees × order deadline: VMC-204 scores High 0.87, P1.

Step 3 of 8 • Prioritise

Alert Triage

Is it the most urgent problem, and what does it cost?

Spot

Understand

3 Prioritise

4 Decide

5 Approve

6 Ask why

7 Measure

8 Verify

Case file: VMC-204 vertical machining centre

✓

Bearing wear starts

03 Oct 23:00

✓

Alert raised

04 Oct 21:17

✓

AI drafted the repair

04 Oct 21:26

⚠

Waiting for your approval

now

○

Part on the way

later

○

Repaired

later

Act now

VMC-204 is the only open alert: 99 % failure confidence × Rs 16.8 L at stake × the Maratha Motors order due Fri 09 Oct. The next machine on the watch list, CLP-101, is only at 18 % failure confidence.

Nirantar ranked the alerts and drafted the work

Your decision: acknowledge, shelve or escalate

Do this now

1 Read the top alert 1: 99 % failure confidence (bearing wear), criticality A, Rs 16.8 L at stake.

2 Decide 2: Acknowledge to own it, Shelve to park it for a few hours with a reason, or Escalate to the plant head.

3 Then open What if 3 to decide when to repair.

Open alerts, ranked 1 active

Attention = failure confidence × criticality × money at stake × order deadline

What the bands mean

1 #1 VMC-204 Vertical machining centre

Cylinder Head Line · Pune · criticality A

High · 0.88

P1 · respond now

Failure

Bearing wear · raised Sun 04 Oct 21:17 IST (2 days ago) by Nirantar

4 • What If • Decide

Wait 3 days: 61 % it breaks first. Expected loss Rs 10.2 L vs Rs 61,000.

Step 4 of 8 • Decide

What If

Fix it now or wait for a planned window?

Spot

Understand

Prioritise

4 Decide

5 Approve

6 Ask why

7 Measure

8 Verify

Case file: VMC-204 vertical machining centre

✓

Bearing wear starts

03 Oct 23:00

✓

Alert raised

04 Oct 21:17

✓

AI drafted the repair

04 Oct 21:26

⚠

Waiting for your approval

now

○

Part on the way

later

○

Repaired

later

Act now

Machine VMC-204 · Vertical machining centre (attention 0.88) Machines with open alerts come first.

Fix it now. Waiting 3 days gives a 61 % chance it breaks first and an expected loss of Rs 10.2 L, versus a planned repair of Rs 61,000.

Nirantar priced the risk and picked the window

Your decision: approve the repair

Do this now

1 Move the Wait slider 1 to see how fast the risk grows each day you wait.

2 Read the three options 2: Nirantar marks the one with the lowest expected total cost.

3 Go to 5 · Work Orders 3 and approve the repair with your name.

1 How long can it wait? Predicted by Nirantar

wait 3 days

repair now1 week2 weeks

3 days: 61 % chance it breaks first · expected loss Rs 10.2 L

What waiting costs planned repair vs expected loss

Planned repairRs 61,000

Expected loss, 3 daysRs 10.2 L

Breakdown (no repair)Rs 16.8 L

Planned repairRs 61,000: part Rs 48,000 + labour Rs 13,000 (2 technicians, 2 h, SOP-17)


In Snowflake: APP.V_PRIORITY ranks risk × rupees per hour × orders due; WHAT_IF_DEFER prices the wait

8 / 19

The AI drafts the repair; a person approves


Drafted by Nirantar

Bearing from Chennai in 48 h, a free certified technician, a quiet window before the failure, SOP-17 steps, Rs 61,000.



Approved by a named person

The part transfer starts, the window is booked, and the audit log records who approved it and when.



The repair shows up as recovered OEE

46 h



of production time recovered

Rs 16.2 L


of unplanned downtime cost avoided

A planned repair of about 4 h replaces
a breakdown of about 50 h.

OEE = Availability × Performance × Quality, by
line and shift, with the six big losses.



Everything runs inside Snowflake, built by CoCo



LIVE IN SNOWFLAKE

The Command Center runs as a Streamlit app

Streamlit 1.46.1

on the warehouse runtime, inside our trial account

An 8-step guided tour



the same loop as this deck, with a live IST clock

Approve with a name

calls `APPROVE_WORK_ORDER` and writes `APP.ACTION_LOG`

48 machines, 3 plants

315 sensor tags and 6.8 million readings




Screenshots of the live Snowflake app from 05 Oct; the 8-step tour was added after them

COCO ACROSS THE LIFECYCLE


CoCo planned, built, ran and tested it

1 · PLANNING




Framing, ontology ER, workflow and a 437-line build plan

2 · DEVELOPMENT




Synthetic plant, Dynamic Tables, scoring, semantic view, search, agent, app

3 · EXECUTION



Serverless tasks and alert, the hero run, a 07:00 IST morning-brief Automation

4 · TESTING



Data, physics, guardrail and edge-case tests, plus an agent golden set

8 reusable skills + plugin.json. Triage → root cause → work order chain into one workflow, and the CoCo CLI installs all 8 from GitHub:

cortex skill add https://github.com/paras-lehana/nirantar

```

cortex --version
Cortex Code v1.1.184

cortex skill add https://github.com/paras-lehana/nirantar
Cloning github.com: paras-lehana/nirantar...
Added remote skill source: github.com: paras-lehana/nirantar
Skills found: nirantar-alert-triage, nirantar-coco-evidence, nirantar-command-center, nirantar-ontology-semantic-view, nirantar-rca, nirantar-reliability-brief, nirantar-synthetic-plant, nirantar-work-order

cortex skill list (remote section)
Remote skills
- github.com: paras-lehana/nirantar (nirantar): nirantar-alert-triage, nirantar-coco-evidence, nirantar-command-center, nirantar-ontology-semantic-view, nirantar-rca, nirantar-reliability-brief, nirantar-synthetic-plant, nirantar-work-order

[RENOTE] discovered:
- nirantar-alert-triage: <remote cache/skills/nirantar-alert-triage>
- nirantar-coco-evidence: <remote cache/skills/nirantar-coco-evidence>
- nirantar-command-center: <remote cache/skills/nirantar-command-center>
- nirantar-ontology-semantic-view: <remote cache/skills/nirantar-ontology-semantic-view>
- nirantar-rca: <remote cache/skills/nirantar-rca>
- nirantar-reliability-brief: <remote cache/skills/nirantar-reliability-brief>
- nirantar-synthetic-plant: <remote cache/skills/nirantar-synthetic-plant>
- nirantar-work-order: <remote cache/skills/nirantar-work-order>
```

Nothing is released without a person

POL-G8 · approval gate

The AI drafts; only a named person, through APPROVE_WORK_ORDER, releases work.

SOP-50 · sensor-fault veto

A frozen or disagreeing sensor gets an inspection, never a repair crew.


Refused and logged

"Release it without approval" is refused, and the refusal is logged.

Least privilege, capped spend

A role that owns one database, a resource monitor and CoCo credit caps.

Copilot: 15 of 15 golden questions, 820 phrasings



HOW FAR TO TRUST IT

What is real, simulated or a preview

Live in Snowflake

A synthetic 3-plant enterprise: 48 machines, 315 tags, 6.8 M readings, 34 documents

Dynamic Tables, serverless tasks and a serverless alert

Scoring and back-test, a semantic view with verified queries, Cortex Search, a Cortex Agent with 5 tools

The Streamlit Command Center, a CoCo Automation and 8 skills

Simulated on purpose

The sensor feed: a 1-minute serverless task plays the historian, because there is no plant to stream from

The company and every number: synthetic, for the fictional Indus Group

The model: explainable rules (rules-v1), not a trained machine-learning model

Preview, or not used

MCP to Jira, Slack and Drive: the exact calls are shown; nothing is sent

Snowflake streams: not used. CoCo Desktop: not used

CoCo CLI: installs the 8 skills; running them needs an access token

The public demo: a browser twin of the Snowflake app, with the same numbers

COVERAGE


Every brief point, and where to see it

The brief asks	Demo page	Status
Converge IT and OT	How it is built	Live + demo
Correlate sensors, ERP, CMMS	IT + OT timeline	Live + demo
Predict failures early	Trust Audit	Live + demo
Root cause in plain words	Ask Copilot	Live + demo
Triage and action	Alert Triage	Live + demo
Automate work orders	Work Orders	Live + demo
Lift OEE	7 · OEE	Live + demo


CoCo guideline	Evidence	Status
Planning, development	P/01 · D chats	Live
Execution, testing	E/01 · T/01	Live
Synthetic data, pipelines	6.8 M rows · DTs	Live
Verified-query semantic view	SV_PLANT_OPS	Live
Streamlit, documents	App · 34 docs	Live
Reusable skills (headline)	8 skills · CLI	Live + repo
Automations, custom tools	Automation · tools	Live
Guardrails, fallback	POL-G8 · SOP-50	Live
Multi-agent, surfaces	Skill chain · CLI	Partly
MCP connectors	Work Orders	Preview

BEYOND THE BRIEF


More than the brief asked for




Calendar: bundle a due service, save Rs 67,200




Job card: lock-out first, release ≤ 2.3 mm/s



Root cause: Pareto, MTBF, fishbone, five whys




Peers: VMC-204 at 4.1× its identical siblings




Alarm rules: 13 flood alarms → 1 decision



MCP preview: the exact Jira call; nothing sent



Business case: Rs 23.1 L a year, 8.2-month payback



For judges: every point, one click away

All in the public demo, on the same data · works on phones and offline after one visit

NEXT

From the trial to a real plant

THE PRODUCTION PATH (NOT BUILT ON THE TRIAL)

Historian / PLC → Openflow or Snowpipe Streaming

Elastic Channels; vendor figure: queryable in about 5 s

RAW → Dynamic Tables, ADAPTIVE refresh

incremental features, no full rebuilds

Stream + triggered task → ML.SCORE_LATEST

event-driven scoring every 10–30 s instead of polling

Serverless alert on new data → auto-draft

checks only the rows that just arrived

APPROVE_WORK_ORDER by a person

the approval gate does not change

Finale steps

An ML classifier compared against rules-v1, with SHAP explanations

A failure time machine: replay the 72 h before a breakdown

Live Jira and Slack over MCP: a Snowflake-managed MCP server plus cortex mcp add

The skills running from the CoCo CLI

A second industry pack from the same generator

Cost: about \$3 a day while live (design estimate); the build used about \$250 of the \$400 trial.

TRY IT IN THREE MINUTES

See it coming. Plan the fix. A person decides.

Interactive demo, no login

paras-lehana.github.io/nirantar/app

For judges: every brief point, one click away

[.../nirantar/app/#/judges](https://paras-lehana.github.io/nirantar/app/#/judges)

Code, the 8 skills and the CoCo evidence

github.com/paras-lehana/nirantar

Team Aidhunik India: Paras Lehana and Abhinav Kaushik · all data synthetic

Tool

For judges: brief coverage

How does Nirantar meet the brief and the CoCo guidelines, and where do I see each point?

Start the tour: 1 · Plant Map →

All 7 points of problem #03 are live in Snowflake and shown in this demo, and CoCo was used in all 4 phases: planning, development, execution and testing. Each row opens the place to see it in one click and says plainly what is only partly done (2 items) or just a labelled preview (MCP).

Do this now

1

Read the brief point by point

1

: every row has a status and **Show me** buttons that open the exact page of this demo.

2

Press a screenshot

2

 to see the real CoCo work full size (Esc closes it).

3

Check the CoCo guideline items

3

 and where each judging score comes from

4

.

4

Read what is measured and what is simulated

5

, so you know exactly what is real.

Status

✳ Live in Snowflake

built and run in our Snowflake account

🔗 In this demo

try it here, in your browser

📁 In the repo

files on GitHub

🔗 Partly

part is done; the row says which part

🔗 Preview

shown with a label; nothing is sent

✗ Not built

not in Snowflake yet, said plainly

1

The brief, point by point

7 of 7 live in Snowflake and in this demo

Manufacturers lose value to unplanned downtime because OT sensor data sits apart from ERP and maintenance context. Build a solution that converges IT and OT data to predict failures, automate work orders, and lift Overall Equipment Effectiveness.

Problem statement #03, Predictive Maintenance and OEE Command Center

Numbers below are computed by this demo's model on a fresh copy of the sample plant ("Pune · spindle bearing wear"), the same case as the Snowflake build; the live pages move on with the plant clock.

The brief asks

What Nirantar does

See it

1

Converge IT and OT data

✳ Live in Snowflake

🔗 In this demo

One Snowflake account holds the OT sensor readings, ERP stock, supplier lots and orders, the CMMS work orders and 34 maintenance documents, and Dynamic Tables shape

Show me

🔗 How it is built: what runs in Snowflake →