

1. Branch and Checkout

```
INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (main)
$ git branch git-assignment

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (main)
$ git branch
git-assignment
* main

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (main)
$ git checkout git-assignment
Switched to branch 'git-assignment'

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ |
```

2. Making files

```
INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ touch file1.txt

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ touch file2.txt

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ |
```

3. Modify files

```
INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git status
On branch git-assignment
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   file1.txt
        modified:   file2.txt

no changes added to commit (use "git add" and/or "git commit -a")

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ |
```

4. Cd and pwd

```
INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop
$ cd bootstrap

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (main)
$ pwd
/c/Users/paras.tomar/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (main)
$ |
```

5. Git add

```
INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git add file1.txt

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git add .

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ |
```

6. Git branch

```
INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (main)
$ git branch
* main

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (main)
$ |
```

7. New feature branch

```
INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git switch -c feature-fastforward
Switched to a new branch 'feature-fastforward'

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (feature-fastforward)
$ git branch
* feature-fastforward
  git-assignment
  main

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (feature-fastforward)
$ git add .

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (feature-fastforward)
$ git status
On branch feature-fastforward
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   file1.txt

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (feature-fastforward)
$
```

8. Git clone

```
MINGW64/c/Users/paras.tomar/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop
$ git clone https://github.com/paras-tomar-intimetc/bootstrap.git
Cloning into 'bootstrap'...
remote: Enumerating objects: 162473, done.
remote: Total 162473 (delta 0), reused 0 (delta 0), pack-reused 162473 (from 1)
Receiving objects: 100% (162473/162473), 189.09 MiB | 2.94 MiB/s, done.
Resolving deltas: 100% (109263/109263), done.
Updating files: 100% (790/790), done.

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop
$
```

9. Git commit -m

```
INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git commit -m "Added file1.txt and file2.txt for git practice"
[git-assignment 325363fdf] Added file1.txt and file2.txt for git practice
 2 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 file1.txt
 create mode 100644 file2.txt

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git status
On branch git-assignment
nothing to commit, working tree clean
```

10. Git log

```
INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git log -2
commit c82919e8970c7ebeb87ded191b815c76737cd04 (HEAD -> git-assignment, origin/main, origin/HEAD, main)
Author: Bardi Harborow <bardi@bardiharborow.com>
Date: Fri Dec 26 02:56:16 2025 +1100

    Remove link to translation associated with supply chain attack

    This commit removes a link from our documentation to a Mandarin Chinese (Simplified) translation of our documentation which is hosted on a sub-domain of the 'bootcss.com' domain previously involved in the 'polyfill.io' supply chain attack.

commit 4449c7465efb28e18e4f1f3a1c668748496a5a93
Author: dependabot[bot] <49699333+dependabot[bot]@users.noreply.github.com>
Date: Sat Dec 20 15:02:08 2025 +0100

    Build(deps): Bump the github-actions group across 1 directory with 4 updates (#41961)

    Bumps the github-actions group with 4 updates in the / directory: [github/codeql-action](https://github.com/github/codeql-action), [streetsidesoftware/cspell-action](https://github.com/streetsidesoftware/cspell-action), [actions-cool/issues-helper](https://github.com/actions-cool/issues-helper) and [actions/upload-artifact](https://github.com/actions/upload-artifact).
```

11. Git diff

```
INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git diff
warning: in the working copy of 'file1.txt', CRLF will be replaced by LF the next time Git touches it
diff --git a/file1.txt b/file1.txt
index ce0ef3269..7731b3e36 100644
--- a/file1.txt
+++ b/file1.txt
@@ -1,2 @@
-This is the first file for git practice.
\ No newline at end of file
+This is the first file for git practice.
+Now more content is added to test the diff command.
\ No newline at end of file
```

12. Git remote -v

```
INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (main)
$ git remote -v
origin https://github.com/paras-tomar-intimetc/bootstrap.git (fetch)
origin https://github.com/paras-tomar-intimetc/bootstrap.git (push)

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (main)
$ |
```

13. Git reset

```
INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git reset file2.txt

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git status
On branch git-assignment
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    file1.txt
    file2.txt

nothing added to commit but untracked files present (use "git add" to track)

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git add .
```

14. Git restore --staged

```
INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git restore --staged file1.txt

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git status
On branch git-assignment
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   file2.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    file1.txt
```

15. Git restore

```
INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git restore --staged file1.txt

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git status
On branch git-assignment
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   file1.txt

no changes added to commit (use "git add" and/or "git commit -a")

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git restore file1.txt

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git status
On branch git-assignment
nothing to commit, working tree clean

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ |
```

16. Fast forward merge

```
INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git switch -c feature-fastforward
Switched to a new branch 'feature-fastforward'

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (feature-fastforward)
$ git branch
* feature-fastforward
  git-assignment
  main

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (feature-fastforward)
$ git add .

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (feature-fastforward)
$ git status
On branch feature-fastforward
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   file1.txt

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (feature-fastforward)
$ git commit -m "Feature branch change for fast-forward merge"
[feature-fastforward 9740e161e] Feature branch change for fast-forward merge
 1 file changed, 5 insertions(+), 1 deletion(-)

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (feature-fastforward)
$ git log --oneline -3
9740e161e (HEAD -> feature-fastforward) Feature branch change for fast-forward merge
21299b1d9 (git-assignment) 3rd commit after modification in file1
08a06d519 First modification in file1 and file2

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (feature-fastforward)
$ git switch git-assignment
Switched to branch 'git-assignment'

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git status
On branch git-assignment
nothing to commit, working tree clean

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git branch
* feature-fastforward
  git-assignment
  main

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git merge feature-fastforward
Updating 21299b1d9..9740e161e
Fast-forward
  file1.txt | 6 +++++
  1 file changed, 5 insertions(+), 1 deletion(-)
```

17. Merge conflict

```
INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git merge feature-conflict
Auto-merging file1.txt
CONFLICT (content): Merge conflict in file1.txt
Automatic merge failed; fix conflicts and then commit the result.
```

18. Merge conflict solved

```
INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git merge feature-conflict
Auto-merging file1.txt
CONFLICT (content): Merge conflict in file1.txt
Automatic merge failed; fix conflicts and then commit the result.

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment|MERGING)
$ git add .

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment|MERGING)
$ git commit -m "Resolve merge conflict between branches"
[git-assignment 7c0d91779] Resolve merge conflict between branches

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git log --oneline --graph --all
* 7c0d91779 (HEAD -> git-assignment) REsolve merge conflict between branches
|
| * 07e7b19af (feature-conflict) Feature branch change causing conflict
| * 70210e5dd Main branch change causing conflict
|/
* 9740e161e (feature-fastforward) Feature branch change for fast-forward merge
```

19. Git stash

```
INTIMETEC+paras.tomar@DESKTOP-PV2ERV MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git status
On branch git-assignment
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   file1.txt

no changes added to commit (use "git add" and/or "git commit -a")

INTIMETEC+paras.tomar@DESKTOP-PV2ERV MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git stash
Saved working directory and index state WIP on git-assignment: 7c0d91779 Resolve merge conflict between branches

INTIMETEC+paras.tomar@DESKTOP-PV2ERV MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git status
On branch git-assignment
nothing to commit, working tree clean

INTIMETEC+paras.tomar@DESKTOP-PV2ERV MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git stash list
stash@{0}: WIP on git-assignment: 7c0d91779 Resolve merge conflict between branches

INTIMETEC+paras.tomar@DESKTOP-PV2ERV MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git stash show
file1.txt | 3 +++
1 file changed, 3 insertions(+)

INTIMETEC+paras.tomar@DESKTOP-PV2ERV MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git stash show -p
diff --git a/file1.txt b/file1.txt
index 66bf76ccb..c5c5c0c07 100644
--- a/file1.txt
+++ b/file1.txt
@@ -13,3 +13,6 @@ Conflict version from main branch
+ Feature branch change
+ Conflict resolved.
+
+temp stash practice change.
+

INTIMETEC+paras.tomar@DESKTOP-PV2ERV MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git stash apply
On branch git-assignment
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   file1.txt

no changes added to commit (use "git add" and/or "git commit -a")
```

20. Cherry pick 1

```
INTIMETEC+paras.tomar@DESKTOP-PV2ERV MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git switch -c feature-cherry
Switched to a new branch 'feature-cherry'

INTIMETEC+paras.tomar@DESKTOP-PV2ERV MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (feature-cherry)
$ git branch
* feature-cherry
  feature-conflict
  feature-fastforward
  git-assignment
  main

INTIMETEC+paras.tomar@DESKTOP-PV2ERV MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (feature-cherry)
$ ^C

INTIMETEC+paras.tomar@DESKTOP-PV2ERV MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (feature-cherry)
$ git add file2.txt
warning: in the working copy of 'file2.txt', CRLF will be replaced by LF the next time Git touches it

INTIMETEC+paras.tomar@DESKTOP-PV2ERV MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (feature-cherry)
$ git status
On branch feature-cherry
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   file2.txt

INTIMETEC+paras.tomar@DESKTOP-PV2ERV MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (feature-cherry)
$ git commit -m "Cherry pick practice commit"
[feature-cherry 3ab8f4172] Cherry pick practice commit
1 file changed, 3 insertions(+), 1 deletion(-)

INTIMETEC+paras.tomar@DESKTOP-PV2ERV MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (feature-cherry)
$ git log --oneline -3
3ab8f4172 (HEAD -> feature-cherry) Cherry pick practice commit
8b00cf119 (git-assignment) Current changes before applying stash
7c0d91779 Resolve merge conflict between branches

INTIMETEC+paras.tomar@DESKTOP-PV2ERV MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (feature-cherry)
$ ^C

INTIMETEC+paras.tomar@DESKTOP-PV2ERV MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (feature-cherry)
$ git switch git-assignment
Switched to branch 'git-assignment'

INTIMETEC+paras.tomar@DESKTOP-PV2ERV MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git branch
* git-assignment
  feature-cherry
  feature-conflict
  feature-fastforward
  main
```

21. Cherry pick 2

```

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git cherry-pick 3ab8f4172
[git-assignment 1167b296f] Cherry pick practice commit
Date: Thu Mar 12 16:22:30 2026 +0530
1 file changed, 3 insertions(+), 1 deletion(-)

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (git-assignment)
$ git switch feature-conflict
Switched to branch 'feature-conflict'

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (feature-conflict)
$ git branch
  feature-cherry
* feature-conflict
  feature-fastforward
  git-assignment
  main

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (feature-conflict)
$ git cherry-pick 3ab8f4172
[feature-conflict 4dc2db9f6] Cherry pick practice commit
Date: Thu Mar 12 16:22:30 2026 +0530
1 file changed, 3 insertions(+), 1 deletion(-)

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (feature-conflict)
$

```

22. Git push command

```

INTIMETEC+paras.tomar@DESKTOP-PV2ERVD MINGW64 ~/OneDrive - InTimeTec Visionsoft Pvt. Ltd.,/Desktop/bootstrap (assignment-submit)
$ git push origin assignment-submit
info: please complete authentication in your browser...
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 18 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 1.08 MiB | 1.15 MiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
remote:
remote: Create a pull request for 'assignment-submit' on GitHub by visiting:
remote:   https://github.com/paras-tomar-intimetec/bootstrap/pull/new/assignment-submit
remote:
To https://github.com/paras-tomar-intimetec/bootstrap.git
 * [new branch]      assignment-submit -> assignment-submit

```