


# Heap Sort

Heap sort is a comparison based sorting technique based on Binary Heap data structure. It is similar to selection sort where we first find the maximum element and place the maximum element at the end. We repeat the same process for remaining elements.



#### What is Binary Heap?





A Binary Heap is a Complete Binary Tree where items are stored in a special order such that value in a parent node is greater(or smaller) than the values in its two children nodes. The former is called as max heap and the latter is called min heap. The heap can be represented by binary tree or array.

**Array based representation for Binary Heap**: Since a Binary Heap is a Complete Binary Tree, it can be easily represented as array and array based representation is space efficient. If the parent node is stored at index I, the left child can be calculated by 2 \* I + 1 and right child by 2 \* I + 2 (assuming the indexing starts at 0).

#### Heap Sort Algorithm for sorting an array in increasing order:

- 1. Build a max heap from the input data.
- 2. At this point, the largest item is stored at the root of the heap. Replace it with the last item of the heap followed by reducing the size of heap by 1. Finally, heapify the root of tree.
- 3. Repeat above steps while size of heap is greater than 1.



Videos

</>

Problems

(?)

Quiz

#### How to build the heap?

Heapify procedure can be applied to a node only if its children nodes are heapified. So the heapification must be performed in the bottom up order.

Lets understand with the help of an example:





The numbers in bracket represent the indices in the array representation of data.

Applying heapify procedure to index 1:

Applying heapify procedure to index 0:

<<

>>

4(3) 1(4)

Dash 000 All  $\Box$ Articles Videos </> Problems (?) Quiz << >>

The heapify procedure calls itself recursively to build heap in top down manner.

## Implementation:







```
import java.util.*;
import java.io.*;
import java.lang.*;
public class HeapSort
    public void buildheap(int arr[],int n){
        for (int i = n / 2 - 1; i >= 0; i--)
            heapify(arr, n, i);
    public void sort(int arr[])
        int n = arr.length;
        buildheap(arr,n);
        for (int i=n-1; i>0; i--)
            int temp = arr[0];
            arr[0] = arr[i];
```

```
arr[i] = temp;
                                     heapify(arr, i, 0);
  void heapify(int arr[], int n, int i)
 Dash
                                 int largest = i;
  int l = 2*i + 1;
                                 int r = 2*i + 2;
  All
                                 if (1 < n && arr[1] > arr[largest])
  \Box
                                     largest = 1;
Articles
                                 if (r < n && arr[r] > arr[largest])
                                     largest = r;
  if (largest != i)
 Videos
                                     int swap = arr[i];
                                     arr[i] = arr[largest];
  </>
                                     arr[largest] = swap;
Problems
                                     heapify(arr, n, largest);
  (?)
 Quiz
                            static void printArray(int arr[])
                                 int n = arr.length;
                                 for (int i=0: i/n: __i)
 Get 90% Refund!
              Tutorials
 Courses
                            Jobs
                                       Practice
                                                    Contests
                             }
                  0
                            public static void main(String args[])
<<
                  -,0,-
                                 int arr[] = \{12, 11, 13, 5, 6, 7\};
    >>
                                 int n = arr.length;
```





F



```
HeapSort ob = new HeapSort();
  ob.sort(arr);

System.out.println("Sorted array is");
  printArray(arr);
}
```

## **Output:**

Sorted array is 5 6 7 11 12 13



### **Important Notes:**

- Heap sort is an in-place algorithm.
- Its typical implementation is not stable, but can be made stable (See this).

**Time Complexity:** Time complexity of heapify is O(N\*LogN). Time complexity of creating and build the heap is O(N) and overall time complexity of Heap Sort is O(N\*LogN) where N is the number of elements in the list or array.

Heap sort algorithm has limited use because Quicksort and Mergesort are better in practice. Nevertheless, the Heap data structure itself is enormously used.

Mark as Read

Report An Issue

If you are facing any issue on this page. Please let us know.





