

Problems day 2(loops)

Problems(loops(5)

Problem no:1 Water Consumption

Question: Recently, Chef visited his doctor. The doctor advised Chef to drink **at least** 2000 ml of water each day. Chef drank X ml of water today. Determine if Chef followed the doctor's advice or not.

```
1  #question A
    n=int(input())
    for i in range(n):
        x=int(input())
        if x>=2000:
            print("Yes")
        else:
            print("No")

... 3
    2999
    Yes
    1450
    No
    2000
    Yes
```

Problem no:2 Chef and Stocks

Question: Chef wants to find the **maximum** amount of profit he would have earned, if he skipped trading for **exactly one** day.

```
#question D
t=int(input())
for i in range(t):
    n=int(input())
    arr=list(map(int,input().split()))
    total_sum = sum(arr)
    skipped_day = min(arr)
    y=total_sum-skipped_day
    print(y)

... 4
    3
    1 -2 3
    4
    4
    4 1 5 1
    10
    4
    10 -10 -10 10
    10
    5
    -5 -4 -3 -2 -1
    -10
```

Problems day 2(loops)

Problem no:3 [Rearranging digits to get a multiple of 5](#)

Question: For example, when $N = 108$, we can rearrange its digits to construct $180 = 36 \cdot 5$ which is a multiple of 5.

```
1  #question E
   n = int(input())
   for i in range(n):
       d = int(input())
       x = input()
       if '0' in x or '5' in x:
           print("Yes")
       else:
           print("No")

... 3
     3
     115
     Yes
     3
     103
     Yes
     3
     119
     No
```

Problem no:4 [The Old Saint And Three Questions](#)

Question: Find whether the hero will be able to pass the old saint's test.

```
#question E
t= int(input())
for i in range(t):
    arrA=input().split()
    arrB=input().split()
    arrA.count('1')
    arrB.count('1')
    if arrA.count('1') == arrB.count('1'):
        print("Pass")
    else:
        print("Fail")

... 2
     1 0 1
     1 1 0
     Pass
     0 0 0
     1 1 1
     Fail
```

Problem no:5 Non-Negative Product

Problems day 2(loops)

Question: Determine the minimum number of elements that she will have to remove to make the product of the array's elements non-negative.

```
1
▶ k=int(input())
  for i in range(k):
    l=int(input())
    a=(map(int,(input().split())))
    m=1
    for j in a:
      m=m*j
    if(m>=0):
      print("0")
    else:
      print("1")
```

```
... 4
      3
      1 9 8
      0
      4
      2 -1 9 100
      1
      4
      2 -1 0 100
      0
      4
      2 -1 -1 100
      0
```