Would you trust an agent with Monday's report?

Think of your agent as a new grad with infinite energy who wants to please you. This weekend we'll teach it our business and when to push back. Together we'll investigate a drop in activation. If you finish a round early, there's a separate carrier decision to try. You can also save it for Monday.

Did the store keep its promise?

The store promised a complete desk by Friday. It ships in three boxes. Two arrive Friday. The box with the legs arrives Monday.

Carrier: 2 of **3 boxes** arrived on time (67%).

Store: 0 of **1 complete orders** arrived on time (0%).

To decide whether to credit the customer for a missed delivery promise, count complete orders.

Teach it to challenge you

R17 is release 17 of our fictional product. It shipped a new way for customers to import data. Fewer accounts activated afterward. Engineering asks whether to roll it back. Which accounts used the new importer? What happened to similar accounts that used the old one?

Give two analysts the same job

Growth needs one number for Monday. Ask two clean chats for the active rate. If either silently picks a period or definition, ask Growth to specify both. Then recompute the counts.

Write down what ‘activated’ means

Count eligible accounts that activated at least once within seven days. One account can retry an import several times. Decide which of those events belong in the numerator.

Build your first semantic model

Open starter/model.json. Name the source, describe what one row represents, write the calculation and identify the person who can approve a change. Save your reviewed copy in work/model.json.

Try to break your definition

If no accounts were eligible, Product Data should approve a blank rate labeled 'no eligible accounts'. Run the model check. A displayed 0% would tell Growth that eligible accounts tried and none activated. Correct the expression before publishing.