MAVEN WEEKEND PRACTICUM · LEVEL 4 ORGANIZATION

Run one product investigation end to end

Sunday, 8–9 AM · one hour, one ticket

EXERCISE, THEN DEBRIEF

Synthetic classroom data · for working data analysts

HOUR PLAN

Six blocks take us from two alerts to one ticket

01

Vote

0–8 min

Choose the client-only alert.

02

Match

8–20 min

Check server evidence and support tests.

03

Ticket

20–35 min

Extend the model; write one ticket and one telemetry review.

04

Threshold

35–45 min

Test R18 against the precommitted rule.

05

Sign and replay

45–55 min

Sign the correction; blind replay of R21.

06

Debrief

55–60 min

Join keys and the exit artifacts.

SOURCE: SESSION PLAN; SYNTHETIC CLASSROOM DATA

EXERCISE · 0–8 MIN

Which client-only alert deserves a ticket?

CLIENT-ONLY ALERTS, RELEASE R17 · FAILURES PER 100 ATTEMPTS

Platform	Client-only alert rate
iOS	18 / 100
Android	24 / 100

VOTE NOW

Say your pick and one reason aloud before moving on.

SYNTHETIC CLASSROOM DATA · RELEASE R17, ONBOARDING IMPORT

EXERCISE · 8–20 MIN

Server evidence splits the two alerts

SERVER MATCH AND SUPPORT REPRODUCTION, RELEASE R17

Platform	Server failures per 100	Support test result
iOS	17 / 100	Reproduced in S101
Android	1 / 100	Passed in S102

READ ACROSS THE ROW

iOS shows server failures that reproduce. Android client alerts have almost no server match.

SOURCE: INCIDENTS.CSV (ONE ROW PER RELEASE × PLATFORM, ATTEMPTS AS DENOMINATOR); SUPPORT.CSV (ONE NAMED TEST PER OBSERVATION)

EXERCISE · 20–35 MIN

Extend the shared model, then write one ticket and one telemetry review

SHARED OSI MODEL

import_server_failure_rate

One row per release × platform.

Denominator: attempts.

ARTIFACTS TO PRODUCE

- One local ticket for the chosen alert
- One telemetry review of the same release and platform

DONE WHEN

Both artifacts exist and cite release, platform and denominator.

SOURCE: SHARED OSI MODEL; SESSION PLAN

EXERCISE · 35–45 MIN

R18 iOS meets the precommitted threshold

2 / 100

R18 iOS failures, with passing support test S103.

PRECOMMITTED RULE

Rate of 3% or less over at least 100 attempts. R18 iOS: 2 of 100 attempts, so the rule is met.

SOURCE: R18 IOS LAB FIGURES; PRECOMMITTED THRESHOLD, STATED BEFORE THE EXERCISE

EXERCISE · 45–55 MIN

Sign the correction, then replay blind

STEP 1 · HUMAN SIGN-OFF

S102 correction

A named analyst signs the S102 correction in work/accepted-rule.json.

STEP 2 · BLIND REPLAY OF R21

Second analyst

Replays R21 without seeing the first analyst's result. Commit a prediction first.

REVEAL ONLY AFTER COMMITMENT

Android 19 / 140 reproduced · iOS 2 / 160 passed

SOURCE: WORK/ACCEPTED-RULE.JSON; R21 REPLAY LAB FIGURES

DEBRIEF · 55–60 MIN

Why do account activation and attempts lack a join key?

EXIT ARTIFACTS

- Ticket for the chosen alert
- Engineering disposition
- Regression case

NEXT THREE HOURS

Organization operations: the same investigation method, applied to how teams run.

DISCUSS

Name the field that would make the two tables join, and why it is missing.

SOURCE: SESSION PLAN; SYNTHETIC CLASSROOM DATA