
Which answers do you already trust?

Bring a question Growth asks every week and an incident Engineering has already investigated. You can turn both into tests. What answer would you accept? What mistake should keep the agent out of a real team's hands?

Write one golden case together

Question: What was activation in the mature after period?

Approved answer: 370 of 1,000 eligible accounts, or 37%.



370 OF 1,000 = 37%

Save the question, snapshot, owner, calculation and acceptable tolerance. Keep the answer key with the reviewer.

A past RCA needs a different kind of answer

“Did R17 cause the decline?” has no approved percentage for the release effect.

The review established a shift in population mix.

An acceptable answer leaves causality open and asks for a credible exposure comparison.

Give the agent the questions.
Hold back the answers.

Run python3 golden_eval.py prepare ../blind-eval-1.

Open only that folder in a fresh chat.

Save the full replies.

In a group, compare three fresh runs. Working alone, compare yours with the two labeled prior runs in golden/review/.

Would you trust three matching answers?

Look at the counts and the source before comparing the three runs. They can agree perfectly and all recommend the wrong action. Which score would catch that?

Which version would you ship?

In the separate eight-request comparison, A gets 6/8 routes right. B gets 7/8.



A · 6/8



B · 7/8

Read B’s actual replies to E05, E06 and E07 before voting.

When good reviewers disagree

The board editor asks for a footnote crediting R17.

If a factual replacement meets the request, refuse the causal wording and offer the observed change.

If the board needs a causal conclusion, send it to Product Data for exposure evidence.

The eval owner records which job this case tests before changing the key.