
What answers has your team already earned?

Start with questions stakeholders ask every week and incident reviews your engineers have already closed. Those are the beginnings of a golden dataset.

Write one golden case together

Question: What was activation in the mature after period?

Approved answer: 370 of 1,000 eligible accounts, or 37%.



370 OF 1,000 = 37%

Save the question, snapshot, owner, calculation and acceptable tolerance. Keep the answer key with the reviewer.

A past RCA needs a different kind of answer

“Did R17 cause the decline?” has no approved percentage for the release effect.

The review established a shift in population mix.

An acceptable answer leaves causality open and asks for a credible exposure comparison.

Give the agent the questions.
Hold back the answers.

Run python3 golden_eval.py prepare ../blind-eval-1.

Open only that folder in a fresh chat.

Save the full replies.

In a group, compare three fresh runs. Working alone, compare yours with the two labeled prior runs in golden/review/.

Score correctness and agreement separately

Did the counts match? Did the agent cite a source that supports the decision? Did all three runs choose the same action?

Three identical wrong answers would score perfectly on agreement.

Which version would you ship?

In the separate eight-request comparison, A gets 6/8 routes right. B gets 7/8.



A · 6/8



B · 7/8

Read B’s actual replies to E05, E06 and E07 before voting.

When good reviewers disagree

The board editor asks for a footnote crediting R17.

If a factual replacement meets the request, refuse the causal wording and offer the observed change.

If the board needs a causal conclusion, send it to Product Data for exposure evidence.

The eval owner records which job this case tests before changing the key.