

Add cover

3. Generate Automatic Notifications

As a Nimbus Product Team, I want configured business events to automatically initiate notifications, so that users can be notified without manual intervention.

Preconditions

• A Notification Definition exists.

• The automatic trigger has been technically implemented.

• The source system can provide the information required to trigger the notification.

Business Requirements

BR1: Notification Definition must identify the event or condition that initiates it.

BR2: Trigger implementation must remain separate from the Notification Definition configuration.

BR3: Salesforce-based triggers may be implemented through Flow or another approved Salesforce mechanism.

BR4: Connected applications may send an event to the Notification Service through an approved integration.

BR5: The triggering process must identify the applicable Notification Definition.

BR6: Before delivery, the service must resolve the audience.

BR7: Before delivery, the service must validate application and access eligibility.

BR8: Before delivery, the service must apply the user's notification preferences.

BR9: Before delivery, the service must determine the configured delivery channels.

BR10: A common interface should be used wherever possible so that future Nimbus applications can use the same Notification Service.

BR11: Failed or invalid trigger processing must be logged for troubleshooting.

Acceptance Criteria

AC1

Given an automatic Notification Definition exists

When its configured trigger occurs

Then the Notification Service processes the event automatically.

AC2

Given an event is received

When the event does not correspond to a valid Notification Definition

Then no customer notification is sent.

And the event failure is logged.

AC3

Given a valid event is processed

When the audience and preferences are evaluated

Then notifications are only generated for eligible recipients.

AC4

Given a valid automatic event is processed

When the Notification Definition specifies Bell, Email or both

Then the event is passed to the configured delivery channel or channels.

AC5

Given an eligible user has opted out of an optional delivery channel

When an automatic notification is processed

Then the disabled channel is not used for that user.

AC6

Given the source event cannot be processed because required information is missing

When the Notification Service validates the event

Then no notification is sent.

And the processing failure is recorded for troubleshooting.