

Add cover

Notification Center (BRD)

Link to Figma:

Business Requirements Document (BRD) - DRAFT

Product/Initiative: Nimbus Notification Center

Month: August 2026

Version: 0.3

Scope: Reusable notification framework, audience segmentation, automatic event processing, notification preferences, Nimbus Bell and Email delivery.

1. Document Revisions

	Date	Version	Author	Document Changes
1	28/07/2026	0.1	Mikołaj Wanago	Initial draft

2	28/07/2026	0.2	Mikołaj Wanago	Updated after initial technical review
3	21/08/2026	0.3	Mikołaj Wanago	Updated after Product Owner workshops and technical interviews; aligned to backend framework and revised Notification Definition Template

2. Approvals

	Date	Role	Name
1		Business Owner	
2		Product Manager	
3		System Architect	
4		QA Test Lead	

5		UAT Test Lead	

3. Introduction

Nimbus requires a reusable notification capability that can support future notifications from different Nimbus applications without redesigning the underlying framework for every new use case. The first implementation will focus on a standardized Notification Definition, automatic event-based notification processing, correct audience resolution, user notification preferences, and delivery through the Nimbus Bell and Email channels.

The detailed business content of individual notifications will be defined separately by Product Owners after the framework is available. The goal of this BRD is to define the common capability that those future notification definitions will use.

3.1. Business Problem Overview

Nimbus does not currently provide one consistent notification framework across its applications. Some communications already exist as application-specific emails, while other applications do not yet provide notifications. Without a common framework, each new notification can require separate design decisions for content, recipients, access, preferences and delivery.

The solution must therefore provide a consistent way to define notifications, resolve the correct Nimbus users, apply geographical and access-based segmentation, respect user preferences, and deliver the communication through supported channels.

3.2. Project Goals and Business Value

• Create a reusable Notification Definition that Product Owners can use when future business notifications are identified.

• Provide one common notification-processing framework for supported Nimbus applications.

• Deliver notifications only to users who are eligible based on application access and configured audience criteria.

• Support geographical, role, Account and Location segmentation where required.

• Allow Nimbus users to manage optional notification preferences from My Profile.

• Group related backend notifications into clear customer-facing topics in Notification Preferences.

• Support Nimbus Bell and Email delivery in the MVP.

• Reduce repeated solution design and development when new notification definitions are added.

3.3. Critical Success Factors

• A new notification can be described using the standard Notification Definition Template.

• Automatic notification processing uses the configured definition, audience rules, preferences and delivery channels.

• Users only receive notifications relevant to their access and configured audience.

• Users can manage optional Bell and Email preferences from Nimbus My Profile.

• Multiple backend notifications can be represented by one customer-facing preference topic where appropriate.

• The framework can be reused by additional Nimbus applications without a separate notification solution.

3.4. Users/Accounts Impacted

	Column 1	Column 2
1	**Users**	**Description**
2	Customer Lead	

3	Nimbus User	Receives notifications and manages optional notification preferences.
4	Manager User	Receives notifications according to configured eligibility and role criteria.
5	Nimbus Super User	Maintains Notification Definitions and related configuration.
6	Product Owner / Product Team	Defines future notification content, trigger conditions and intended audience using the standard template.

Account Types

	Column 1	Column 2
1	**Account Type**	**Description**
2		
3		
4		

4. Out of Scope

• SMS delivery.

• Native mobile push notifications.

• Two-way messaging or replies.

• A separate full-page Message Center beyond the Nimbus notification tray and preferences experience.

• Business-specific notification content beyond the definitions required to validate the framework.

• Color-specific notification integration until the required connection between the Angular application and Salesforce is available.

• Custom notification-retention behavior beyond the supported Salesforce platform behavior.

5. Business Requirements

Requirements are grouped as Functional, Technical and Non-Functional. Detailed business content for individual notifications will be defined separately using the Notification Definition Template in Appendix A.

5.1. Functional Requirements

5.1.1. Standard Notification Definition

The solution shall provide a standardized Notification Definition that captures the reusable information needed to configure future notifications.

Acceptance Criteria

AC1: A Notification Definition can be created and stored centrally.

AC2: The definition supports notification name/key, source application, topic/preference group, title, message, target URL, trigger definition, trigger source, audience criteria, delivery channel, preference type, language.

AC3: Required fields are validated before a definition can be used.

AC4: An existing definition can be updated for future processing without redesigning the framework.

5.1.2. Audience and Customer Segmentation

The solution shall determine the intended notification recipients using controlled audience criteria so that communications are only delivered to relevant Nimbus users.

Acceptance Criteria

AC1: Audience rules can restrict recipients by required Nimbus application access.

AC2: Audience rules can use geographical scope, including Region and Country, and Plant/Service Area where supported by master data.

AC3: Audience rules can use Nimbus user role where required.

AC4: Account and Location criteria can be used where required to identify eligible recipients.

AC5: Users with access to multiple eligible Accounts or Locations can be evaluated correctly.

AC6: Related or delegated Account access is considered where it affects the intended recipient population.

5.1.3. Automatic Notification Processing

The solution shall generate notifications automatically when a configured business event or condition occurs.

Acceptance Criteria

AC1: Each automatic notification has a clearly defined business trigger.

AC2: When the configured event occurs, the correct Notification Definition is identified.

AC3: The recipient population is resolved before delivery.

AC4: Application access and saved preferences are evaluated before an optional notification is delivered.

AC5: Only the delivery channels configured for the Notification Definition are used.

AC6: A trigger that cannot be processed does not create an unintended customer notification.

5.1.4. Bell and Email Delivery

The MVP shall support delivery through the Nimbus Bell and Email channels.

Acceptance Criteria

AC1: A Notification Definition can be configured for Bell, Email or both.

AC2: Bell delivery creates the notification for the eligible Nimbus user.

AC3: Email delivery uses the eligible user email address.

AC4: Where a target URL is configured, the notification can direct the user to the relevant Nimbus destination subject to access permissions.

AC5: A user has a way to deactive unwanted notification channel while keeping another.

5.1.5. Notification Preferences in My Profile

Nimbus users shall have a Notification Preferences area in My Profile where they can manage optional notifications that are relevant to their access.

Acceptance Criteria

AC1: Notification Preferences are available from the existing My Profile experience.

AC2: Users only see application sections and topics relevant to applications they can access.

AC3: Bell and Email preferences can be managed independently where both channels are available.

AC4: Optional preferences can be enabled or disabled and remain saved for future notifications.

AC5: Mandatory notifications cannot be disabled.

AC6: A preference change is applied to future notification processing.

5.1.6. Application and Topic Grouping

Notification Preferences shall group notifications by Nimbus application and customer-facing topic so that the settings remain understandable even when several backend notification definitions exist.

Acceptance Criteria

AC1: Notification options are grouped under the applicable Nimbus application.

AC2: A Topic / Preference Group can represent multiple backend Notification Definitions.

AC3: The user manages the topic preference without needing to understand the individual backend notification definitions.

AC4: The Topic / Preference Group value is controlled by the selected Source Application.

5.2. Technical Requirements

5.2.1. Salesforce Notification Channel

The solution shall use the supported Salesforce notification channel for Nimbus Bell delivery, with additional custom configuration or processing where required by the business requirements.

Acceptance Criteria

AC1: Bell notifications can be published to the supported Salesforce notification channel.

AC2: The Nimbus Bell/tray can display notifications for eligible Experience Cloud users.

AC3: Any custom behavior required beyond the standard channel is documented as part of technical design.

5.2.2. Trigger Processing

The notification trigger shall be implemented separately from the business-facing Notification Definition and shall invoke the common notification-processing framework.

Acceptance Criteria

AC1: Salesforce-based events can invoke the notification framework through Flow or another approved Salesforce mechanism.

AC2: A trigger passes enough information to identify the Notification Definition and relevant business context.

AC3: Invalid or incomplete trigger processing is logged for troubleshooting.

5.2.3. Notification Preference Data Model

Notification preferences shall be stored using a scalable data model related to the Nimbus Contact rather than by adding one checkbox field per notification directly on Contact.

Acceptance Criteria

AC1: A Contact can have multiple notification preference records.

AC2: Each preference can be related to the applicable Notification Definition or preference topic.

AC3: The latest saved preference can be retrieved during notification processing.

AC4: The model supports Bell and Email preference values where applicable.

5.2.4. Audience Resolution Data

The solution shall use available Nimbus and Salesforce data to resolve recipients based on application access, geography, role, Account and Location criteria.

Acceptance Criteria

AC1: Recipient resolution can evaluate fields available from the relevant user, Contact, Account and supported relationship data.

AC2: Known limitations around related or delegated Account access are accounted for in the technical design.

AC3: The resolution process excludes users who do not meet the configured eligibility criteria.

5.2.5. Connected Application Events

The framework shall support approved connected applications sending events into Salesforce when a future notification source is outside Salesforce.

Acceptance Criteria

AC1: The integration contract defines the minimum data required to process a notification event.

AC2: The event can be mapped to a valid Notification Definition.

AC3: Unsupported or unauthorized events are not delivered to Nimbus users.

5.2.6. Email Processing

Email shall be supported as a delivery channel within the same notification framework and Notification Definition used for Nimbus Bell delivery.

Acceptance Criteria

AC1: Email and Bell can be enabled independently for a Notification Definition.

AC2: Email processing uses the resolved eligible recipient list.

AC3: User preferences are checked before optional email delivery.

AC4: The email can include the configured title, message, target URL and supported dynamic data.

5.3. Non-Functional Requirements

5.3.1. Security and Access

The solution shall prevent users from receiving or accessing notification content that is outside their Nimbus entitlement or data access.

Acceptance Criteria

AC1: Recipient eligibility is validated before delivery.

AC2: Target links remain subject to the recipient user permissions.

AC3: Administrative configuration is restricted to authorized users.

5.3.2. Scalability and Reusability

The framework shall support additional notification definitions and Nimbus applications without requiring a separate notification solution for each product.

Acceptance Criteria

AC1: New Notification Definitions can use the same common processing model.

AC2: New source applications can be added through the approved integration pattern where required.

AC3: Preference topics can be expanded without redesigning the My Profile structure.

5.3.3. Reliability and Supportability

Notification processing shall provide sufficient logging to support investigation of failed or incomplete processing.

Acceptance Criteria

AC1: Failed processing can be identified by support or technical teams.

AC2: Logs provide enough context to identify the definition/event involved without exposing unnecessary customer-sensitive

data.

AC3: A failed processing attempt does not create duplicate or unintended notifications.

5.3.4. Language Support

The framework shall support delivery of notification content according to the supported Nimbus language model.

Acceptance Criteria

AC1: Notification language can follow the user preferred language where supported.

AC2: The Notification Definition identifies the applicable language handling.

AC3: A future translation approach can be applied without redesigning audience or preference processing.

6. Solution Overview / High-Level Architecture

The proposed high-level processing flow is:

Business Event / Connected Application Event → Trigger Processing → Notification Definition → Audience Resolution → Preference Check → Bell / Email Delivery

• Notification Definition: stores the reusable configuration for the notification, including content, application, topic, audience, channel and preference information.

• Trigger Processing: detects or receives the configured event and invokes the common notification framework.

• Audience Resolution: determines eligible users using application access, geography, role, Account and Location information.

• Preference Check: evaluates the saved Contact-level preferences for optional notification topics/channels.

• Delivery: publishes the Bell notification and/or sends Email according to the configured channel selection.

• Notification Preferences UI: presents customer-facing application/topic groupings in Nimbus My Profile and stores the user

selection.

7. Assumptions & Risks

7.1. Requirement Assumptions and Constraints

7.1.1. Assumptions

• Nimbus user, Contact, Account, Location, role and application-access data required for recipient resolution is available or can be derived from approved sources.

• The Salesforce notification channel can be used for Nimbus Bell delivery to Experience Cloud users.

• Product Owners will define future business notifications using the standard Notification Definition Template.

• Supported email addresses are available for users who are eligible for Email delivery.

• The existing Nimbus My Profile area can be extended with Notification Preferences.

7.1.2. Constraints

• The standard Salesforce notification framework provides only part of the required capability; additional configuration or custom processing is expected.

• Related and delegated Account access may require additional technical handling because not all relationship data is directly available through standard Experience Cloud visibility rules.

• Color-specific notification integration is deferred until the required connection to Salesforce is available.

• MVP delivery is limited to Nimbus Bell and Email.

• The standard Salesforce notification-tray behavior and platform limits apply unless a separate custom history solution is approved.

7.2. Dependencies and Risks

7.2.1. Dependencies

• System Architect confirmation of the final Salesforce data model and trigger-processing design.

• UI/UX design for Notification Preferences within the existing Nimbus My Profile experience.

• Approved picklist/master-data values for applications, geography, roles and other controlled segmentation fields.

• Integration design for supported notification sources outside Salesforce, including Nimbus Insights where applicable.

• Product Owner completion and review of future Notification Definitions before implementation.

7.2.2. Risks

• Incorrect segmentation logic could send notifications to the wrong users or omit intended recipients.

• Multi-Account and multi-Location access can increase audience-resolution complexity.

• Inconsistent Product Owner definitions could lead to duplicate or overlapping customer-facing topics.

• External-event integrations may fail or provide incomplete context required for processing.

• A large number of granular preference topics could make the My Profile experience difficult for users to manage.

Appendix A - Notification Definition Template

This template is intended to be completed when Product Owners begin defining the actual business notifications that will use the Notification Center framework. Fields marked as Picklist should use controlled values in Salesforce.

Field Type	Description / Expected Input	Picklist Options

Template Notes

- Topic / Preference Group should preferably be a dependent picklist controlled by Source Application.
- Geographical Scope Level defines the filtering level; Region, Country and Plant / Service Area provide the applicable value.
- Language should default to the user preferred Nimbus language where possible.