




INOVIXUX

Brand Guidelines


Identity, color, typography, and voice for INOVIXUX — verification infrastructure for India's digital public rails. This is the distributable reference for partners, vendors, and printers.

Border Stitch — Master C

Two territories — complex regulated systems (payments, banking, healthcare) and the human experience layer — sewn together at a narrow border. The *-ix / UX* reading lives in the seam, not in letterforms. The mark is never redrawn: always place the supplied vector files.



On dark – thread #D8CEFF



On light – thread #2A1F6E


Primary lockup



Use the supplied lockup files (inovixux-lockup-dark / -light); do not re-set the wordmark.

Variants, clear space, minimum sizes

One-color (mono) versions



In one-color reproduction the stitches are **knocked out** — the substrate shows through. Never print the stitches as a second tint in a one-color job.

Clear space

Keep a margin of at least **the width of one territory** (13/40 of the mark's width) free of other elements on all sides of the mark or lockup.


Minimum sizes & the heavy-thread cut

CONTEXT	MINIMUM	RULE
Mark, digital	16 px	At ≤ 20 px use the heavy-thread cut (stroke 3.4) — favicon / app-glyph masters
Mark, print	5 mm	At ≤ 7 mm use the heavy-thread cut
Lockup, print	22 mm wide	Below this, use the mark alone

Don'ts

- **Don't** rotate, skew, outline, or add effects (shadows, gradients) to the mark.
- **Don't** recolor the territories or thread outside the specified palette.
- **Don't** place the full-color mark on mid-tone or busy backgrounds — switch to a mono version.
- **Don't** rebuild the geometry from this document — **do** place the supplied SVG/PDF masters.

Palette



Functional colors (success #3A9B6B, error #C24C43, warning #B98A3C, info #3D92BD) are product-UI only — they never appear in brand communications.

Print reproduction

COLOR	CMYK BUILD	PANTONE (NEAREST)
Electric Indigo #4F46E5	66 / 69 / 0 / 10	2726 C
Deep Tech Violet #7C5CFC	51 / 63 / 0 / 1	2665 C
Thread on dark #D8CEFF	15 / 19 / 0 / 0	2635 C
Thread on light #2A1F6E	62 / 72 / 0 / 57	273 C
Ink (large solids)	rich black 60 / 40 / 40 / 100	—

Both accents sit outside the CMYK gamut and print slightly duller than screen. For brand-critical print, specify the Pantone spot. Pantone picks are numeric nearest-matches — **proof against a physical coated fan before the first press run**. Paper #F5F5F4 is unprinted stock, never a 4% tint.

Type system

Display & body — Geist

Evidence a human acts on.

Aa Bb Cc Dd Ee Ff Gg Hh Ii Jj Kk Ll Mm 0123456789

Weights in use: 400 (body), 500, 600 (headings), 700 (display). Fallback stack: system-ui, Arial, Helvetica.

Technical & labels — Geist Mono

VERIFICATION · TRACE ID 0x4F46E5 · 0123456789

Used for eyebrows, data, timestamps, and identifiers — always with tracking (+8 to +14%) when uppercase.

Devanagari — Noto Sans Devanagari

सत्यापन जो मानव निर्णय का समर्थन करता है — इनोविवेक्स

Paired with Geist in the fallback chain for Hindi/Marathi surfaces (INO-119). Match Latin x-height optically; never fake-bold.

Rules

- Headlines are sentence case; never all-caps except Geist Mono eyebrows/labels.
- Tight letter-spacing (–1 to –2%) on display sizes only; body text is never negative-tracked.
- Do not substitute look-alike fonts (Inter, Roboto) in partner materials — request the font files instead.

How INOVIXUX speaks

We describe a system that surfaces evidence for a human to act on. We never describe a system that decides. Every sentence must survive the question: *does this imply the software made the call, or that a person did?* If it implies the software decided, it is factually wrong — human review is a product guarantee, not a caveat.

Anchor vocabulary

USE	FOR	NEVER SUBSTITUTE
Verification	The core product action — checking, cross-referencing, tracing	"validation" (approval is the human's job)
Augmented Control	The reviewer ↔ system relationship	"automation", "AI-powered decisioning"
Governance	Compliance posture, audit-readiness, DPI alignment	"control" (implies automation)
Resilience	System/infra reliability, uptime, audit trails	"robust", "bulletproof"
Traced / resolved	A data point moving through the system	"flagged and closed" (system doesn't close)

In practice

- **Do:** "INOVIXUX traces the discrepancy and surfaces it for your reviewer."
- **Don't:** "INOVIXUX automatically approves compliant merchants."
- Plain, specific, calm. No exclamation marks in product or partner copy.

Files & formats

NEED	FILE
Screen / web	assets/brand/logo/*.svg · exports/favicon-{32,512,1024}.png · social-card-1200x630.png
Print (vector)	assets/brand/print/*.pdf
Press color spec	docs/brand/07-collateral/print-color-spec.md
Design tokens (digital SoT)	docs/brand/02-design-tokens/tokens.css

Questions, source files, or anything not covered here: contact the INOVIXUX brand owner. Do not improvise — if a case isn't specified, ask.

