



LOG BOOK

CUSTOM-BUILT AIRPLANE

CUSTOM-BUILT AIRPLANE

MAKE & MODEL *VARI-EZE*

Serial No. *1277*

Registration No.

DESCRIPTION

Wing Span *22' 2"*

Wing Area *53.6 sq ft*

Length

Empty Weight

Gross Weight

Limiting Speed

ENGINE: Make & Model *CONTINENTAL O-200*

Serial No.

H.P. *100*

PROPELLER: Make & Model *TED HENDRICKSON*

Serial No.

Dia/Pitch *58/70*

.....

Built By: *ROBERT L. RIDING*

STARTED APRIL 1, 1977

Date

Original Design By: *BURT RUTAN*

Built from Plans By: *RUTAN AIRCRAFT FACTORY*

This logbook was developed to meet the special requirements of the custom-built airplane. It provides space for entries that are not found in "Standard" logbooks and deletes many of the features of military and commercial logs that are not applicable to purely recreational aircraft.

Designed by Peter M. Bowers

Sold exclusively by:

EXPERIMENTAL AIRCRAFT ASSOCIATION

Post Office Box 229

HALES CORNERS, WISCONSIN

Copyright 1964, Experimental Aircraft Association.

CONSTRUCTION MATERIALS

WINGS: Spars..... Ribs..... Cover.....

FUSELAGE: Longerons..... Formers.....

Firewall..... Stringers..... Cover.....

TAIL: Spars..... Ribs..... Cover.....

LANDING GEAR: Legs..... Axles..... Wheels.....

EXTERNAL BRACING: Struts..... Wires.....

FINISHES

Metal Primer: Structure..... Skin.....

Wood Sealer:..... Buildup Dope.....

Finish Dope or Paint..... Metal Finish (Skin).....

SERVICING INFORMATION

Fuel Grade..... Gallons..... Type & Grade Engine Oil.....

Brake Fluid..... Oleo Fluid..... Tire Pressure.....

APPROVED FOR
CLOSURE OR COVER:

Box Structure

Wings

Fuselage

Tail

APPROVED FOR FLIGHT
INITIAL RESTRICTIONS
REVISED

INITIAL APPROVALS

Date	Inspector	No.
1/13/78		Acc - 81AD04

REMARKS

PILOTS CHECKED OUT IN THIS AIRPLANE

No.	Date	Name	License No.
1	6-13-80	Bob RIDINGHALL 1ST FLIGHT	
2		JOHN JOHNSON II	
3	8-11	SEAN MERRELLS JR. Pilot. Super Plane	C181766998 CFI
	3-27-81	1ST PASSENGER - Bette J. WARRIE	1496519
	6-23-81	2nd Crew - Beau Walel	
	6-25-81	col. P. G. L. Throckmorton 1st just great. and a thrill! Allen Walter Cledwell	346416
	8/14/81	B. J. Stefan Fayette Co. Prospective A-OK	
	4/16/82	Robert Riehlwagel	
	6/23/86	John W. Warr APF 7921916, Outstanding pilot, first class boss. Thanks for the reference	

PILOTS CHECKED OUT IN THIS AIRPLANE

[illegible]

PILOTS CHECKED OUT IN THIS AIRPLANE

[illegible]

Date	From	To	Hours	Min.	Pilot	REMARKS
						11-1-83 I HAVE COMPLETED THE ANNUAL INSPECTION OF THIS AIRCRAFT
						IN ACCORDANCE WITH THE SCOPE AND DETAIL OF APPENDIX OF F.A.R
						PART 43 AND FOUND TO BE IN A CONDITION FOR SAFE OPERATION
						261 HRS J.L. Richthofen
						11-1-84
						I HAVE COMPLETED THE ANNUAL INSPECTION OF THIS AIRCRAFT
						IN ACCORDANCE WITH THE SCOPE AND DETAIL OF APPENDIX OF F.A.R,
						PART 43 AND FOUND TO BE IN A CONDITION FOR SAFE OPERATION
						296 HRS J.L. Richthofen
						11-22-85 I HAVE COMPLETED THE ANNUAL INSPECTION OF THIS AIRCRAFT
						IN ACCORDANCE WITH THE SCOPE AND DETAIL OF APPENDIX OF F.A.R,
						PART 43 AND FOUND TO BE IN A CONDITION FOR SAFE OPERATION
						322 HRS J.L. Richthofen
Total Forward						
Total to Date						

1981

Date	From	To	Hours	Min.	Pilot
3-27			163	0	PI 84 HES
6/15			184		PI 105 HES
6/28			186		PI 107 HES
9/5			229		PI 150 HES
1982	1982	1982			1982
6/18			269		PI 190 HES
7/10			276		PI 197 HES
11/15			288		PI 209 HES
1983	1983	1983			1983
3/19			300		PI 221 HES
11/1			340		PI 261 HES
1984	1984	1984			1984
1/20			344		PI 265 HES
2/3			345		PI 266 HES
10/7			390		PI 291 HES
Total Forward					
Total to Date					

REMARKS

CHANGED OIL - CHECK & ADJUST MAGNETO TIMING.

ANNUAL INSPECTION

CHANGED OIL - TORQUED PROP BOLTS 180 FT. LBS

CHANGED OIL -

1982 1982 1982 1982

ANNUAL HSP - NEW 4"x11" TIRES - NEW SPRING IN HOSE WHEEL

CHECKED PROP BOLT TORQUE TO 180 IN LBS.

#1 BOTTOM PLUG FOULED - REMOVED, CLEANED & RETURNED TO SERVICE

1983 1983 1983 1983

CHANGE OIL - LUBRICATE NOSE WHEEL

ANNUAL HSD - OIL CHANGE - CHECK CARB SCREEN - CHECK COMPRESSION

CHANGED PLUGS - CHANGED TEIL BATTERIES -

1984 1984 1984 1984

INSTALL NEW PROP

INSTALLED INTERCON

CHANGE OIL - CHECK FUEL & OIL SCREENS

1984

Date

From

To

Hours

Min.

Pilot

REMARKS

11/10

-1985

-1985

-1985

375

296 π

-1985

ANNUAL INSPECTION

-1985

-1985

-1985

2/5

377

 π 298 HRS.

INSTALLED NEW BATTERY - INSTALLED AURAL NOSE GEAR/CANOPY "MUSAFEE" BEPER

3/18

381

 π 302 HRS

INSTALLED VORTICONS

5/11

384

 π 305 HRS.INSTALLED NEW GASKETS ON BOTH M4GS - CHECKED THINNY
RE-INSTALLED ORIGINAL REPAIRED PROPELLER

9/12

395

 π 316 HRS.

INSTALLED RE-CONDITIONED PROPELLER

10/19

400

 π 321 HRS.

CHANGE OIL - RETORQUE PROPELLER BOLTS - 180 IN. LBS.

11/22

401

 π 322 HRS.

ANNUAL INSPECTION - REPLACE BEAKE M4GS.

2/10

408

 π 329 HRS.

-1986

-1986

-1986

REPLACE BOTH M4GS & NG TIEES WITH NEW.
ANNUAL INSPECTION COMPLETED - CHANGED OIL - RETORQUED PROPELLER BOLTS

11/13

417

 π 338 $\frac{1}{2}$ HRS.CHECK & CLEANED OIL & FUEL SCREENS - CHECKED BEAKE PADS - INSTALLED
NEW FUEL HOSES THROUGHOUT.

-1987

-1987

-1987

1987

-1987

-1987

REPAIRED NOSE GEAR WARNING SYSTEM FICED SWITCH.

5/28

423

 π 344 $\frac{1}{2}$ HRS.ANNUAL INSPECTION - CLEANED & GAPPED PLUGS - #1 #2 #3 #4
#1 75/80 #2 75/80 #3 75/80 #4 75/80 - CHECKED 4C

12/5

426

 π 347 $\frac{1}{2}$ HRS.SCREENS &
HOSES & FILTERS - REPAIRED 4C FILTER - RAN & LEAK CHECKED ENGINE - FREED ALL 3 UNDER

Total Forward

Total to Date

BEAKERS - CHECKED GEAR SURFACES AND GASKETS FOR FREEDOM QUANTITY ETC.

REPAIRED 4C TWIN BATTERIES WITH NEW. ANNUAL INSP. COMPLETED AND FINE PRINT 43 & 44

REPAIRED 4C TWIN BATTERIES WITH NEW. ANNUAL INSP. COMPLETED AND FINE PRINT 43 & 44

HOBBS

Date	From	To	Hours	Min.	Pilot	REMARKS
12/13/87	CHANDLER CO. APT	LOCAL	426	5	WASSEE	FIRST FLIGHT FOR NEW COUSIN 0:20 MINUTES - 1 landing.
12/27/87	"	"	427	4	"	0.9 - 3 landings
1/2/88	"	"	428	2	"	0.8 - 6 landings
1/24/88	CHANDLER CO. - FLY (PAGE) - CHANDLER CO.		429	1	"	0.9 - 2 landings
11/90-2/91			429		REPAIR NOSE AND FS22	BULKHEAD - REPLACE MAIN BATTERY, TERMINALS AND ROLL TRIM BATTERIES
					INSTALLED A CHANGING	SOCKET - REPLACED PITO TUBE AND HOSE ATTACHED TO IT. INSTALLED
					REPLACEMENT CANARD -	RESET INCIDENCE TO SLIGHT DOWN BUBBLE AND SET CONTROL DEFLECTIONS
					AT 180 UP AND 20° DOWN.	INSTALLED NEW NOSE PAD - REPAIRED CANOPY STRUT - REPLACED LONG MOUNT
					BASHER - REPLACED FUEL	LINES - DRAINED SYSTEM + MEASURED FUEL FLOW AT 20 GAL/HR PER HOUR -
					DID COMPLETE WEIGHT +	BALANCE - REPLACED AIR CLEANER - CHANGED OIL, AERO SHELL 15W50.
					OVERHAULED PROP BY	CONVINCED MANUFACTURER - REPLACED PROP BOLTS + WASHER - RETORQUED
					TO 180 IN/LBS - OVERHAUL	IED LEFT BALANCE + REPLACED FLUID - LUBRICATED ALL CONTROLS - NEXT PAGE →
Total Forward						
Total to Date						

Date	From	To	Hours	Min.	Pilot
(14)	Changed Roll Trim	From Batt. power	to		
	14 volt of New Roll trim Servo				
(15)	New Ken Brock Throttle Quadrant				
(16)	New Ken Brock Canopy latch system				
(17)	Changed Canopy Stay to GAS Spring				
(18)	Added Vance Atkinsons Fuel gauges				
(19)	Added New Flush fuel caps				
(20)	New Upsting				
(21)	New Pitot tube & Static vents				
(22)	Added Cockpit Step				
(23)	Rebuilt wheel cylinders & New Brake lines ^{IN} gear ^{leg}				
(24)	Added electric Actuators to Speed Brake				
Total Forward					
Total to Date					

REMARKS

- (25) New Battery 25 AH.
- (26) Repaired leak in port tank
- (27) Rejoined Entire A/c
- (28) Added lock to Canopy
- (29) Added hign weather Mant. 6" ext for Prop
- (30) New performance Propeller By Clint hydix 60x63
- (31) New Kevlar Spinner By high speed Engineering
- (32) New Cleveland Master Cylinders
- (33) New Gasoloster
- (34) New Custom Stainless Exhaust System
- (35) New Ken Brock Carb Heat Box
- (36) New Sending Units on Engine
- (37) Paint with SEMPOX 45414U (Cessna white)
- (38) Rebalanced Flight Controls
-

Date	From	To	Hours	Min.	Pilot
(35)	Revised	4 Balance of A/c			758 lbs
(40)	Added	TRT 7600 D Comm			
(41)	Added	TRT 7650 D Transponder			
(42)	Added	TRT 7600 D Encoder			
(43)	Added	TRT 7600 D with localizer			
(44)	Added	TRT 7600 D with localizer			
(45)	Added	TRT 7600 D with localizer			
(46)	Added	TRT 7600 D with localizer			
Total Forward					
Total to Date					

REMARKS

empty A/c CG station is now 108.5

MAX Takeoff weight "Gross"

1100 lbs

- 758 empty weight

342 for fuel, ~~pass~~ pass, pilot ect

REMARKS

Pilot

Hours Min.

Date

From

To

2-17-96 Hobbs GS-4

Repaired landing gear. (main) attachment

tabs with oversized bolts Per Runtons

Newsletters, Replaced both Right & left

cyberon hinges - checked struts. balance - ok -

Replaced ~~brake~~ Brake pads with Cleveland

66-106 pads & serviced master cylinders

with ~~66-106~~ mil-H-5606 Hyd fluid - Replaced

Canopy Hinges with Quick Release type pins

Per Runtons Newsletters inspected in Accordance

I Conf. That This A/C has been

with a 100 hour/inspection and found to be in an airworthy

Condition. -- End --

Total Forward

APP 286 700598

Total to Date

Boett Horton

RAMP TESTED TRANSPONDER MODEL TRT250B

S/N: AS1nmttl MEET OR EXCEEDS REQUIREMENTS

OF FAR PART 43 APPENDIX F DATE: 6-29-15

SIGNED [Signature] SONORA AVIONICS, INC.

DBA SOUTHWEST AVIONICS FAA C.R.S. NYRR723K

N37BZ Tach: 127.2 W.O. No 8169

Min. Pilot

ANNUAL CONDITION INSPECTION — N37BZ (Varieze, S/N 1297)

Date: 4/12/2016 Hobbs: 127.2 hrs TAF: 559.6 hrs TSMO: 559.6 hrs

WORK PERFORMED

Airframe & Structure

- Rebuilt elevators w/ new foam cores; balanced flight surfaces
- Repaired fuselage bottom damage
- Removed seat tank fitting; opening sealed
- Replaced fuel sight gauges
- Replaced aluminum elevator pushrod with steel pushrod (same dims); rigging verified

Landing Gear

- New tires & inner tubes on all gear
- Replaced plastic brake fluid lines

Electrical

- Installed VTX24HL battery

Weight & Balance

- W&B conducted; aircraft within CG limits

I certify this aircraft was inspected per 14 CFR §91.409(e) and is in condition for safe operation. All discrepancies corrected. Aircraft returned to service.

Signed: [Signature]

Cert #: 2744589 ARP

Date: 4/12/2016

REMARKS

ANNUAL CONDITION INSPECTION — N37BZ (Varieze, S/N 1297) — AIRFRAME

Date: 7/10/22 Hobbs: 297.7 hrs TAF: 730.1 hrs TSMO: 730.1 hrs

WORK PERFORMED

Airframe & Structure

- Inspected for damage/delamination; found airworthy
- Replaced nose tire and tube
- Replaced nose gear retraction gear with serviceable unit

Electrical System

- Replaced turn coordinator w/ Dynon D10A; magnetometer in nose
- Installed uAvionix ADS-B; groundplane & antenna on gear access hatch
- Replaced transponder with serviceable unit
- Replaced ELT batteries
- W&B change negligible

I certify this aircraft was inspected per 14 CFR §91.409(e) and is in condition for safe operation. All discrepancies corrected. Aircraft returned to service.

Signed: [Signature]

Cert #: 2744589 ARP

Date: 7/10/2022

Date: 8/17/24

Reg. Number N37BZ

Tach: 323.08 Work Order #: 17Aug-21

"I CERTIFY THAT THIS TRANSPONDER TEST REQUIRED BY CFR PART 91.413 I.A.W. CFR 43 APPENDIX "F", HAS BEEN PERFORMED". Insp/Tech: [Signature]

STOGS AIRCRAFT SERVICES C.R.S. 816R054D

Total Forward

Total to Date

Pilot

Total Forward

Total to Date