

The Standard



ENGINE LOG

ASA-SE-1

ENGINE RECORD — GENERAL INFORMATION

MANUFACTURER

Continental

MODEL

D-200

SERIAL

TYPE CERTIFICATE

THIS ENGINE IS CURRENTLY INSTALLED IN AIRCRAFT

N3782

MINIMUM OCTANE FUEL

OIL GRADE SUMMER

WINTER

MAGNETO TIME

POINT SETTING

FIRING ORDER

SPARK PLUG GAP

MFG. RECOMMENDED OVERHAUL AT

HOURS.

The Standard



ENGINE LOG

[illegible]

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
------	---------------------------	------------------	-----------------------------	---

3-1-95

12.8 Hrs

Performed Starter Oil Modification to Cases
per Cont. Overhaul Manual —

Installed New Cont Intake & Exhaust Valves
Installed New Cont. Valve Springs

Installed New Pistons & Rings (+.15)
Installed New Bearings & Seals

Installed New Slick 4301 Magnets

Installed New TAFI Oil Filter Adapter

Installed New B+C Specialty 12 Amp Att. on
Overhauled Starter

Installed New Lord Mounts

Complied with AD 93-18-03 By Installing
New one piece Venturi

DATE

19__

Continental O-200A S/N 5898-9-A-R

This engine overhauled this date in accordance with Continental Overhaul Manual. All steel parts were magnafluxed. All other parts were inspected in accordance with Continental Overhaul Manual. See yellow tags. Installed new Slick 4301 magnets. C/w AD 93-18-03 on calculator by installation of one piece venturi.

I Certify That This Engine Has Been
Inspected In Accordance With 100hr

Inspection And Was Determined To Be In

Airworthy Condition. Tach Reading 127.8

Aircraft Total Time 440 Date 3/01/95

Maurice Lemmond

Maurice Lemmond

A & P 2060784AI

[illegible]

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
2-17-96	Hobbs	65.4 hrs.		Replaced all Cylinder base Seals, Rocket Cover Gaskets, Push Rod tube Seals, Replaced oil seal in Starter, oil tank Gasket, Replaced exhaust on Cylinders # 2, 3, 4 per Britten design, custom designed # 1 cylinder Heat muff & Stack, Check Mag Timing, OK - Compression Check # 1/36 # 2 7/34 # 3 13/36 # 4 3/80 Serviced with Area Shell 15w-50 6 puts & Champion 48-108 Filter Continued →

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
	←	(cont from)		Sent Propeller back to Performance Propeller for final adjustments & finish (Installed Refinish Prop on N-37B2 removed to 3577465 & Saxford with .041 Saxfy wire - Cleaned Gasolator. Regard Plegs I Certify That This Engine has Been inspected in accordance with a 100 hour/ Condition inspection and found to be in a satisfactory Condition. -- End --
				APR 28 6700598
				Brett Hunter

[illegible]

[illegible]

[illegible]

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
6/20	120.7			Performed condition inspection i/jahr FAR 43 Appendix D and found to be in airworthy condition
2001				Machine demand
7/10				AF 2060784
				Performed condition inspection i/jahr FAR 43
				Appendix D and found to be in airworthy condition
				Machine demand
				AF 2060784

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
--------------	---------------------------	------------------	-----------------------------	---

ANNUAL CONDITION INSPECTION — N37BZ (Varieze, S/N 1297) — ENGINE

Date: 4/12/2016 Hobbs: 127.2 hrs TTAF: 559.6 hrs TSMO: 559.6 hrs

WORK PERFORMED

Engine & Drivetrain

- Oil change (oil & filter)
- Cleaned & re-gapped all spark plugs
- Installed Sky-Tec C12ST2 starter
- Replaced vacuum pump connector
- Replaced engine air filter

COMPRESSION (80 PSI ref.)

#1	#2	#3	#4
76/80	75/80	77/80	76/80

All cylinders within acceptable limits.

I certify this aircraft was inspected per 14 CFR §91.409(e) and is in condition for safe operation. All discrepancies corrected. Aircraft returned to service.

Signed: _____

Cert #: 2744589 A+P

Date: 4/12/2016

Propeller

- Removed spinner; torqued prop bolts; reinstalled

[illegible]

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
--------------	---------------------------	------------------	-----------------------------	---

ANNUAL CONDITION INSPECTION — N37BZ (Varieze, S/N 1297) — ENGINE

Date: 7/10/22 Hobbs: 297.7 hrs TAF: 730.1 hrs TSMO: 730.1 hrs

WORK PERFORMED

Engine & Drivetrain

- Oil change (oil & filter)
- Cleaned & re-gapped all spark plugs
- Replaced crankshaft nose seal
- Replaced valve cover gaskets
- Installed serviceable cylinders w/ C-85 pistons & rings; timing set to 24° per technical data published in Light Aviation June 2009

Propeller

- Torqued prop bolts to spec; safety-wired

COMPRESSION (80 PSI ref.)

#1	#2	#3	#4
80/80	79/80	79/80	80/80

All cylinders within acceptable limits.

I certify this aircraft was inspected per 14 CFR §91.409(e) and is in condition for safe operation. All discrepancies corrected. Aircraft returned to service.

Signed:

Cert #:

Date:

294589 A21P
7/10/2022

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
--------------	---------------------------	------------------	-----------------------------	---

ANNUAL CONDITION INSPECTION — N37BZ (Varieze, S/N 1297) — ENGINE

Date: 16 MAY 2026 Hobbs: 323.9 hrs TTAF: 756.3 hrs TSMO: 756.3 hrs

WORK PERFORMED

Engine & Drivetrain

- Oil change (oil & filter)
- Cleaned & re-gapped all spark plugs
- Checked magneto timing
- Installed RG-200PR pushrod seal kit on all four cylinders *STC SE00533SE*
- Replaced engine air filter

Propeller

- Torqued prop bolts to spec; safety-wired

COMPRESSION (80 PSI ref.)

#1	#2	#3	#4
77/80	77/80	78/80	79/80

All cylinders within acceptable limits.

I certify this aircraft was inspected per 14 CFR §91.409(e) and is in condition for safe operation. All discrepancies corrected. Aircraft returned to service.

Signed:

[Signature]

Cert #:

2744589 ATP

Date:

16 MAY 2026