

## **Windows Operating System III**

### **Lab-05**

Submitted by:

BABY SAROINI PARIMI

Pari0134,040957359

[Pari0134@allgonquinlive.com](mailto:Pari0134@allgonquinlive.com)

Submitted to:

Prof: Islam Gomaa

Server name: Server93101

IP address: 172.16.93.101

Date of Completion: 22 Feb 2021

%Lab05\_01

```
Administrator: Command Prompt
Microsoft Windows [Version 10.0.17763.1790]
(c) 2018 Microsoft Corporation. All rights reserved.

C:\Users\Administrator>nslookup Server94009.dm94009.cst8242.com
Server:  Server93101.dm93101.cst8242.com
Address:  172.16.93.101

Non-authoritative answer:
Name:     cst8242.com
Addresses: 172.16.89.253
          10.50.10.253
Aliases:  Server94009.dm94009.cst8242.com.cst8242.com

C:\Users\Administrator>nslookup Server94001.dm94001.cst8242.com
Server:  Server93101.dm93101.cst8242.com
Address:  172.16.93.101

Non-authoritative answer:
Name:     cst8242.com
Addresses: 10.50.10.253
          172.16.89.253
Aliases:  Server94001.dm94001.cst8242.com.cst8242.com
```

%Lab05\_02

Services (Local)					
<b>Microsoft Exchange Compliance Service</b>  <a href="#">Stop the service</a> <a href="#">Restart the service</a>  Description: Host for Compliance Services.	Name	Description	Status	Startup Type	Log On As
	Microsoft Exchange Complia...	Host for Co...	Running	Automatic	Local System
	Microsoft Exchange DAG Ma...	The Microso...	Running	Automatic	Local System
	Microsoft Exchange Diagnos...	Agent that ...	Running	Automatic	Local System
	Microsoft Exchange EdgeSync	Replicates c...	Running	Automatic	Local System
	Microsoft Exchange Fronten...	This service ...	Running	Automatic	Local System
	Microsoft Exchange Health ...	Manages Ex...	Running	Automatic	Local System
	Microsoft Exchange Health ...	Recovery Ser...	Running	Automatic	Local System
	Microsoft Exchange IMAP4	Provides Int...	Running	Manual	Local System
	Microsoft Exchange IMAP4 B...	Provides Int...	Running	Manual	Network Se...
	Microsoft Exchange Informa...	Manages th...	Running	Automatic	Local System
	Microsoft Exchange Mailbox...	Performs ba...	Running	Automatic	Local System
	Microsoft Exchange Mailbox...	Processes m...	Running	Automatic	Local System
	Microsoft Exchange Mailbox...	This service, ...	Running	Automatic	Network Se...
	Microsoft Exchange Mailbox...	This service, ...	Running	Automatic	Local System
	Microsoft Exchange POP3	Provides Pos...	Running	Manual	Local System
	Microsoft Exchange POP3 Ba...	Provides Pos...	Running	Manual	Network Se...
	Microsoft Exchange Replicat...	The Microso...	Running	Automatic	Local System
	Microsoft Exchange RPC Clie...	Manages cli...	Running	Automatic	Local System
	Microsoft Exchange Search	Drives indexi...	Running	Automatic	Local System
	Microsoft Exchange Search ...	This service ...	Running	Automatic	Local System
	Microsoft Exchange Server E...	Enables Win...		Manual	Local System
	Microsoft Exchange Service ...	Provides a h...	Running	Automatic	Local System
	Microsoft Exchange Throttli...	Limits the ra...	Running	Automatic	Network Se...
	Microsoft Exchange Transport	The Microso...	Running	Automatic	Network Se...
	Microsoft Exchange Transpo...	Provides re...	Running	Automatic	Local System

%Lab05\_03

Services (Local)						
<b>Microsoft Exchange Server Extension for Windows Server Backup</b>						
<a href="#">Start</a> the service						
Description: Enables Windows Server Backup users to back up and recover application data for Microsoft Exchange Server.						
Name	Description	Status	Startup Type	Log On As		
Microsoft Exchange Active D...	Provides Acti...	Running	Automatic	Local System		
Microsoft Exchange Anti-sp...	The Microso...	Running	Automatic	Local System		
Microsoft Exchange Complia...	The Microso...	Running	Automatic	Local System		
Microsoft Exchange Complia...	Host for Co...	Running	Automatic	Local System		
Microsoft Exchange DAG Ma...	The Microso...	Running	Automatic	Local System		
Microsoft Exchange Diagnos...	Agent that ...	Running	Automatic	Local System		
Microsoft Exchange EdgeSync	Replicates c...	Running	Automatic	Local System		
Microsoft Exchange Fronten...	This service ...	Running	Automatic	Local System		
Microsoft Exchange Health ...	Manages Ex...	Running	Automatic	Local System		
Microsoft Exchange Health ...	Recovery Ser...	Running	Automatic	Local System		
Microsoft Exchange IMAP4	Provides Int...	Running	Automatic	Local System		
Microsoft Exchange IMAP4 B...	Provides Int...	Running	Automatic	Network Se...		
Microsoft Exchange Informa...	Manages th...	Running	Automatic	Local System		
Microsoft Exchange Mailbox...	Performs ba...	Running	Automatic	Local System		
Microsoft Exchange Mailbox...	Processes m...	Running	Automatic	Local System		
Microsoft Exchange Mailbox...	This service, ...	Running	Automatic	Network Se...		
Microsoft Exchange Mailbox...	This service, ...	Running	Automatic	Local System		
Microsoft Exchange POP3	Provides Pos...	Running	Automatic	Local System		
Microsoft Exchange POP3 Ba...	Provides Pos...	Running	Automatic	Network Se...		
Microsoft Exchange Replicat...	The Microso...	Running	Automatic	Local System		
Microsoft Exchange RPC Clie...	Manages cli...	Running	Automatic	Local System		
Microsoft Exchange Search	Drives indexi...	Running	Automatic	Local System		
Microsoft Exchange Search ...	This service ...	Running	Automatic	Local System		
Microsoft Exchange Server E...	Enables Win...	Running	Automatic	Local System		
Microsoft Exchange Service ...	Provides a h...	Running	Automatic	Local System		

%Lab05\_04

```
Machine: Server93101.dm93101.cst8242.com
Exchange team blog: Get-ExBlog
Show full output for a command: <command> | Format-List

Show quick reference guide: QuickRef
VERBOSE: Connecting to Server93101.dm93101.cst8242.com.
VERBOSE: Connected to Server93101.dm93101.cst8242.com.
[PS] C:\Windows\system32>Get-ExchangeServerAccessLicense | ft -AutoSize

ProductName      LicenseName      UnitLabel TabulationMethod
-----
Exchange Server 2016 Exchange Server 2016 Standard Edition Server Net
Exchange Server 2016 Exchange Server 2016 Enterprise Edition Server Net
Exchange Server 2016 Exchange Server 2016 Standard CAL CAL Net
Exchange Server 2016 Exchange Server 2016 Enterprise CAL CAL Net

[PS] C:\Windows\system32>Get-ExchangeServerAccessLicense -LicenseName "Exchange Server 2016 Standard CAL"
A parameter cannot be found that matches parameter name 'LicenseName'.
+ CategoryInfo          : InvalidArgument: (:) [Get-ExchangeServerAccessLicense], ParameterBindingException
+ FullyQualifiedErrorId : NamedParameterNotFound,Get-ExchangeServerAccessLicense
+ PSComputerName        : server93101.dm93101.cst8242.com

[PS] C:\Windows\system32>Get-ExchangeServerAccessLicenseUser -LicenseName "Exchange Server 2016 Standard CAL"

LicenseName      Name
-----
Exchange Server 2016 Standard CAL Administrator@dm93101.cst8242.com
```

## %Lab05\_05

```
Machine: Server93101.dm93101.cst8242.com
[PS] C:\Windows\system32>Get-RemoteDomain

Name                DomainName          Allowed00FType
----                -
Default             *                   External

[PS] C:\Windows\system32>
```

## %Lab05\_06

Enterprise Office 365

### Exchange admin center

recipients permissions compliance management organization protection **mail flow** mobile public folders servers

rules delivery reports **accepted domains** email address policies receive connectors send connectors

+ ✎ 🗑️ 🔍 🔄

NAME	ACCEPTED DOMAIN	DOMAIN TYPE
dm93101.cst8242.com (default d...	dm93101.cst8242.com	Authoritative

dm93101.cst8242.com

Fully qualified domain name:  
dm93101.cst8242.com

Domain type:  
Authoritative

## %Lab05\_07

Enterprise Office 365

### Exchange admin center

recipients permissions compliance management organization protection **mail flow** mobile public folders servers hybrid

rules delivery reports accepted domains email address policies receive connectors **send connectors**

+ ✎ 🗑️ 🔄 ...

NAME	STATUS
SMTP	Enabled

SMTP

Last modified:  
2021-02-22 12:06:55 PM

Connector status - Enabled

[Disable](#)

Logging - Off

[On](#)

Maximum send message size (MB):  
35

Exchange Server - Google Chrome

server93101.dm93101.cst8242.com/ecp/Servers/EditServer.aspx?pwmcid=2&ReturnObjectType=1&id=58929d...

SERVER93101

general  
databases and database  
availability groups  
POP3  
IMAP4  
unified messaging  
DNS lookups  
transport limits  
transport logs  
Outlook Anywhere

TLS or unencrypted connections:

+

-

LOCAL IP ADDRESSES	PORT
(All available IPv6)	110
(All available IPv4)	110

Secure Sockets Layer (SSL) connections:

+

-

LOCAL IP ADDRESSES	PORT
(All available IPv6)	995
(All available IPv4)	995

[More options...](#)

Save

Cancel

Exchange Receive Connector - Google Chrome

server93101.dm93101.cst8242.com/ecp/ConnectorMgmt/EditReceiveConnector.aspx?pwmcid=3&ReturnObjectTy...

Default Frontend SERVER93101

general

security

scoping

\*Remote network settings:  
Receive mail from servers that have these remote IP addresses.

+ ✎ -

IP ADDRESSES
0.0.0.0-255.255.255.255

\*Network adapter bindings:  
Specify the IP addresses and port of the network adapter to bind to the receive connector.

+ ✎ -

IP ADDRESSES	PORT
(All available IPv4)	25

SaveCancel

%Lab05\_10

User Mailbox - Google Chrome

server93101.dm93101.cst8242.com/ecp/UsersGroups/NewMailboxOn...

### new user mailbox

Initials:

Last name:

\*Display name:

\*Name:

Organizational unit:

\*User logon name:  
 @

\*New password:

\*Confirm password:

☐ Require password change on next logon

[More options...](#)

Retype the password to verify that you typed it correctly.

Edit User Mailbox - Google Chrome

server93101.dm93101.cst8242.com/ecp/UsersGroups/EditMailbox.aspx?pwmcid=6&ReturnObjectType=1...

Pari0134

general

mailbox usage

contact information

organization

email address

mailbox features

member of

MailTip

mailbox delegation

Select the mailbox settings, phone and voice features, and email connectivity options for this mailbox. [Learn more](#)

Sharing policy:  

Default Sharing Policy

Role assignment policy:  

Default Role Assignment Policy

Retention policy:  

[No Policy]

Address book policy:  

[No Policy]

Phone and Voice Features  
Mobile Devices  
[Disable Exchange ActiveSync](#)  
[Disable OWA for Devices](#)  
[View details](#)

Email Connectivity

Save


Cancel



#Lab05\_12

User > mailbox usage > more options > customize settings


%Lab05\_14



#Lab05\_15

Outlook admin panel, mail flow > delivery > smart host

%Lab04\_16



%Lab05\_17

Database - Google Chrome

server93101.dm93101.cst8242.com/ecp/DBMgmt/NewDatabase.aspx?pw...

### new database

\*Mailbox database  
dm93101\_Pari0134

\*Server  
SERVER93101

Database file path:  
C:\Databases\dm93101\_Pari0134\dm93101\_pari0134.edb

Log folder path:  
C:\logs\dm93101\_Pari0134

☒ Mount this database

This field displays the default path to the log folder. You can change the location by entering a new path.

%Lab05\_18

The screenshot shows a web browser window titled 'User Mailbox - Google Chrome'. The address bar displays the URL 'server93101.dm93101.cst8242.com/ecp/UsersGroups/NewMailboxOn...'. The page content is titled 'new user mailbox'. There are two radio buttons: 'Existing user' (unselected) and 'New user' (selected). Below the 'Existing user' option is a text input field and a 'Browse...' button. Below the 'New user' option are several text input fields: 'First name:' (containing 'Doug'), 'Initials:' (empty), 'Last name:' (containing 'Dacey'), '\*Display name:' (containing 'Doug Dacey'), '\*Name:' (containing 'Doug Dacey'), and 'Organizational unit:' (containing 'dm93101.cst8242.com/Ex' and a 'Browse...' button). Below these is a '\*User logon name:' section with a text input field containing 'DaceyD' and a dropdown menu showing '@ dm93101.cst8242.com'. At the bottom right are 'Save' and 'Cancel' buttons.

%Lab05\_19

The screenshot shows a Telnet session window titled 'Telnet mail.dm93101.cst8242.com'. The command prompt shows '220 Server93101.dm93101.cst8242.com Microsoft ESMTp MAIL Service ready at Mon, 22 Feb 2021 15:14:12 -0500'. The rest of the window is black, indicating no further output or commands were entered.

#Lab05\_20

New-Mailboxdatabase -name "DB1" -server server93101 -edbfilepath  
C:\DDrive\Database\DB1.edb -Logfolderpath C:\EDrive\Logs\DB1

%Lab05\_21

servers databases database availability groups virtual directories certificates

NAME	ACTIVE ON SERVER	SERVERS WITH COPIES	STATUS	BAD COPY COUNT	
DB1	SERVER93101	SERVER93101	Mounted	0	DB1
dm93101_Pari0134	SERVER93101	SERVER93101	Mounted	0	Servers
Mailbox Database 02...	SERVER93101	SERVER93101	Mounted	0	SERVER93101

Database copies

DB1\SERVER93101

Active Mounted

Copy queue length: 0

Content index state: NotApplicable

[View details](#)

%Lab05\_22

DB1

File

Home

Share


View

&lt;


#Lab05\_24

Move-DatabasePath "DB1" -EdbFilePath 'C:\DDrive\Database\New\DB1\DB1.edb' -  
LogFolderPath 'C:\EDrive\Logs\New\DB1'

%Lab05\_25



%Lab05\_26



#Lab05\_27

No, it does not.

%Lab05\_28

```
Select Machine: Server93101.dm93101.cst8242.com

[PS] C:\Windows\system32>New-Mailbox -Name "Deb Burns" -UserPrincipalName BurnsD@93101.cst8242.com -Password (ConvertTo-
SecureString -string 'P@ssw0rd' -AsPlainText -Force) -FirstName Deb -LastName Burns -OrganizationalUnit ExchUsers -datab
ase 'Mailbox Database 0283003190'

Name                Alias                ServerName            ProhibitSendQuota
-----
Deb Burns           BurnsD              server93101           Unlimited

[PS] C:\Windows\system32>
```

%Lab05\_29

```
Machine: Server93101.dm93101.cst8242.com

[PS] C:\Windows\system32>New-Mailbox -Name "Judy Burns" -UserPrincipalName BurnsJ@93101.cst8242.com -Password (ConvertTo-
SecureString -string 'P@ssw0rd' -AsPlainText -Force) -FirstName Judy -LastName Burns -OrganizationalUnit ExchUsers -dat
abase DB1

Name                Alias                ServerName            ProhibitSendQuota
-----
Judy Burns          BurnsJ              server93101           Unlimited

[PS] C:\Windows\system32>
```

%Lab05\_30

New Migration Batch - Google Chrome

server93101.dm93101.cst8242.com/ecp/Migration/NewMigrationBatch.aspx?pwmcid=1&ReturnObjectType=1&...

new local mailbox move  
Move configuration

\*New migration batch name:

Archive:


- ☒ Move the primary mailbox and the archive mailbox if one exists
- ☐ Move primary mailbox only, without moving archive mailbox  
*This option is only valid for mailboxes on Exchange 2010 and above.*
- ☐ Move archive mailbox only, without moving primary mailbox  
*This option is only valid for mailboxes on Exchange 2010 and above.*

Target database:  
Enter the database name you'd like to move this mailbox to:


Target archive database:  
Enter the database name you'd like to move the archive mailbox to:

Bad item limit:


%Lab05\_31



%Lab05\_32



%Lab05\_33



%Lab05\_34

connect a mailbox [Help](#)

A disconnected mailbox is a mailbox that isn't associated with a user account or that's been moved to a different mailbox database. You can connect a disconnected mailbox to a user account or restore it to the original mailbox database. [Learn more](#)

Select server: SERVER93101

DISPLAY NA...	IDENTITY	DISCONNECT DATE	DATABASE
Judy Burns	390448e3-5fed-48bd-b...	2021-02-22 5:03:52 PM	DB1

%Lab05\_35

```
Machine: Server93101.dm93101.cst8242.com
[PS] C:\Windows\system32>Update-StoreMailboxState -Database DB1 -Identity 390448e3-5fed-48bd-b290-c3283abc8b7d
[PS] C:\Windows\system32>New-MailboxDatabase -name 'DB 02' -server server93101 -EdbFilePath "C:\DDrive\Database\DB 02\DB
02.edb" -LogFolderPath "C:\EDrive\Logs\DB 02"

Name                Server      Recovery    ReplicationType
----                -
DB 02               SERVER93101 False       None
WARNING: Please restart the Microsoft Exchange Information Store service on server SERVER93101 after adding new mailbox
databases.

[PS] C:\Windows\system32>
```



%Lab05\_36

```
Machine: Server93101.dm93101.cst8242.com
[PS] C:\Windows\system32>New-Mailbox -Name "Steve Jones" -UserPrincipalName Jones@dm93101.cst8242.com -password(ConvertT
0-SecureString -String 'P@ssw0rd' -AsPlainText -Force) -FirstName Steve -Lastname Jones -OrganizationalUnit ExchUsers -d
atabase "Mailbox Database 0283003190"

Name                Alias                ServerName            ProhibitSendQuota
-----
Steve Jones         Jones                server93101           Unlimited

[PS] C:\Windows\system32>
```

%Lab05\_37

```
Machine: Server93101.dm93101.cst8242.com
[PS] C:\Windows\system32>New-MoveRequest -Identity "JonesS@dm93101.cst8242.com" -TargetDatabase "DB 02"

DisplayName StatusDetail          TotalMailboxSize      TotalArchiveSize PercentComplete
-----
Steve Jones  WaitingForJobPickup  72.05 KB (73,777 bytes) 0

[PS] C:\Windows\system32>
```

%Lab05\_38

Database - Google Chrome

server93101.dm93101.cst8242.com/ecp/DBMgmt/NewDatabase.aspx?pw...

new database

\*Mailbox database  
Staff

\*Server  
SERVER93101 X Browse...

Database file path:  
C:\DDrive\databases\Staff\Staff.edb

Log folder path:  
C:\EDrive\logs\Staff

☒ Mount this database

Save Cancel

User Mailbox - Google Chrome

server93101.dm93101.cst8242.com/ecp/UsersGroups/NewMailboxOn...

### new user mailbox

Alias:  
rh

☐ Existing user

Browse...

☒ New user

First name:  
Richard

Initials:

Last name:  
Hagemeyer

\*Display name:  
Richard Hagemeyer

\*Name:  
Richard Hagemeyer

Organizational unit:  
 Browse...

\*User logon name:

Save Cancel

Mailbox database - Google Chrome

server93101.dm93101.cst8242.com/ecp/DBMgmt/EditDatabase.aspx?pwmcid=10&ReturnObjectType=1&id

Staff

general

maintenance

limits

client settings

\*Issue a warning at (GB):

10

\*Prohibit send at (GB):

12

\*Prohibit send and receive at (GB):

14

\*Keep deleted items for (days):

14

\*Keep deleted mailboxes for (days):

30

☐ Don't permanently delete items until the database is backed up

Warning message interval:

	Midnight (AM)					Noon (PM)						
	12	2	4	6	8	10	12	2	4	6	8	10
Su												
Mo												
Tu												
We												

Enter a value to prevent users from sending and receiving email messages after their mailbox size reaches the specified limit. You can enter a value from 0 through 2047 gigabytes.

Save

Cancel

%Lab05\_41

Mailbox database - Google Chrome

server93101.dm93101.cst8242.com/ecp/DBMgmt/EditDatabase.aspx?pwmcid=10&ReturnObjectType=1&id=9...

Show the time in hours

Show the time in 15-minute intervals

Midnight (AM)

All	12	15	30	45	1	15	30	45	2	15	30	45	3	15	30	45	4	15	30	45	5	15	30
Sunday																							
Monday																							
Tuesday																							
Wednesday																							
Thursday																							
Friday																							
Saturday																							

Quota notification hours

Non-quota notification hours

Mailbox database - Google Chrome

server93101.dm93101.cst8242.com/ecp/DBMgmt/EditDatabase.aspx?pwmcid=18&ReturnObjectType=1&id=9...

Staff

general

maintenance

limits

client settings

\*Issue a warning at (GB):

10

\*Prohibit send at (GB):

12

\*Prohibit send and receive at (GB):

14

\*Keep deleted items for (days):

30

\*Keep deleted mailboxes for (days):

60

☒ Don't permanently delete items until the database is backed up

Warning message interval:

	Midnight (AM)					Noon (PM)						
	12	2	4	6	8	10	12	2	4	6	8	10
Su												
Mo												
Tu												
We												

Enter a value to set the number of days that deleted mailboxes are retained. You can enter a value from 0 through 24,855 days.

Save

Cancel

%Lab05\_43

Edit User Mailbox - Google Chrome

server93101.dm93101.cst8242.com/ecp/UsersGroups/EditMailbox.aspx?pwmcid=21&ReturnObjectType=...

Richard Hagemeyer

general

mailbox usage

contact information

organization

email address

mailbox features

member of

MailTip

mailbox delegation

Disable

Litigation hold: Disabled

Enable

Archiving: Enabled

Disable

View details

Mail Flow

Delivery Options

Delivery options control forwarding and recipient limits.

View details

Message Size Restrictions

Message size restrictions control the maximum size of messages that the recipient can send and receive.

View details

Message Delivery Restrictions

Message delivery restrictions define which senders can and can't send messages to this recipient.

View details

Save

Cancel

Edit User Mailbox - Google Chrome

server93101.dm93101.cst8242.com/ecp/UsersGroups/EditMailbox.aspx?pwmcid=18&ReturnObjectType=...

## Richard Hagemeyer

- general
- mailbox usage
- ▶ **contact information**
- organization
- email address
- mailbox features
- member of
- MailTip
- mailbox delegation

Street:

City:

State/Province:

ZIP/Postal code:

Country/Region:

Work phone:

Mobile phone:

Fax:

%Lab05\_45

Edit User Mailbox - Google Chrome

server93101.dm93101.cst8242.com/ecp/UsersGroups/EditMailbox.aspx?pwmcid=20&ReturnObjectType=...

Richard Hagemeyer

general

mailbox usage

contact information

organization

email address

▶ mailbox features

member of

MailTip

mailbox delegation

Disable OWA for Devices

View details

Email Connectivity

Outlook on the web: Enabled

Disable | View details

IMAP: Enabled

Disable

POP3: Enabled

Disable

MAPI: Enabled

Disable

Litigation hold: Disabled

Enable

Archiving: Disabled

Enable

Mail Flow

Save

Cancel



Edit User Mailbox - Google Chrome

server93101.dm93101.cst8242.com/ecp/UsersGroups/EditMailbox.aspx?pwmcid=21&ReturnObjectType=...

Richard Hagemeyer

general

mailbox usage

contact information

organization

email address

mailbox features

member of

MailTip

mailbox delegation

61.51 KB used, 0% of 2 GB.

☐ Use the default quota settings from the mailbox database

☒ Customize the quota settings for this mailbox

\*Issue a warning at (GB):

1.9

\*Prohibit send at (GB):

2

\*Prohibit send and receive at (GB):

2.3

☐ Use the default retention settings from the mailbox database

☒ Customize the retention settings for this mailbox

\*Keep deleted items for (days):

7

☒ Don't permanently delete items until the database is backed up

Save

Cancel

#Lab05\_47

Retention hold is the situation in which user is not available for a time period and his e-mails can be accessed by other users and they can change or delete items.

%Lab05\_48

Edit User Mailbox - Google Chrome

server93101.dm93101.cst8242.com/ecp/UsersGroups/EditMailbox.aspx?pwmcid=21&ReturnObjectType=...

Richard Hagemeyer

general

mailbox usage

contact information

organization

email address

mailbox features

member of

MailTip

mailbox delegation

61.51 KB used, 0% of 2 GB.

☐ Use the default quota settings from the mailbox database

☒ Customize the quota settings for this mailbox

\*Issue a warning at (GB):

15

\*Prohibit send at (GB):

20

\*Prohibit send and receive at (GB):

25

☐ Use the default retention settings from the mailbox database

☒ Customize the retention settings for this mailbox

\*Keep deleted items for (days):

7

☒ Don't permanently delete items until the database is backed up

Save Cancel

This box specifies the limit at which the user will be prevented from sending and receiving new messages. To change this limit, select Customize the settings for this mailbox, and then type or select a new value.

%Lab05\_49

Edit User Mailbox - Google Chrome

server93101.dm93101.cst8242.com/ecp/UsersGroups/EditMailbox.aspx?pwmcid=21&ReturnObjectType=...

message size restrictions

Set a maximum size for messages sent and received by this mailbox. [Learn more](#)

Sent messages

☒ Maximum message size (KB):

10240

Received messages

☒ Maximum message size (KB):

10240

For Exchange Online organizations, specify a size between 0 and 153600 KB. For Exchange Server 2013 organizations, specify a size between 0 and 2097151 KB. If the user receives a message larger than the specified size, the message will be returned to the user with a descriptive error message.

OK

Cancel

%Lab05\_50

Edit User Mailbox - Google Chrome

server93101.dm93101.cst8242.com/ecp/UsersGroups/EditMailbox.aspx?pwmcid=21&ReturnObjectType=...

delivery options

Forwarding Address

Forward email to the following recipient. [Learn more](#)

☒ Enable forwarding

Forward email to the following recipient:

Pari0134

X

Browse...

☒ Deliver message to both forwarding address and mailbox

Recipient limit

☐ Maximum recipients:

OK

Cancel

%Lab05\_51

Edit User Mailbox - Google Chrome

server93101.dm93101.cst8242.com/ecp/UsersGroups/EditMailbox.aspx?pwmcid=21&ReturnObjectType=...

archive mailbox

Status:

None

Name:


In-Place Archive-Richard Hagemeyer

\*Archive quota (GB):

100

\*Issue warning at (GB):

90

 Archiving is a premium feature that requires an Enterprise Client Access License (CAL).  
[Learn more](#)

OK

Cancel