```
sit@sit-HP-Pavilion-Laptop-15-eh1xxx:~$ nano 1086_exp14fwu.sh
sit@sit-HP-Pavilion-Laptop-15-eh1xxx:~$ ./1086_exp14fwu.sh
1
2
3
4
5
```

```
GNU nano 6.2                                    1086_exp14fwu.sh
#!/bin/bash

for i in {1..5}
do
  echo $i
done
```

```
GNU nano 6.2
#!/bin/bash
echo "Second Method"
for j in "Symbiosis Institute of Technology Nagpur"
do
echo "Institute name is $j"
done
```

```
sit@sit-HP-Pavilion-Laptop-15-eh1xxx:~$ nano 1086_exp14for2.sh
sit@sit-HP-Pavilion-Laptop-15-eh1xxx:~$ chmod +x 1086_exp14for2.sh
sit@sit-HP-Pavilion-Laptop-15-eh1xxx:~$ ./1086_exp14for2.sh
Second Method
Institute name is Symbiosis Institute of Technology Nagpur
```

```
GNU nano 6.2
#!/bin/bash

for i in 1 2 3
do
echo "Number is $i"
done
```

```
Activities    Terminal
sit@sit-HP-Pavilion-Laptop-15-eh1xxx:~$ nano 1086_exp14for3.sh
sit@sit-HP-Pavilion-Laptop-15-eh1xxx:~$ chmod +x 1086_exp14for3.sh
sit@sit-HP-Pavilion-Laptop-15-eh1xxx:~$ ./1086_exp14for3.sh
Number is 1
Number is 2
Number is 3
sit@sit-HP-Pavilion-Laptop-15-eh1xxx:~$
```

```
Activities    Terminal
  GNU nano 6.2
#!/bin/bash
while true
do
echo "break while loop"
break
done
```

```
Activities    Terminal
sit@sit-HP-Pavilion-Laptop-15-eh1xxx:~$ nano 1086_exp14break.sh
sit@sit-HP-Pavilion-Laptop-15-eh1xxx:~$ chmod +x 1086_exp14break.sh
sit@sit-HP-Pavilion-Laptop-15-eh1xxx:~$ ./1086_exp14break.sh
break while loop
```

```
Activities    Terminal
  GNU nano 6.2
#!/bin/bash
for i in 1 2 3
do
echo $i
continue
echo "Remaining step"
done
```

```
Activities    Terminal
sit@sit-HP-Pavilion-Laptop-15-eh1xxx:~$ nano 1086_exp14continue.sh
sit@sit-HP-Pavilion-Laptop-15-eh1xxx:~$ chmod +x 1086_exp14continue.sh
sit@sit-HP-Pavilion-Laptop-15-eh1xxx:~$ ./1086_exp14continue.sh
1
2
3
```

```
GNU nano 6.2                                    1086_exp14sum.sh
#!/bin/bash

echo "Enter a number:"
read n

i=1
sum=0

while [ $i -le $n ]
do
  sum=$((sum + i))
  ((i++))
done

echo "Sum of first $n numbers is: $sum"
```

```
sit@sit-HP-Pavilion-Laptop-15-eh1xxx:~$ nano 1086_exp14sum.sh
sit@sit-HP-Pavilion-Laptop-15-eh1xxx:~$ chmod +x 1086_exp14sum.sh
sit@sit-HP-Pavilion-Laptop-15-eh1xxx:~$ ./1086_exp14sum.sh
Enter a number:
4
Sum of first 4 numbers is: 10
```

```
GNU nano 6.2
#!/bin/bash

echo "Enter a number:"
read num

for i in {1..10}
do
  result=$((num * i))
  echo "$num x $i = $result"
done
```

```
sit@sit-HP-Pavilion-Laptop-15-eh1xxx:~$ nano 1086_exp14table.sh
sit@sit-HP-Pavilion-Laptop-15-eh1xxx:~$ chmod +x 1086_exp14table.sh
sit@sit-HP-Pavilion-Laptop-15-eh1xxx:~$ ./1086_exp14table.sh
Enter a number:
4
4 x 1 = 4
4 x 2 = 8
4 x 3 = 12
4 x 4 = 16
4 x 5 = 20
4 x 6 = 24
4 x 7 = 28
4 x 8 = 32
4 x 9 = 36
4 x 10 = 40
```

```
GNU nano 6.2                                                    1086_exp14prime.s
#!/bin/bash

echo "Enter a number:"
read num

flag=0

if [ $num -le 1 ]
then
  echo "$num is not a Prime number"
  exit
fi

for ((i=2; i<=num/2; i++))
do
  if [ $((num % i)) -eq 0 ]
  then
    flag=1
    break
  fi
done

if [ $flag -eq 0 ]
then
  echo "$num is a Prime number"
else
  echo "$num is not a Prime number"
fi
```

```
sit@sit-HP-Pavilion-Laptop-15-eh1xxx:~$ nano 1086_exp14prime.sh
sit@sit-HP-Pavilion-Laptop-15-eh1xxx:~$ chmod +x 1086_exp14prime.sh
sit@sit-HP-Pavilion-Laptop-15-eh1xxx:~$ ./1086_exp14prime.sh
Enter a number:
6
6 is not a Prime number
```

```
GNU nano 6.2                                                    1086_exp
#!/bin/bash

echo "Enter a number:"
read num

fact=1
i=1

while [ $i -le $num ]
do
  fact=$((fact * i))
  ((i++))
done

echo "Factorial of $num is: $fact"
```

```
sit@sit-HP-Pavilion-Laptop-15-eh1xxx:~$ nano 1086_exp14factorial.sh
sit@sit-HP-Pavilion-Laptop-15-eh1xxx:~$ chmod +x 1086_exp14factorial.sh
sit@sit-HP-Pavilion-Laptop-15-eh1xxx:~$ ./1086_exp14factorial.sh
Enter a number:
4
Factorial of 4 is: 24
```

```
GNU nano 6.2
#!/bin/bash

i=1
until [ $i -gt 5 ]
do
  echo $i
  ((i++))
done
```

```
sit@sit-HP-Pavilion-Laptop-15-eh1xxx:~$ nano 1086_exp14fwuu.sh
sit@sit-HP-Pavilion-Laptop-15-eh1xxx:~$ chmod +x 1086_exp14fwuu.sh
sit@sit-HP-Pavilion-Laptop-15-eh1xxx:~$ ./1086_exp14fwuu.sh
1
2
3
4
5
```

```
sit@sit-HP-Pavilion-Laptop-15-eh1xxx:~$ nano 1086_exp14fwuw.sh
sit@sit-HP-Pavilion-Laptop-15-eh1xxx:~$ chmod +x 1086_exp14fwuw.sh
sit@sit-HP-Pavilion-Laptop-15-eh1xxx:~$ ./1086_exp14fwuw.sh
1
2
3
4
5
```

```
GNU nano 6.2                                  1086_exp14fwuw.sh
#!/bin/bash

i=1
while [ $i -le 5 ]
do
  echo $i
  ((i++))
done
```