SENTINOVA THREATLENS

PROJECT DEMO GUIDE

Cyber Threat Intelligence
SOC Monitoring Console

A concise walkthrough for presenting the working local MVP, explaining core workflows, and communicating what is simulated versus production-ready.

12	4	6	4
INDICATORS	CRITICAL RISKS	OPEN ALERTS	UNDER INVESTIGATION

Demo data notice: Indicators, feed names, scores, confidence values and analyst guidance are simulated. No live threat feeds are connected. Do not use this sample data to make decisions about real systems.

Project at a glance

Purpose	Demonstrate a CTI/SOC interface for reviewing indicators and triaging incidents.
Technology	Python, Streamlit, Pandas and Plotly.
Run location	Local Windows project at D:\Sentinova-ThreatLens; commonly served at http://localhost:8501.
Scope	Dashboard, filtering, charts, CSV export, IOC investigation, session-based incident status updates and activity log.

1. Live demonstration script

Target duration: approximately 2–3 minutes. Start the app and open it in a browser before presenting.

01 Introduce the dashboard

“Sentinova ThreatLens is a local Cyber Threat Intelligence dashboard prototype. It provides a single view of sample indicators, risk summaries and a basic incident workflow.”

02 Explain the KPI cards

Point to Indicators, Critical Risks, Open Alerts and Under Investigation. With all filters selected and search empty, the dataset should show 12, 4, 6 and 4 respectively.

03 Show the charts

Explain that the severity bar chart summarizes indicators by Critical, High, Medium and Low. The donut chart shows the distribution of indicator types.

04 Demonstrate filtering

Search for 192.0.2.88 in the sidebar. The table should narrow to TL-1006. Clear the search and restore all filters to return to the full dataset.

05 Investigate an IOC

Select TL-1005 in IOC Investigation. Point out the file-hash indicator, risk score 98/100, confidence 99%, Critical severity and illustrative analyst guidance.

06 Export results

Click “Export filtered indicators (CSV)” and confirm the browser downloads threatlens_indicators.csv.

07 Triage an incident

Select a demo indicator, change its status and click “Save incident status”. Show the success message and new Recent Activity entry.

08 Close transparently

“This MVP uses simulated data. Live feeds, persistent database storage, authentication and production deployment are future enhancements.”

2. How to start the application

Open PowerShell in the project directory and run each command separately:

Navigate to the project folder

```
cd D:\Sentinova-ThreatLens
```

Activate the virtual environment

```
.\.venv\Scripts\Activate.ps1
```

Check Python syntax (optional)

```
python -m py_compile app.py
```

Start Streamlit

```
python -m streamlit run app.py
```

Expected result: Streamlit prints a local URL, commonly http://localhost:8501. Open it in a browser and keep PowerShell running during the demo. To stop the server, focus the PowerShell window and press Ctrl+C.

3. Final acceptance checklist

- ■ All filters selected and search empty: KPI cards show 12 / 4 / 6 / 4.
- ■ Both charts render and labels are readable on the dark background.
- ■ Searching 192.0.2.88 filters the table to TL-1006.
- ■ IOC Investigation selection changes the displayed profile.
- ■ CSV export downloads a file.
- ■ Saving an incident status updates the indicator and Recent Activity.
- ■ README.md, app.py and backup files are present in the project folder.

4. Limitations and future work

Current prototype	Local Streamlit app; simulated indicators and feed names; predefined scores and confidence; incident status and activity held in session state.
Future work	Live CTI ingestion, verified reputation lookups, persistent database, authentication/authorization, scheduled alerting and production deployment.
Safe presentation	Describe this as a working CTI dashboard MVP. Do not describe simulated scores as real detections or use demo indicators to block or investigate real systems.

> *Suggested closing line: “ThreatLens demonstrates the analyst workflow from reviewing indicators to investigating a sample IOC, exporting data and recording triage status. The next phase would connect trusted intelligence feeds and persistent storage.”*