

BRIDAL COLLECTION

S. E. Information Technology

By

JILL MEHTA	58
PRACHI MISHRA	61
RIYA PAREKH	70

MS.SONALI VAIDYA
Assistant Professor



Department of Information Technology
St. Francis Institute of Technology
(Engineering College)

University of Mumbai
2014-2015

1.HOME.HTML



FIG.1.HOME PAGE

Description:

In the home page we have displayed a set of our dresses as a sample. The dresses we showcased in fashion shows as designers. We have put various tags on top of the page in the header section. The various tabs lead us to the various webpages of or website. Also, the logo of our fashion house is displayed at the center of header which redirects us back to home page. The icon that is flashed at top right corner provides link to subscribe to our newsletters.

Technology used:

To display the images we used `` with attributes like `src`. We have made use of external CSS to apply uniform background color to all web pages, same font style and color to `<h2>` and `<h3>` tags, pseudo-class selector to apply different colors at various events to links.

HOME.HTML




FIG.2.DROP DOWN EFFECT GIVEN TO COLLECTIONS.

Description:

In this screenshot we have showed that when user hovers over collections tab, a drop down menu appears which can direct to individual collections page.

Technology used:

For drop-down menu we have used jQuery(hide() and show()) along with id selector.

HOME.HTML




FIG.3.LINKS GIVEN TO THE DROP-DOWN LISTS.(HIGHLIGHTED)

Description:

Here we have shown that further within the drop-down menu there are links to each collections page.

Technology used:

Here we have used jQuery effect(hover) to keep the drop-down visible. To provide link we have used <A> with href attribute.

HOME.HTML




FIG.4.SLIDE-SHOW EFFECT(FADE-IN)

Description:

The images that are displayed on home page, are displayed with the slide show effect, i.e. one after the other images flash-in and flash-out. Here we have shown an image that has flashed in.

Technology used:

To incorporate this feature we have used jQuery to fadeIn() the images using id selector. Along this we have also used setTimeout() which allows the image to stay on the pg for few seconds. After this time, the next function is called.

HOME.HTML




FIG.5.SLIDE SHOW EFFECT(FADE-OUT).

Description:

Here we see the image that was on the screen for sometime has now started fading away.

Technology used:

When the next function is called, for the existing image fadeout() is used with time parameter.

HOME.HTML




FIG.6. NEXT IMAGE COMING IN-SLIDE SHOW EFFECT

Description:

With the previous image fading away completely, we have a new image fading in.

Technology used:

When the next function is called, the new image fades in using fadeIn() of jQuery with id selector.

HOME.HTML




FIG.7.SUBSCRIBE TAG EFFECT(ANIMATION-WIDTH INCREASE)

Description:

To put an emphasizing effect on the logo that prompts a link for subscription to newsletters, the icon enlarges and shrinks alternately, continuously. In above case the logo is in increased size.

Technology used:

To do this we have used jQuery animation effect. The width and height are increased and decreased with a time parameter of 8 seconds.

HOME.HTML



FIG.8.SUBSCRIBE TAG EFFECT(ANIMATION-WIDTH DECREASE).

Description:

To put an emphasizing effect on the logo that prompts a link for subscription to newsletters, the icon enlarges and shrinks alternately, continuously. In above case the logo is in decreased size.

Technology used:

To do this we have used jQuery animation effect. The width and height are decreased and increased with a time parameter of 8 seconds.

2.COLLECTIONS.HTML




FIG.9.COLLECTIONS PAGE

Description:

When you click on the collections tab on top of home page, we are redirected to the above page. On this page we displayed all our collections with a cover picture for each collection album. On the name of each collection we have provided links to open the corresponding collection album.

Technology used:

We have simply used `<p>` ,`` and `<A>` tags to incorporate the design of Collections page.

COLLECTIONS.HTML




FIG.10.ROLLBACK EFFECT.

Description:

When user hovers on the cover picture of collections page, the image changes.

Technology used:

This effect is called rollback effect. For this effect we have JavaScript if and for loop along with user-defined functions.

COLLECTIONS.HTML




FIG.11.NEXT COLLECTION.

Description:

Here we have showed that collections page on further scrolling down look like this.

COLLECTIONS.HTML




FIG.12.LINK GIVEN TO THE WORD HIGHLIGHTED.

Description:

In this screenshot we have showed that on hovering the mouse on the link, the colour changes from grey to white. When mouse hovering is removed the colour changes back to grey.

Technology used:

To do this we used external CSS using pseudo class selector.

GUJRATI.HTML




FIG.13 ON CLICKING THE LINK A PAGE IS OPENED.

Description:

When user clicks on the name of the collection it opens up the gallery page where we can see all the images. On clicking the image further it opens up in new tab in enlarged format

Technology used:

We used ,<A> here.

GUJRATI.HTML




FIG.14.HOVER EFFECT GIVEN TO THE IMAGES.

Description:

When we hover over the images it dims to give an effect and comes back to previous state when mouse is moved out.

Technology used:

We have used onmouseover() and onmouseout() to call a JavaScript function which uses stop() and fadeTo() jQuery effects.

GUJARATI.HTML




FIG.15 ON CLICKING OF THE IMAGE ZOOMED IMAGE IS OPENED.

Description:

On clicking the image from gallery a new tab opens up with enlarged version of the image selected.

Technology used:

We have used <A> tag to link the images with target="blank" to open the image on a new tab.

GUJARATI.HTML




FIG.16 CLICK TO BUY HERE IS GIVEN A LINK.

Description:

We have provided a link in case the viewer wants to place an order of a dress.

Technology used:

We used <A> tag with href to provide the link to buy.html page




FIG.17.ONCLICK OF THE LINK BUY.HTML FORM IS OPENED.

Description:

This is the buy.html page where user can place an order. Here the user should enter his/her details along with the product he/she wishes to buy. And confirm the order by clicking on “Confirm” button.

Technology used:

<form>, <table> is used along with <input> and <textarea> and <button> to create a systematic looking form.




FIG.18.DATA RETRIEVED FROM DATABASE.

Description:

When user clicks on “Confirm” user is redirected to retrieve.php page. Here user’s name is displayed along with a sort of bill that displays the ordered product ID along with the price accounted for it.

Technology used:

Here we have used database connectivity where the price is retrieved from the database based on the product Id specified by the user in the buy.html form.

ABOUT US .HTML




FIG.18.ABOUT US PAGE.

Description:

In this page we have described about our fashion show. We have given an option to user to click on “Read More” to further expand the description. The header is retained as it is.

Technology used:

We have used simple <p> and font.

ABOUT US.HTML




FIG.19.ON CLICK OF READ MORE HIDDEN PARA IS SHOWN.

Description:

When user clicks on “Read More”, an expanded version of the description is displayed. “Read More” option goes invisible and “Read less” option comes.

Technology used:

We used hide() and show() for this using jQuery

ABOUT US.HTML




FIG.20 ON CLICK OF READ LESS THE PARA IS HIDDEN BACK

Description:

When user clicks on “Read less”, the expanded version goes and shorter version of description appears and “Read More” option replaces “Read less”

Technology used:

jQueryonclick() even is used with hide() and show()

CONTACT US.HTML

Send us a message:

Name:

E-mail:

Message:

submit reset

MUMBAI

- Store Manager: Prachi Mishra
- ground floor, mohammedbhai mansion next to crossword, below kemp's corner flyover, n s patkar marg cumballa hill.

NEW DELHI

- Store Manager: Riya Parekh
- I Aashikha (ground floor)
Next to H.C.G (Medisurge) Hospital
Mithakali, New Delhi-110 001

BANGALORE

- Store Manager: Jill Mehta
- Almas Centre, 87,
Mahatma Gandhi Rd, Ashok Nagar
Bengaluru, Karnataka

KOLKATA

- Store Manager: ABC XYZ
- 5, Chittaranjan Avenue,
2nd Floor, Bowbazar
Kolkata, West Bengal

FIG.21.CONTACT US PAGE.

Description:

This is our Contact Us page where user can locate our stores and contact numbers. User can also fill a feedback form here.

Technology used:

For systematic look we have used frames. Form tag is used with input and textarea tags. Unordered List is also used.

SUBSCRIPTION.HTML (ON CLICK OF SUBSCRIBE TAG SUBSCRIPTION FORM IS OPENED)

The screenshot shows a web browser window titled "Subscription Form" with the URL "localhost/project/Subscription%20form.html". The form is titled "Subscription Form" and contains the following fields:

- First Name *: Input field placeholder "Enter First name".
- Last Name *: Input field placeholder "Enter Last name".
- Gender *: Radio buttons for "Male" and "Female".
- Email*: Input field placeholder "Email".
- Age: Input field placeholder "-Select age group-".
- Mobile no.: Input field placeholder "91" followed by a dropdown menu labeled "Mobile No.". A red asterisk is present after the input field.
- Address: Text area placeholder "Address".
- Collections of Interest:
 - Trending
 - Punjabi
 - South Indian
 - Gujarati
 - Marathi
 - Christian
- Buttons: "Subscribe" and "Go Back".

FIG.22.SUBSCRIPTION FORM.

Description:

This is our subscription form where user can register for our newsletters. Since email is where we will be sending newsletters, hence email is an important input.

Technology used:

We have used form, table, input tag with placeholder attribute, checkbox, radio button and buttons.

2. TEST CASES:-

SUBSCRIPTION.HTML




FIG.NULL FIELD VALIDATOR.

Description:

For First name, Last Name, email and gender if we do not enter any value, on submit, an alert generates to enter value for the said input.

Technology used:

We have used JavaScript function along with if condition where value of the said input is checked. If it is found to be null or no value then the alert is generated and on clicking OK, the said input field is highlighted using focus() method.

SUBSCRIPTION.HTML

The screenshot shows a web browser window titled "Subscription Form" at the URL "localhost/project/Subscription%20form.html". The form contains fields for First Name, Last Name, Gender, Email, Age, Mobile number, Address, and Collections of Interest. A validation message is displayed in a modal dialog: "The page at localhost says: Please enter valid first name".

Subscription Form

First Name * 12345

Last Name * MEHRA

Gender * Male Female

Email* mehrasonu@rediff.co.in

Age -Select age group-

Mobile no. 91 9876543210

Address A/202,SAI DHAM
PALACE,DADAR
WEST,MUMBAI-400064

Collections of Interest

- Trending
- Punjabi
- South Indian
- Gujarati
- Marathi
- Christian

Subscribe Go Back

The page at localhost says:
Please enter valid first name

OK

FIG.REGULAR EXPRESSION

Description:

In First Name or Last Name if a user enters numbers or anything except alphabets then an alert is generated stating enter valid name.

Technology used:

We have used JavaScript function along with if condition where value of the said input is checked matched with a regular expression.

SUBSCRIPTION.HTML




FIG.REGULAR EXPRESSION.

Description:

In email if a user enters an email which does not match with the standard format of an email, then an alert is generated stating enter valid email.

Technology used:

We have used JavaScript function along with if condition where value of the said input is checked matched with a regular expression.

SUBSCRIPTION.HTML




FIG.RANGE VALIDATORS.

Description:

If user enters mobile no, then if a user enters anything else except numbers then alert pops up saying enter valid mobile number

Technology used:

We have used JavaScript function along with if condition where value of the said input is checked. If it is not a number(NaN) or length is not equal to 10 then alert appears.

SUBSCRIPTION.HTML

The screenshot shows a web browser window titled "Subscription Form" with the URL "localhost/project/Subscription%20form.html". The form contains the following data:

First Name *	ABCD
Last Name *	MEHRA
Gender *	<input checked="" type="radio"/> Male <input type="radio"/> Female
Email*	abcd_mehra@yahoo.com
Age	-Select age group- ▾
Mobile no.	91 9876543210
Address	A/202,SAT DHAM PALACE,DADAR- WEST,MUMBAI-400064
Collections of Interest	<input checked="" type="checkbox"/> Trending <input type="checkbox"/> Punjabi <input type="checkbox"/> South Indian <input type="checkbox"/> Gujarati <input type="checkbox"/> Marathi <input type="checkbox"/> Christian
<input type="button" value="Subscribe"/> <input type="button" value="Go Back"/>	

FIG.2.FILLED FORM.

Description:

Here we have shown a form which is filled most appropriately to pass the form validation process successfully.

Technology used:

When all the values entered satisfy all the validation condition a true is passed from the formvalidate() method.

SUBSCRIPTION.HTML




FIG.3.ON SUBMIT.

Description:

On clicking submit for a successfully validated form we get a pop-up box asking if password protection is required for newsletters.

Technology used:

In the form tag, for onsubmit attribute we have specified a function which displays confirm box.

SUBSCRIPTION.HTML




FIG.4. ON CLICK OF OKAY BUTTON.

Description:

If user clicks 'OK' on the previously displayed alert box then another prompt appears asking for the password.

Technology used:

If true condition for alert i.e. when user clicks OK then prompt box appears with a textbox to enter password.

SUBSCRIPTION.HTML




FIG.9.SUCCESSFULLY REGISTERED FORM.

Description:

On clicking OK after entering password in prompt box or when user clicks Cancel on first confirm box then an alert appears for successful submission

Technology used:

If user clicks OK on confirm followed by entering password, or direct Cancel, in both the cases the Successful Submission alert box appears. We used JavaScript with if condition.

3. DATABASE:

PRODUCT DATABASE: (STRUCTURE)

The screenshot shows the phpMyAdmin interface for a MySQL database named 'wampserver'. The left sidebar lists various databases and tables, including 'products' and its sub-table 'dress'. The main panel displays the structure of the 'dress' table, which has two columns: 'id' (varchar(4)) and 'price' (int(5)). Below the table structure, there is an 'Information' box providing details about space usage and row statistics.

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	id	varchar(4)	latin1_swedish_ci		No	None		Change Drop Primary Unique Index Spatial Fulltext Distinct values
2	price	int(5)			No	None		Change Drop Primary Unique Index Spatial Fulltext Distinct values

Information

	Space usage	Row statistics
Data	16 KIB	Format
Index	0 B	Collation
Total	16 KIB	Creation
		Apr 18, 2015 at 02:06 PM

FIG.1.STRUCTURE OF DATABASE.

The Product database is a created database that is used to retrieve data when user places an order. The database includes two columns viz. Id and Price. The user enters the product id. The price for same product id is echoed using php where entered product id is matched with that in database.

PRODUCT DATABASE:

The screenshot shows the phpMyAdmin interface for a MySQL database named 'products'. The 'dress' table is selected. The SQL query executed is 'SELECT DISTINCT * FROM `dress` WHERE 1'. The results show 13 distinct rows of data. The table structure has two columns: 'id' and 'price'. The data is as follows:

id	price
TJ01	4000
TJ02	4500
TJ03	5500
TJ04	5000
TJ05	3800
TJ06	6000
GJ01	4700
GJ02	5900
GJ03	6500
GJ04	5400
GJ05	6000
GJ06	5000
GJ06	6000

FIG.2.PRODUCT DATABSE.

We have included few products from Trending and Gujarati collections to consider for the database.

REGISTER DATABASE: (STRUCTURE)

The screenshot shows the phpMyAdmin interface for the 'register' database. The left sidebar lists various databases and tables, with 'register' selected. Under 'register', 'client' is selected. The main area displays the structure of the 'client' table. The table has six columns: 'fname', 'lname', 'gender', 'email', 'mobile.no', and 'adress'. The 'fname' column is defined as varchar(20) with a primary key constraint. The 'lname' column is defined as varchar(20). The 'gender' column is defined as varchar(1). The 'email' column is defined as varchar(40). The 'mobile.no' column is defined as bigint(10). The 'adress' column is defined as varchar(50). The table uses latin1_swedish_ci collation. The 'Information' panel at the bottom provides space usage statistics: Data (16 KiB), Index (0 B), and Total (16 KiB). The Row statistics show Format as Compact, Collation as latin1_swedish_ci, and Creation date as Apr 28, 2015 at 04:21 PM.

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	fname	varchar(20)	latin1_swedish_ci		No	None		Change Drop Primary Unique Index Spatial Fulltext Distinct values
2	lname	varchar(20)	latin1_swedish_ci		No	None		Change Drop Primary Unique Index Spatial Fulltext Distinct values
3	gender	varchar(1)	latin1_swedish_ci		No	None		Change Drop Primary Unique Index Spatial Fulltext Distinct values
4	email	varchar(40)	latin1_swedish_ci		No	None		Change Drop Primary Unique Index Spatial Fulltext Distinct values
5	mobile.no	bigint(10)			No	None		Change Drop Primary Unique Index Spatial Fulltext Distinct values
6	adress	varchar(50)	latin1_swedish_ci		No	None		Change Drop Primary Unique Index Spatial Fulltext Distinct values

FIG.3.STRUCTURE OF THE DATABASE.

This database is used to maintain a record of the users that have subscribed for the newsletters. Whenever a user fills the subscription form and submits it successfully, its form values are inserted in the database, using php. The database maintains first name, last name, gender, email, mobile no. and address.

REGISTER DATABASE: (BEFORE A VALUE IS ENTERD).

The screenshot shows the phpMyAdmin interface for a MySQL database named 'register'. The 'client' table is selected. The table structure includes columns: fname, lname, gender, email, mobile.no, and adress. Two rows of data are present:

fname	lname	gender	email	mobile.no	adress
PRACHI	MISHRA	F	mishraprachi95@gmail.com	987027802	B/102, GREEN VALLEY, BORIVLI-WEST, MUMBAI-400001
JILL	MEHTA	F	mehta_jill@yahoo.com	2147483647	A/20, NEW SANGETA, APT, MALAD-WEST, MUMBAI-400064

FIG.4.BEFORE ENETERING A VALUE.

Before entering any values through form, our database looked as above with certain values inserted using SQL commands.

REGISTER DATABASE: (AFTER ENTERING NEWVALUES)

The screenshot shows the phpMyAdmin interface for a MySQL database named 'register'. The left sidebar lists various databases and tables, including 'client' and 'clients'. The main window is focused on the 'client' table, which contains three rows of data. The SQL query at the top is:

```
SELECT DISTINCT * FROM `client`
```

The table data is as follows:

fname	lname	gender	email	mobile.no	adress
PRACHI	MISHRA	F	mishraprachi95@gmail.com	987027802	B/102, GREEN VALLEY, BORIVLI-WEST, MUMBAI-400001
JILL	MEHTA	F	mehta_jill@yahoo.com	2147483647	A/20, NEW SANGETA APT, MALAD-WEST, MUMBAI-400064
ABCD	MEHRA	F	abcd_mehra@yahoo.com	9876543210	A/202, SAI DHAM PALACE, DADAR-WEST, MUMBAI-400064

Below the table, there are buttons for 'Print view', 'Print view (with full texts)', 'Export', 'Display chart', and 'Create view'.

FIG.5.ENTERED VALUES SEEN IN DATABASE.

As per the form that we have shown for the filled up Registration form, we are getting the newly inserted tuple where fname="ABCD"

4.CODES: **HOME.HTML**

```
<html>
<head>
<title>Home page</title>
<meta charset="UTF-8">
<style type="text/css">
@import url('Frameset_1/Frameset_2/Frameset_3/menu.css');
img{height:600}
</style>

<script src="http://ajax.googleapis.com/ajax/libs/jquery/1.11.2/jquery.min.js"></script>
<script type="text/javascript">
$(document).ready(function()
{
    first();
    function first()
    {
        $("#2").hide();
        $("#3").hide();
        $("#4").hide();
        $("#5").hide();
        $("#6").hide();
        $("#7").hide();
        $("#1").fadeIn(8000);
        var a=setTimeout(second,5000);
    }
    function second(){
        $("#1").fadeOut(1000);
        $("#2").fadeIn(3000);
        var b=setTimeout(third,5000);
    }
    function third(){
        $("#2").fadeOut(1000);
        $("#3").fadeIn(3000);
        var c=setTimeout(fourth,5000);
    }
    function fourth(){
        $("#3").fadeOut(1000);
        $("#4").fadeIn(3000);
        var c=setTimeout(fifth,5000);
    }
    function fifth(){
        $("#4").fadeOut(1000);
        $("#5").fadeIn(3000);
        var c=setTimeout(sixth,5000);
    }
    function sixth(){
        $("#5").fadeOut(1000);
        $("#6").fadeIn(3000);
        var c=setTimeout(seventh,5000);
    }
}
```

```

        }
    function seventh(){
        $("#6").fadeOut(1000);
        $("#7").fadeIn(3000);
        var c=setTimeout(first,5000);
    }

    $(".flip").hover(function()
    {
        $("ul").slideToggle("slow");
    });
    animation();
    function animation()
    {
        $("#subsc") .animate( {height:"62px",width:"100px"},8000);
        $("#subsc") .animate( {height:"60px",width:"150px"},8000);
        animation();
    }

});

</script>
<style>
ul{
    position:absolute;
    display:none;
    z-index:100;
    top:-12x;
    width:200;
    background-color:black
}
</style>
</head>
<body background="bg.html">
<header>
<h2>
<A class="flip" href="collections.html" style="z-index:110">COLLECTIONS</A>
<ul class="flip">
<A href="trending.html"><li>Trending</li></A>
<A href="punjabi.html"><li>Punjabi</li></A>
<A href="gujarati.html"><li>Gujarati</li></A>
<A href="christian.html"><li>Christian</li></A>
</ul>
&nbsp
<A href="about us.html">ABOUT US</A>
&nbsp
<A href="home.html"></img></A>
&nbsp
<A href="trending.html">TRENDING</A>
&nbsp
<A href="contact us.html">CONTACT US</A>
&nbsp
<A href="subscription form.html"></img></A></h2>
</header>
<center>

```

```

</img>
</img>
</img>
</img>
</img>
</img>
</img>
</center>
</body>
</html>

```

2.COLLECTIONS.HTML

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<style type="text/css">
@import url('Frameset_1/Frameset_2/Frameset_3/menu.css');
.style6 {
    font-family: Algerian;
    font-size: 36px;
    color: #666666;
}
</style>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
<title>COLLECTIONS</title>

<script type="text/JavaScript">
<!--
function MM_swapImgRestore() { //v3.0
  var i,x,a=document.MM_sr; for(i=0;a&&i<a.length&&(x=a[i])&&x.oSrc;i++) x.src=x.oSrc;
}

function MM_preloadImages() { //v3.0
  var d=document; if(d.images){ if(!d.MM_p) d.MM_p=new Array();
    var i,j=d.MM_p.length,a=MM_preloadImages.arguments; for(i=0; i<a.length; i++)
      if (a[i].indexOf("#")!=0){ d.MM_p[j]=new Image; d.MM_p[j++].src=a[i];}}
}

function MM_findObj(n, d) { //v4.01
  var p,i,x; if(!d) d=document; if((p=n.indexOf("?"))>0&&parent.frames.length) {
    d=parent.frames[n.substring(p+1)].document; n=n.substring(0,p);}
  if(!(x=d[n])&&d.all) x=d.all[n]; for (i=0;!x&&i<d.forms.length;i++) x=d.forms[i][n];
  for(i=0;!x&&d.layers&&i<d.layers.length;i++) x=MM_findObj(n,d.layers[i].document);
  if(!x && d.getElementById) x=d.getElementById(n); return x;
}

function MM_swapImage() { //v3.0
  var i,j=0,x,a=MM_swapImage.arguments; document.MM_sr=new Array; for(i=0;i<(a.length-2);i+=3)
    if ((x=MM_findObj(a[i]))!=null){document.MM_sr[j++]=x; if(!x.oSrc) x.oSrc=x.src; x.src=a[i+2];}
}
//-->
</script>
</head>

```

```
<body bgcolor="#220201"
 onload="MM_preloadImages('../EXP1/BACKGROUND/7.jpg','../EXP1/BACKGROUND/11.jpg','images/2.jpg','images/punj_1.jpg','images/punj_4.jpg','images/chr_2.jpg','images/guj_4.jpg','wedding2/26.jpg")">
<H2 align="right">

</H2><header>
<h2>
<A href="collections.html">COLLECTIONS</A>
&nbsp
<A href="about us.html">ABOUT US</A>
&nbsp
<A href="home.html"></img></A>
&nbsp
<A href="trending.html">TRENDING</A>
&nbsp
<A href="contact us.html">CONTACT US</A>
&nbsp
<A href="subscription form.html"></img></A></h2>
</header>

<p align="center">&nbsp;</p>
<p align="center"><a href="#" onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image4','','images/2.jpg',1)"></a></p>
<p align="center"><a href="home.html" onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image2','','../EXP1/BACKGROUND/7.jpg',1)"></a><a href="home.html"
onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image5','','../EXP1/BACKGROUND/11.jpg',1)"></a></p>
<p align="center">&nbsp;</p>
<p align="center"><font size="7" face="Algerian"><font color="#666666"><a
href="trending.html">TRENDING</a></font></font></p>
<p align="left"><a href="trending.html">
</a>
<blockquote>
<blockquote>
<blockquote>
<blockquote>
<blockquote>
<h2 align="right">&nbsp;</h2>
<h2 align="right">&nbsp;</h2>
<h2 align="right"><a href="#" onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image2','','images/2.jpg',1)"></a></h2>
</blockquote>
</blockquote>
</blockquote>
</blockquote>
</blockquote>
```

<p></p>

</p>

<p></p>

<p> </p>

<p align="center"> </p>

<p align="center"> </p>

<p align="center"></p>

<p align="center"> </p>

<p align="center">PUNJABI</p>

<blockquote>

<blockquote>

<h2 ALIGN="right"> </h2>

</blockquote>

</blockquote>

<p></p>

<p> </p>

<p> </p>

<p> </p>

<p> </p>

<blockquote><blockquote>

<div align="left"></div>

<p align="left"> </p>

<p align="left"> </p>

<p align="left"> </p>

<p align="left"> </p>

<cite></cite><tt> d gujarati</tt>

<p> </p>

<blockquote>

<blockquote> </blockquote>

</blockquote>

<blockquote>

<div align="right"></div>

</blockquote>

</blockquote>

```

<blockquote>
<blockquote>&nbsp;</blockquote>
</blockquote>
<blockquote>
<blockquote>&nbsp;</blockquote>
</blockquote>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p align="center"><font color="#666666" size="7" face="Algerian"><a href="christian.html">CHRISTIAN</a></font></p>
</blockquote>
</blockquote>
</body>
</html>

```

a.TRENDING.HTML

```

<html>
<head>
<title>
Trending</title>
<style type="text/css">
@import url('Frameset_1/Frameset_2/Frameset_3/menu.css');
</style>
<script src="http://code.jquery.com/jquery-2.1.1.js"></script>
<script type="text/javascript">
function fade(obj,opacity) {
$(obj).stop().fadeTo('slow', opacity);
</script>

</head>
<body bgcolor="#2E1717">
<h2 align="center"><font size="7"><a href="ABOUT US.HTML" target="_blank"><font color="#666666" face="algerian"></FON

```

```

<td><a href="trending_link/33_img.html" target="_blank"></a><br><font color="#666666" face="Algerian" size="+5"> CODE:TJ03 </font></img></td>
</tr>
<tr>
<td><a href="trending_link/34_img.html" target="_blank"></a><br><font color="#666666" face="Algerian" size="+5"> CODE:TJ04 </font></img></td>
<td><a href="trending_link/37_img.html" target="_blank"></a><br><font color="#666666" face="Algerian" size="+5"> CODE:TJ05 </font></img></td>
<td><a href="trending_link/38_img.html" target="_blank"></a></BR><font color="#666666" face="Algerian" size="+5">CODE:TJ06 </font>
</img></td>
</tr>
</table>
</body>
</html>

```

B.) PUNJABI.HTML

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<style type="text/css">
@import url('Frameset_1/Frameset_2/Frameset_3/menu.css');
</style>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
<title>punjabi</title>
<script src="http://code.jquery.com/jquery-2.1.1.js"></script>
<script type="text/javascript">
function fade(obj,opacity) {
$(obj).stop().fadeTo('slow', opacity);
</script>
</head>
<body bgcolor="#2E1717">
<h2 align="center"><font size="7"><a href="ABOUT US.HTML" target="_blank"><font color="#666666" face="algerian"></FON></a></font><a href="ABOUT US.HTML" target="_blank"><font color="#666666" face="algerian">ABOUT US</FON></a><A href="COLLECTION.HTML"><font color="#666666" face="algerian">COLLECTIONS</font></A><A href="home.html"><font color="#666666"></font></img></A><a href="CONTACT US.HTML"><font color="#666666" face="Algerian">CONTACT US</font></a>&nbsp;</h2>
<p>&nbsp;</p>
<table bgcolor="#372D05" cellspacing="12" cellpadding="50" frame="border">
<tr>
<td><a href="punjabi_link/48_img.html" target="_blank"></a><br><font color="#666666" face="Algerian" size="+5"> CODE:PJ01 </font></img></td>
<td><a href="punjabi_link/52_img.html" target="_blank"></a><br><font color="#666666" face="Algerian" size="+5"> CODE:PJ02 </font></img></td>
<td><a href="punjabi_link/54_img.html" target="_blank"></a><br><font color="#666666" face="Algerian" size="+5"> CODE:PJ03 </font></img></td>

```

```

</tr>
<tr>
<td><a href="punjabi_link/55_img.html" target="_blank"></a><br><font color="#666666" face="Algerian" size="+5"> CODE:PJ04 </font></img></td>
<td><a href="punjabi_link/43_img.html" target="_blank"></a><br><font color="#666666" face="Algerian" size="+5"> CODE:PJ05 </font></img></td>
<td><a href="punjabi_link/49_img.html" target="_blank"></a><br><font color="#666666" face="Algerian" size="+5"> CODE:PJ06 </font></img></td>
</body>
</html>

```

C.) GIJARATI.HTML

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
<style type="text/css">
@import url('Frameset_1/Frameset_2/Frameset_3/menu.css');
.style2 {
    font-family: Algerian;
    color: #CCCCCC;
}
</style>
<title>gujrati</title>
<script src="http://code.jquery.com/jquery-2.1.1.js"></script>
<script type="text/javascript">
function fade(obj,opacity) {
$(obj).stop().fadeTo('slow', opacity);
}
</script>
</head>
<body bgcolor="#2E1717">
<header>
<h2>
<A href="collections.html">COLLECTIONS</A>
&nbsp
<A href="about us.html">ABOUT US</A>
&nbsp
<A href="home.html"></img></A>
&nbsp
<A href="trending.html">TRENDING</A>
&nbsp
<A href="contact us.html">CONTACT US</A>
&nbsp
<A href="subscription form.html"></img></A></h2>
<p align="center">&nbsp;</p>
<p align="center"><span class="style2"><a href="buy.html">CLICK HERE TO BUY</a></span></p>
</header>
<p>&nbsp;</p>
<table bgcolor="#372D05" cellspacing="12" cellpadding="50"
frame="border">
<tr>

```

```

<td><a href="gujarati_link/13_img.html" target="_blank"></a><br><font color="#666666" face="Algerian" size="+5"> CODE:GJ01 </font></img></td>
<TD><a href="gujarati_link/14_img.html" target="_blank"></a><br><font color="#666666" face="Algerian" size="+5">CODE:GJ02</font></img></TD>
<td><a href="gujarati_link/22_img.html" target="_blank"></a><br><font color="#666666" face="Algerian" size="+5">CODE:GJ03</font></img></TD>
</tr>
<tr>
<td><a href="gujarati_link/24_img.html" target="_blank"></a><br><font color="#666666" face="Algerian" size="+5" dir="ltr"> CODE:GJ04 </font></img></td>
<td><a href="gujarati_link/25_img.html" target="_blank"></a><br><font color="#666666" face="Algerian" size="+5"> CODE:GJ05 </font></img></td>
<td><a href="gujarati_link/27_img.html" target="_blank"></a><br><font color="#666666" face="Algerian" size="+5"> CODE:GJ06 </font></img></td>
</tr>
</table>
</body>
</html>

```

D.) CHRISTIAN.HTML

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
<title>christian</title>
<script src="http://code.jquery.com/jquery-2.1.1.js"></script>
<script type="text/javascript">
function fade(obj,opacity) {
$(obj).stop().fadeTo('slow', opacity);
</script>
</head>
<body bgcolor="#2E1717">
<h2 align="center"><font size="7"><a href="ABOUT US.HTML" target="_blank"><font color="#666666" face="algerian"></FON></a><font color="#666666" face="algerian">ABOUT US</FON></a><A href="COLLECTION.HTML"><font color="#666666" face="algerian">COLLECTIONS</font></A><A href="home.html"><font color="#666666"></font></img></A><a href="CONTACT US.HTML"><font color="#666666" face="Algerian"> CONTACT US</font></a></h2>
<table bgcolor="#372D05" cellspacing="12" cellpadding="50" frame="border">
<td><a href="christian_link/5_img.html" target="_blank"></a><br><font color="#666666" face="Algerian" size="+5"> CODE:CH01 </font></img></td>
<td><a href="christian_link/6_img.html" target="_blank"></a></a><br><font color="#666666" face="Algerian" size="+5"> CODE:CH02 </font></img></td>
<td><a href="christian_link/7_img.html" target="_blank"></a></a><br><font color="#666666" face="Algerian" size="+5"> CODE:CH03 </font></img></td>

```

```

</tr>
<tr>
<td><a href="christian_link/9_img.html" target="_blank"></a></a><br><font color="#666666" face="Algerian" size="+5"> CODE:CH04 </font></img></td>
<td><a href="christian_link/10_img.html" target="_blank"></a></a><br><font color="#666666" face="Algerian" size="+5"> CODE:CH05 </font></td>
<td><a href="christian_link/8_img.html" target="_blank"></a></a><br><font color="#666666" face="Algerian" size="+5"> CODE:CH06 </font></img></td>
</tr>
</table></body></html>

```

BUY.HTML

```

<html>
<head>
<title>Order a Product</title>
<style type="text/css">
@import url('Frameset_1/Frameset_2/Frameset_3/menu.css');
</style>
<script src="http://ajax.googleapis.com/ajax/libs/jquery/1.11.2/jquery.min.js"></script>
<script type="text/javascript">
function formvalidate()
{
    //Checking for null fields in mandatory fields
    if(document.sub.fname.value==null || document.sub.fname.value=="")
    {
        alert('Enter First Name');
        document.sub.fname.focus();
        return false;
    }
    if(document.sub.lname.value==null || document.sub.lname.value=="")
    {
        alert('Enter Last Name');
        document.sub.lname.focus();
        return false;
    }
    if(document.sub.email.value==null || document.sub.email.value=="")
    {
        alert('Enter Email');
        document.sub.email.focus();
        return false;
    }
    //Validating email(mandatory field)
    if(!(/^\w+([\.-]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3})+$/.test(document.sub.email.value)))
    {
        alert('Please enter correct email ID')
        document.sub.email.focus();
        return false;
    }
    //validating mobile number if entered
    if((document.sub.mobile.value!=null && document.sub.mobile.value!="") &&
(isNaN(document.sub.mobile.value) || document.sub.mobile.value.length!=10))
    {
        alert('Enter valid mobile no');
    }
}

```

```

        document.sub.mobile.focus();
        return false;
    }
    if(document.sub.prod.value==null || document.sub.prod.value=="")
    {
        alert('Enter Product ID');
        document.sub.prod.focus();
        return false;
    }
    return true;
}
</script>
<script>
$(document).ready(function(){
    $("input").focus(function(){
        $(this).css("background-color", "#cccccc");
    });
    $("input").blur(function(){
        $(this).css("background-color", "#ffffff");
    });
    $("textarea").focus(function(){
        $(this).css("background-color", "#cccccc");
    });
    $("textarea").blur(function(){
        $(this).css("background-color", "#ffffff");
    });
});
</script>
</head>
<body>





```

```

<td><font color="#666666">Select Product ID</font></td>
<td><select name="prod">
<option value=""> --Select ID-- </option>
<option value="TJ01">TJ01</option>
<option value="TJ02">TJ02</option>
<option value="TJ03">TJ03</option>
<option value="TJ04">TJ04</option>
<option value="TJ05">TJ05</option>
<option value="TJ06">TJ06</option>
<option value="GJ01">GJ01</option>
<option value="GJ02">GJ02</option>
<option value="GJ03">GJ03</option>
<option value="GJ04">GJ04</option>
<option value="GJ05">GJ05</option>
<option value="GJ06">GJ06</option>
</select>
</td>
</tr>
<tr><td></td>
<td><input type="submit" value="Order">&nbsp
<input type="button" value="Go Back" onclick="window.location.href='home.html'"></td>
</tr>
</form>
</table>
</body>
</html>

```

RETRIEVE.PHP

```

<?php phpinfo();
$servername = "localhost";
$username = "username";
$password = "";
$dbname = "products";

// Create connection
@$conn = new mysqli("localhost", "username", "", "products");
// Check connection
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}

$sql = "SELECT * FROM dress";
$result = $conn->query($sql);

if ($result->num_rows > 0) {
    // output data of each row
    while($row = $result->fetch_assoc()) {
        echo "id: " . $row["id"]. " - Price: " . $row["price"]. "<br>";
    }
} else {
    echo "0 results";
}
$conn->close();
?>

```

ABOUT US.HTML

```
<html>
<head>
<title>
About us</title>
<style type="text/css">
@import url('frameset_1/frameset_2/frameset_3/menu.css');
</style>
<script src="http://ajax.googleapis.com/ajax/libs/jquery/1.11.2/jquery.min.js"></script>
<script type="text/javascript">
$(document).ready(function()
{
first();
function first(){
$("#less").hide();
$("#expand").hide();
$("#more").show();
}
$("#more").click(function(){
$("#expand").show();
$("#less").show();
$("#more").hide();
});
$("#less").click(function(){
$("#expand").hide();
$("#less").hide();
$("#more").show();
});
});
});

</script>
</head>
<body>
<H2 align="right">

</h2>
<header>
<h2>
<A href="collections.html">COLLECTIONS</A>
&nbsp
<A href="about us.html">ABOUT US</A>
&nbsp
<A href="home.html"></img></A>
&nbsp
<A href="trending.html">TRENDING</A>
&nbsp
<A href="contact us.html">CONTACT US</A>
&nbsp
<A href="subscription form.html"></img></A></h2>
</header>
```

<p> Gujarat based designers SHYAMAL & BHUMIKA's fashion collections strongly reflect a passion for craft & heritage.

Bhumika's passion for textiles and fashion led her to study fashion design at the National Institute of Fashion Technology. Shyamal studied and researched fashion in London and Milan.

Nominated for best Indian wear in 2008 Shyamal & Bhumika design for several clients worldwide and have also designed for stars like EshaDeol ,SonakshiSinha, DiaMirza , HemaMalini & the list goes on.

The designers are also involved in the research and revival of various dying arts and crafts.

<u>Read More</u>
</p>

<p id="expand">The designers are also involved in the research and revival of various dying arts and crafts.
For More details google our site and get to know more about us..!!</p>
<u><p id="less">Read less</p></u>

</body>
</html>

CONTACT US.HTML

```
<html>
<head>
<title>
Contact us</title>
</head>
<frameset rows="22%,*" frameborder="no">
<frame src="Frameset_1/menu_bar.html" scrolling="no">
<frame src="Frameset_1/frame_2.html">
</frameset>
</html>
<html>
<head>
<title>
frame_2</title>
</head>
<frameset cols="30%,*">
<frame src="frameset_2/form.html">
<frame src="frameset_2/frame.html">
</frameset>
</html>
```

FRAME.HTML

```
<html>
<head>
<title>Frames</title>
</head>
<frameset rows="*,*,*,*" frameborder="10">
<frame src="Frameset_3/store_mum.html">
<frame src="Frameset_3/Store_del.html">
<frame src="Frameset_3/Store_bang.html">
<frame src="Frameset_3/Store_kol.html">
</frameset>
```

```
</html>
```

FORM.HTML

```
<HTML>
<HEAD>
<TITLE>Send us a message</TITLE>
<link type="text/css" rel="stylesheet" href="frameset_3/menu.css">
</HEAD>
<body>
<h3>
<font style="font-family:'Baskerville Old Face'">
Send us a message: <br><br>
</font>
</hr>
<table>
<Form method="post">
<tr>
<td>
<font style="font-family:'Baskerville Old Face'">
Name:</font></td>
<td><INPUT TYPE="TEXT" maxlength="40" name="name" onsubmit="return nullfield()">
</td></tr>
<tr>
<td>
<font style="font-family:'Baskerville Old Face'">
E-mail:</font></td>
<td><INPUT TYPE="TEXT" maxlength="40" name="email"></td></tr>
<tr>
<td><font style="font-family:'Baskerville Old Face'">
Message:</font></td>
<td><textarea rows="5" cols="20" wrap="physical" name="message">Enter message
</textarea></td>
</tr>
<tr>
<td>
<input type="submit" value="submit" name="submit" onClick="alert('Thank you')"/></td>
<td>
<input type="reset" value="reset" name="reset">
</td></tr></table>
</body>
</html>
```

MENU.HTML

```
<html>
<head>
<title>Menubar</title>
<style type="text/css">
@import url('Frameset_2/Frameset_3/menu.css');
</style>
</head>
<body>
<header>
<h2>
<A href="collections.html">COLLECTIONS</A>
&nbsp;
<A href="about us.html">ABOUT US</A>
```

```

&nbsp
<A href="home.html"></img></A>
&nbsp
<A href="trending.html">TRENDING</A>
&nbsp
<A href="contact us.html">CONTACT US</A>
&nbsp
<A href="subscription form.html"></img></A></h2>
</header>

</body>
</html>

```

MENU.CSS

```

body{background-color:2B0101}
ul{color:red}
font{color:#666666}
h3{color:#666666;font-family:"arial black"}
h2{color:#666666;font-family:algerian;text-align:center}
a:link{color:#666666}
a:visited{color:#666666}
a:hover{color:white}

```

STORE_MUM.HTML

```

<html>
<head>
<title>Store_mum</title>
<link type="text/css" rel="stylesheet" href="menu.css">
</head>
<body>
<h3>MUMBAI</h3>
<ul>
<li><font>Store Manager: Prachi Mishra</font>
<li><font>ground floor, mohammedhai mansion next to crossword,<br> below kamps corner flyover, <br>n s patkar marg,cumballa hill,<br> mumbai - 400026</font>
<li><font>tel:+91 9999988888</font>
<li><font>email:store_mumbai@beautybrides.com</font>
</ul>
</body>
</html>

```

STORE_KOL.HTML

```

<html>
<head>
<title>Store_kol</title>
<link type="text/css" rel="stylesheet" href="menu.css">
</head>
<body>
<h3>KOLKATA</h3>
<ul>
<li><font>Store Manager: ABC XYZ</font>
<li><font>5, Chittaranjan Avenue, <br>2nd Floor, Bowbazar<br> Kolkata, West Bengal</font>

```

```
<li><font>tel:+91 5555566666</font>
<li><font>email:store_kolkata@beautybrides.com</font>
</ul>
</body>
</html>
```

STORE_DEL.HTML

```
<html>
<head>
<title>Store_del</title>
<link type="text/css" rel="stylesheet" href="menu.css">
</head>
<body>
<h3>NEW DELHI</h3>
<ul>
<li><font>Store Manager: Riya Parekh</font>
<li><font>1 Aashkha (ground floor) <br>
Next to H.C.G (Medisurge) Hostpital<br>
Mithakali, New Delhi-110 001</font>
<li><font>tel:+91 7777733333</font>
<li><font>email:store_newdls@beautybrides.com</font>
</ul>
</body>
</html>
```

STORE_BANG.HTML

```
<html>
<head>
<title>Store_bang</title>
<link type="text/css" rel="stylesheet" href="menu.css">
</head>
<body>
<h3>BANGALORE</h3>
<ul>
<li><font>Store Manager: Jill Mehta</font>
<li><font>Almas Centre, 87,<br>
Mahatma Gandhi Rd, Ashok Nagar<br>
Bengaluru, Karnataka</li></font>
<li><font>tel:+91 1111122222</font>
<li><font>email:store_bangalore@beautybrides.com</font>
</ul>
</body>
</html>
```

SUBSCRIPTION.HTML

```
<html>
<head>
<title>Subscription Form</title>
<style type="text/css">
@import url('Frameset_1/Frameset_2/Frameset_3/menu.css');
</style>
<script src="http://ajax.googleapis.com/ajax/libs/jquery/1.11.2/jquery.min.js"></script>
<script type="text/javascript">
```

```

function formvalidate()
{
    //Checking for null fields in mandatory fields
    if(document.sub.fname.value==null || document.sub.fname.value=="")
    {
        alert('Enter First Name');
        document.sub.fname.focus();
        return false;
    }
    if (!document.sub.fname.value.match(/^[a-zA-Z]+$/ ) )
    {
        alert('Please enter valid first name')
        document.sub.fname.focus() ;
        return false;
    }

    if(document.sub.lname.value==null || document.sub.lname.value=="")
    {
        alert('Enter Last Name');
        document.sub.lname.focus();
        return false;
    }
    if (!document.sub.lname.value.match(/^[a-zA-Z]+$/ ) )
    {
        alert('Please enter valid last name')
        document.sub.lname.focus() ;
        return false;
    }

    if(document.sub.gender.value==null || document.sub.gender.value=="")
    {
        alert('Enter Gender');
        document.sub.gender.focus();
        return false;
    }

    if(document.sub.email.value==null || document.sub.email.value=="")
    {
        alert('Enter Email');
        document.sub.email.focus();
        return false;
    }

    //Validating email(mandatory field)
    if (!(/^w+([.-]?\w+)*@\w+([.-]?\w+)*(\.\w{2,3})+$/.test(document.sub.email.value)))
    {
        alert('Please enter correct email ID')
        document.sub.email.focus() ;
        return false;
    }

    //validating mobile number if entered
    if((document.sub.mobile.value!=null && document.sub.mobile.value!="") &&
    isNaN(document.sub.mobile.value) || document.sub.mobile.value.length!=10))
    {
        alert('Enter valid mobile no');
        document.sub.mobile.focus();
        return false;
    }

    return true;
}

```

```

}

function done()
{
if(confirm("Do you want the newsletters to be password protected? If yes click OK else click Cancel"))
{
    prompt("Enter password","");
}
else
{
    alert("You have successfully subscribed");
}
}

</script>
<script>
$(document).ready(function(){
    $("input").focus(function(){
        $(this).css("background-color", "#cccccc");
    });
    $("input").blur(function(){
        $(this).css("background-color", "#ffffff");
    });
    $("textarea").focus(function(){
        $(this).css("background-color", "#cccccc");
    });
    $("textarea").blur(function(){
        $(this).css("background-color", "#ffffff");
    });
});
</script>
</head>
<body>





```

```

<option>26-35 years</option>
<option>36-45 years</option>
<option>46-60 years</option>
<option>above 60 years</option>
</select>
</td>
</tr>
<tr>
<td><font color="#666666">Mobile no. &nbsp;</font></td>
<td>+<input type="text" maxlength="3" size="3" value="91">&nbsp;<input type="text" name="mobile" size="10" placeholder="Mobile No."></td>
</tr>
<tr>
<td><font color="#666666">Address &nbsp;</font></td>
<td><textarea rows="5" cols="20" wrap="physical" name="address"></textarea></td>
</tr>
<tr>
<td><font color="#666666">Collections of Interest</font></td>
<td><input type="checkbox" checked><font color="#666666">Trending</font><br>
<input type="checkbox"><font color="#666666">Punjabi</font><br>
<input type="checkbox"><font color="#666666">South Indian</font><br>
<input type="checkbox"><font color="#666666">Gujarati</font><br>
<input type="checkbox"><font color="#666666">Marathi</font><br>
<input type="checkbox"><font color="#666666">Christian</font><br>
</td>
</tr>
<tr><td></td>
<td><input type="submit" value="Subscribe" onclick="return(formvalidate())">&nbsp;
<input type="button" value="Go Back" onclick="window.location.href='home.html'"></td>
</tr>
</form>
</table>
</body>
</html>

```

DB3.php

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1" />
<title>database</title>
</head>
<body>
<?php
$host="localhost";
$db_user="root";
$db_pass="";
$db_name="register";
$fname=$_POST['fname'];
$lname=$_POST['lname'];
$gender=$_POST['gender'];
$email=$_POST['email'];
$mobile=$_POST['mobile'];

```

```
$address=$_POST['address']
@$db=mysql_connect($host,$db_user,$db_pass);
mysql_select_db("register") or die("couldn't find database");
$query = mysql_query("select * from clients");
$numrows = mysql_num_rows($query);
if($numrows!=0)
{
while($row = mysql_fetch_assoc($query))
{
$dbemail = $row['email'];
}
if($email==$dbemail)
{
echo 'you have already registered';
}
else
{
$sql="insert into clients(fname, lname, gender, email, mobile) values
('$fname', '$lname', '$gender', '$email', '$mobile', '$address')";
echo 'successfully registered';
}
}mysql_close($db);
?></body></html>
```