

Data readiness, integration plan and working-session asks

A richer client-facing follow-up to the demo: what the SFS use-case file implies at field level, which systems need to be touched, and what we need from the team to move from prototype to production.

146

ASSUMED FIELDS

Derived from the SFS use-case document across 15 custom-build use cases.

15


MAPPED USE CASES

Logistics remains a vendor/TMS selection and customization track.

~9

TRUE NET-NEW CAPTURE

The rest is owned, partial, computed or externally sourced.




Each cell represents a field-level assumption that now needs source-owner validation.

SFS gave us use cases. We turned them into a data contract.


01 SFS source Project Leap use-case document with business ambition, expected impact and named systems such as SAP BW + Power BI, Growthbook, Saathi, Concur and Complinity.	02 Conformal decomposition Each custom-build use case translated into assumed production fields, likely source systems, availability and integration route.	03 Working-session output Concrete owners, masked extracts, definition workshops and sequencing. This validates the AI product scope on real SFS data.
---	--	---

Positioning: this is not a final implementation scope. It is the fastest path to validate what is easy, what is definition-gated and what requires new capture.

The programme is smaller and more structured than 21 separate builds.



The 94 unavailable fields are not 94 fields SFS must create.



58 computed by Conformal

Target attainment, dealer tier, BPV, variance, risk score, opportunity score and other semantic metrics.

27 sourced externally

EXIM, GST/GSP, MCA21, credit, litigation, commodity, FX, labour and utility benchmarks.

9 SFS decisions

Voice capture, intervention logs, Ariba triggers, product hierarchy and SKU substitution style gaps.

One governed data pipe, then many AI products.

SOURCES

SAP BW / Power BI
SAP SD, MM, FI, Inventory
Growthbook, Saathi
Concur, Complinity, Ariba
External providers

RAW LANDING

Append-only extracts with source, date, run ID, grain and lineage preserved.

STANDARD LAYER

Typed columnar tables, dedupe, validation and ID crosswalks.

GOLD MARTS

Dealer 360, field performance, spend cube, stock, schemes, enterprise KPIs.

AGENT TOOLS

SQL, retrieval, charts, reports, audits and evals over governed views.

Important: agents should not connect directly to SAP, Concur, Saathi, Ariba or other systems of record. They query governed semantic views with access control and traceability.

The SAP ask is a confirmation path, not an open-ended discovery.

SFS's own document names SAP BW + Power BI

That means the first route should be read-only extraction from the existing BW/Power BI reporting layer, preserving line-level keys wherever the semantic model allows it.

Fallback if line-level fields are missing

Use read-only S/4 CDS/OData views or scheduled flat-file exports for SD billing, MM PO lines, FI/AR and inventory snapshots.

SD / Sales

Sales and billing line with dealer, material, date, territory, quantity and value.

OWNER: SAP SD + BW

Feeds Field Performance, Dealer Profiles, Churn and Enterprise Assistant.

MM / Procurement

PO line with vendor, material, HSN, UoM, quantity, price, currency and GRN.

OWNER: SAP MM + BW

Feeds Historical Spend, Vendor ID, Should-Cost and Negotiation.

FI / Collections

Receivables, ageing, collections and approved GL/P&L metrics at agreed grain.

OWNER: FI/CO + FINANCE

Feeds enterprise metrics, dealer health and working-capital views.


Inventory

Stock snapshot by plant, storage location, SKU, batch and freshness timestamp.

OWNER: INVENTORY/MM

Feeds warehouse stock visibility and product availability.

Source-system readiness by extraction route.



Pick first use cases that also build the base for later ones.

Start now

FF #1: Field Performance Tracking Dashboard

13A / 4P / 3U

FF #4: Dealer Profiles & Field-Visit Conversation Inputs

12A / 4P / 4U

Enterprise #1: Enterprise Chat Assistant (Supply & Sales)

8A / 4P / 6U

Define next

Proc #1: Historical Spend Analysis & Price Insights

11A / 6P / 9U

FF #6: Unified Product & Partner-Level Visibility

8A / 2P / 5U

FF #7: Real-Time Warehouse Stock Visibility

7A / 6P / 5U

Proc #4: Vendor Identification & Recommendation

8A / 4P / 11U

External gated

Proc #2: Real-Time Import Data Analysis

3A / 2P / 11U

Proc #3: Preparation Material for Negotiations

5A / 3P / 13U

Proc #5: Vendor Creditworthiness & Fraud Check

3A / 1P / 14U

Proc #6: Should-Cost Analysis

4A / 2P / 11U

Discovery only

FF #2: Activity Analytics

8A / 2P / 7U

FF #3: Pricing, Policy & Scheme Dissemination Chatbot

3A / 4P / 7U


FF #5: Sales Coaching

4A / 2P / 12U

FF #8: Early Warning for Sales Performance & Dealer Churn Risk

7A / 2P / 10U

Wave 1 should be a foundation build, not three isolated apps.



Field Performance: source fields, route and first asks.


FF #1: Field Performance Tracking Dashboard



Why first: Fastest field-force data start. The descriptive base is mostly owned by SFS; the intelligence layer comes after definitions and capture validation.

Base created: Creates fact_sales, fact_target, dim_dealer, dim_employee and territory hierarchy for later field use cases.

Source mix



First fields to validate

Saathi Dealer Engagement Event Saathi App	Secondary Sales Transaction Growthbook
Dealer Assigned TBM SAP - Customer / Dealer Master	Dealer Code SAP - Customer / Dealer Master
Dealer Name SAP - Customer / Dealer Master	Dealer Region SAP - Customer / Dealer Master

SAP sales extract
36 months invoice/sales line with dealer, material, territory and value.

Targets and hierarchy
TBM/RBM/MGO mapping plus target and incentive files.

Activity mapping
Growthbook/Saathi events with SAP-matching dealer and employee IDs.

Enterprise Assistant: source fields, route and first asks.

Enterprise #1: Enterprise Chat Assistant (Supply & Sales)

8

AVAILABLE

4

PARTIAL


6

UNAVAILABLE

Why first: Strong pilot because the demo already exists and the SFS document points to SAP BW + Power BI as the reporting layer.

Base created: Creates the enterprise metric dictionary, governed SQL tool, charting path and evaluation set.

Source mix



First fields to validate

Secondary Sales Transaction Growthbook	Dealer Code SAP - Customer / Dealer Master
Dealer Credit Terms SAP - Customer / Dealer Master	Primary Sales Quantity SAP - Sales & Distribution
Primary Sales Value SAP - Sales & Distribution	SAP - Financials Extracts (Working Capital / Receivables / GL) SAP - Financials (GL/P&L)

SAP BW / Power BI

Confirm read-only extractable datasets and preserved join keys.

Metric dictionary

Agree official KPI definitions, owner and refresh cadence.

Golden questions

Pick 20-30 executive questions to evaluate answers and SQL traces.

Dealer Profiles: source fields, route and first asks.

FF #4: Dealer Profiles & Field-Visit Conversation Inputs

12
AVAILABLE


4
PARTIAL

4
UNAVAILABLE

Why first: Strong SAP dealer base plus Saathi enrichment. Voice and relationship intelligence need SFS confirmation and legal posture.

Base created: Creates dealer_360 and the dealer ID crosswalk reused by churn, coaching, visibility and enterprise questions.

Source mix



First fields to validate

Saathi Dealer Engagement Event Saathi App	Secondary Sales Transaction Growthbook
Dealer Assigned TBM SAP - Customer / Dealer Master	Dealer Code SAP - Customer / Dealer Master
Dealer Credit Terms SAP - Customer / Dealer Master	Dealer GSTIN SAP - Customer / Dealer Master

Dealer master
Dealer code, GSTIN, credit terms, territory, onboarding and geo fields.

Saathi schema
Dealer profile, visit logs, notes, key contacts and voice capture status.

Legal posture
Confirm whether call/voice capture and classification are permitted.

Procurement is valuable, but the first move is spend foundation.

USE CASE	FIELDS	A	P	U	READINESS
Proc #1: Historical Spend Analysis & Price Insights	26	11	6	9	
Proc #4: Vendor Identification & Recommendation	23	8	4	11	
Proc #3: Preparation Material for Negotiations	21	5	3	13	
Proc #6: Should-Cost Analysis	17	4	2	11	
Proc #2: Real-Time Import Data Analysis	16	3	2	11	
Proc #5: Vendor Creditworthiness & Fraud Check	18	3	1	14	

Start with Historical Spend

SAP PO-line data is the anchor. Once material, vendor, HSN and category mapping are stable, later procurement copilots become much easier.

Then add external connectors

Import, negotiation, should-cost and fraud require EXIM, commodity, GST/GSP, MCA21, credit and litigation feeds.

Do not over-promise smart procurement in Wave 1

Negotiation and should-cost have the same external-data profile as real-time import. They need provider decisions and category workshops first.

Separate what Conformal can source from what SFS must start capturing.

27 external-provider fields

PROVIDER CLASS	UNBLOCKS	SFS DECISION
EXIM/customs	Import, Negotiation, Vendor ID, Should-Cost	Existing subscription or new provider approval
GST/GSP, MCA21, credit, litigation	Vendor Credit/Fraud, Churn risk signals	Legal posture and permitted use
Commodity, FX, labour, utility	Negotiation and Should-Cost models	Provider shortlist and refresh cadence

~9 SFS workflow or governance fields

GAP	LIKELY OWNER	USE CASES BLOCKED
Dealer voice capture, call classification, intervention logs	Saathi + legal	Dealer Profiles, Coaching, Churn
Product hierarchy, SKU substitution, HSN mapping	Master Data	Product Visibility, Stock, Procurement
RFQ trigger, onboarding workflow status	Ariba / procurement	Vendor ID, Credit/Fraud

Cross-cutting caveat: secondary sales, inventory liquidation and PoG are not confirmed as collected. Descriptive field views can start fast, but sell-out completeness needs an explicit SFS capture decision.

The next meeting should be organized around source ownership.

SAP Basis / BW / Power BI

Confirm read-only access and the fastest extract route.

- Dataset inventory
- Data dictionary
- Refresh cadence

BLOCKS: ALL SAP-BACKED WAVES

SAP SD, MM, FI/CO

Validate business grain and functional meaning.

- Sales/billing line
- PO-line and GRN
- Receivables and ageing

BLOCKS: ENTERPRISE, FIELD, PROCUREMENT

Master Data / Governance

Own the crosswalks that make systems joinable.

- Dealer/vendor IDs
- Material and HSN
- Employee and territory

BLOCKS: CROSS-BU VISIBILITY

Growthbook + Saathi

Validate field activity and dealer context.

- Activity event schema
- Dealer interaction logs
- Voice/call capture status

BLOCKS: DEALER, COACHING, CHURN

Concur + Complinty + Ariba

Confirm non-SAP connector paths.

- SG&A export
- Vendor licence export
- RFQ/onboarding status

BLOCKS: SPEND AND VENDOR RISK

Legal + External Contracting

Approve sensitive and third-party data posture.

- GST/MCA/credit/litigation
- Voice recording
- Provider shortlist

BLOCKS: FRAUD, COACHING, EXTERNAL FEEDS

We can begin with controlled samples, not production credentials.

SAP TRANSACTIONS

Line-level extracts

- 36 months PO line
- 36 months sales/billing line
- 24 to 36 months collections and ageing

SAP MASTERS

Join keys

- Material master and HSN
- Vendor master
- Customer/dealer master
- Employee and field hierarchy

FIELD APPS

Activity context

- Growthbook activity export
- Saathi dealer profile
- Visit and interaction logs
- Voice/call capture status

CONTROLS

Commercial files

- Target and incentive files
- Scheme circulars
- Inventory snapshot
- Concur and Complinty exports

Discovery sprint rule: start with masked samples and schema dictionaries. Production access is a later security and deployment conversation.

What happens after SFS names owners and shares samples.

0-5

Source validation

- Owner kickoff
- Schema inventory
- Extract routes confirmed
- Security and masking agreed

6-12

Data profiling

- Load sample extracts
- Join-key audit
- Freshness and null checks
- Field map validation

13-21

Semantic layer

- Dealer and material crosswalks
- Gold marts for Wave 1
- Metric dictionary draft
- Golden questions defined

22-30

Proof on real data

- Run Wave 1 questions
- Show traceable answers
- Document gaps
- Return validated wave plan

RECOMMENDED ASK

A 60 to 90 minute source-owner working session.

The goal is to validate source truth, not debate AI interfaces. Once the data spine is real, the agent experience becomes much easier to scope.

"Give us source owners, masked extracts and definition workshops. We will convert the use-case list into a validated build plan on real SFS data."

In the room

SFS IT, SAP BW/Power BI, SD, MM, FI/CO, Master Data, Growthbook, Saathi, Concur, Complinity, Ariba, Legal and External Data.

Output

Validated field map, source route, data gaps, Wave 1 scope and a credible integration path for the full programme.