Source: docs\operations\verification-acceptance.md | Export: 11 November 2026

> **Current shipping status (11 November 2026):** `DISTANCE_DELIVERY_ENABLED=false` by default. New checkout uses the existing saved flat shipping configuration, before coupons/points, with free shipping strictly above its saved threshold. Google Routes, dispatch coordinates, slabs and distance quotes are inactive. Historical order charges are unchanged. Distance-specific material below describes a retained, inactive implementation until a future explicitly approved re-enable. See current flat shipping reference.

Verification and acceptance register

For reviewers and release owners. Documentation date: **11 November 2026**. This documentation-only run did not execute application tests, TypeScript, builds, emulators, browser checks, provider requests or deployments. Existing evidence is retained, not relabelled as fresh execution.

Evidence register

Area	Evidence available	Current acceptance boundary
Flat-shipping restoration, 11 November	35 focused unit tests, 32 emulator TAP tests across 10 files, TypeScript and production build passed	Local only; no real provider calls or Production changes
Source baseline	Planning inspection: HEAD `405716c`, 31 tracked modifications and 12 untracked files before documentation	Local source only; deployed parity **Pending confirmation**
Distance delivery/local regressions	DISTANCE_DELIVERY.md, dated 9 November: 45 focused unit tests; 29 emulator TAP tests; focused browser flow; typecheck/build and packaged runtimes	Reported historical local execution; not rerun for documentation
Coupon/loyalty	COUPON_LOYALTY_AUDIT.md and associated tests	Dated scope/results; current live terms/balances **Pending confirmation**
Payment cutover	PAYMENT_LIVE_CUTOVER.md, payment security/emulator/runtime tests	Local/dated evidence; current mode, provider settings and Production health **Pending confirmation**
Real Razorpay TEST acceptance	Owner previously reported desktop/mobile success, failure, retry, verification, inventory and points acceptance	Owner-reported; independent new execution not performed here; LIVE acceptance separate
Real Google Routes	No new real route request made; prior implementation notes distinguish synthetic responses	Billing/key/real route and deployed checkout **Pending confirmation**
GA4	ANALYTICS.md describes intercepted tests and owner live checks	Actual property receipt/settings **Pending confirmation**
Policies/ownership/backups	UI and configuration contracts exist	Approved wording, service ownership and operational configuration **Pending confirmation**

Established commands for a separately authorized release

These commands are references, not steps performed in this documentation run:

```
npm.cmd test
npm.cmd run lint
npm.cmd run build
npm.cmd run test:catalog-runtime
npm.cmd run test:payments-runtime
```

`lint` means `tsc --noEmit`, not an ESLint scan. Production build success is a local artifact check, not a deployment. Packaged-runtime scripts exercise Vercel-compatible function packaging locally; inspect their generated-artifact scope before running and preserve unrelated changes.

Use the existing `npm.cmd run test:client-changes` harness and its documented selectors for focused emulator/browser coverage. Detailed distance selectors and file names are retained in DISTANCE_DELIVERY.md. Other established harnesses include `test:admin`, `test:analytics`, `test:discovery`, `test:loading` and `test:foundation`; choose according to actual change scope rather than repeatedly running everything.

Emulator fixtures require the exact guarded loopback endpoints. Normal frontend/API development can reach real Firebase. Tests must not silently target Production, create real customers or use LIVE credentials. Do not skip/weaken failures to obtain a green release.

Acceptance coverage by risk

- Customer: sign-in/reset/profile recovery; browse/filters/variants; shopping intent; Bag versus Buy Now; address ownership and map/manual entry; checkout stage stability and stale-review recovery.
- Offers/points: eligible/ineligible public discovery; private-code entry; disabled ineligible apply and backend rejection; exact Delivered-order rules; limits/concurrency; Apply/Remove; reservation, earning once, cancellation/restoration/refund/debt.
- Payments: callback signature plus provider evidence; signed raw webhook; duplicate/reordered events; TEST/LIVE and key isolation before batch limit; terminal TEST scheduling; Preview rejection; heartbeat; unknown outcomes/retries; refunds; COD separation.
- Delivery: active origin/road pricing; slab/free-threshold boundaries; disabled/out-of-range coverage; stale/tampered/foreign quotes; address/settings revisions; no production doubles; missing provider fails safely; accepted-payment recovery stays independent.
- Admin: dual authorization, revoked access, optional courier/name/URL/AWB/ETA through valid statuses, bulk partial results/conflicts, media verification, settings replay and save/discard.
- UI/privacy: responsive layout, keyboard/focus/overlay scroll, reduced motion, readable surfaces, safe links, no duplicate analytics or sensitive page payloads.

Hosted verification is separate

Record deployment ID/commit/domain, rule/index metadata and safe configuration presence/scope. Read-only checks must not mutate records. Real route quotations can write temporary quotes/incur charges; payment/order/status/refund acceptance requires separately approved accounts/records and explicit authorization.

For GA4, follow Tag Assistant/DebugView/Realtime acceptance in ANALYTICS.md. For payment and delivery, use the existing provider/setup references. A rendered success screen, mocked assertion, worker HTTP 200 or Git push is insufficient evidence by itself.

Optional screenshot plan

No screenshots were generated for documentation. Existing `.cache/distance-delivery/` images are local fixtures; intercepted map tiles do not establish public OSM availability. Do not publish them as Production proof or copy all cached assets blindly.

If approved later, capture only necessary, sanitized examples:

Destination	Minimal subjects
`docs/assets/customer/`	Product/variant, Bag, address/map, coupon dropdown, points, delivery total, pending/confirmed order
`docs/assets/admin/`	Product/stock modes, optional delivery fields, bulk result, origin/slabs/COD, policy approval, customer export
`docs/assets/diagrams/`	Optional exported architecture/payment/delivery diagrams; Mermaid source already exists in overview

Use representative 390px mobile and 1440px desktop captures; review affected UI at 320/390/768/1440 where a real release warrants it. Use synthetic or explicitly approved data, hide personal/account/payment identifiers and all secret-bearing views. Name captures by feature, width, commit/date and local/hosted context. Refer to a shared image from multiple guides instead of duplicating it.

Documentation completeness checklist

- [ ] Record final accepted application commit/deployment and guide reviewer/date.
- [ ] Resolve source/Production differences and custom-domain SEO discrepancy separately.
- [ ] Confirm approved policies, commercial rates and support contacts.
- [ ] Confirm external provider configuration, billing, cleanup and actual acceptance.
- [ ] Confirm account ownership, backups/recovery and support responsibilities.
- [ ] Check relative links, branding, field labels and screenshots without exposing private data.
- [ ] Keep historical results dated; label mocks, owner reports and pending items honestly.
- [ ] Client approves operator guides; maintainer approves technical/operations references.

Implementation sources: `package.json`, module tests, `scripts/test-client-changes.mjs`, payment/delivery/coupon/loyalty emulator/browser scripts and packaged-runtime scripts. This checklist is not a claim that every future release gate has already passed.