Ruby on Rails 5.x

Do início ao fim!

Criando as views (new e edit) para os Assuntos/Áreas

Criando as views (new e edit) para os Assuntos/Áreas

- Comece alterando **views/admins_backoffice/subjects/new.html.erb**

```
<%= render partial:
'admins_backoffice/subjects/shared/form',

        locals: { action_message: 'Novo' } %>
```

Criando as views (new e edit) para os Assuntos/Áreas

- Depois altere **views/admins_backoffice/subjects/edit.html.erb**

```
<%= render partial:
'admins_backoffice/subjects/shared/form',

        locals: { action_message: 'Editando' } %>
```

Criando as views (new e edit) para os Assuntos/Áreas

- Depois altere **views/admins_backoffice/subjects/shared/_form.html.erb**

```
<div class="row">
    <div class="col-lg-12">
        <h1 class="page-header"><%= action_message %></h1>
    </div>
    <!-- /.col-lg-12 -->
</div>

<div class="row">
```

Criando as views (new e edit) para os Assuntos/Áreas

```erb
<% if @subject.errors.any? %>
  <div class="alert alert-danger alert-dismissable">
      <button type="button" class="close" data-dismiss="alert" aria-hidden="true">×</button>

      <ul>
        <% @subject.errors.full_messages.each do |message| %>
          <li> <%= message %> </li>
        <% end %>
      </ul>
  </div>
<% end %>
```

Criando as views (new e edit) para os Assuntos/Áreas

```
<div class="col-lg-12">
    <div class="panel panel-default">
        <div class="panel-heading">
            <%= "#{action_message} Assunto/Área" %>
        </div>
        <div class="panel-body">
            <div class="row">
                <div class="col-lg-6">
                    <%= form_with(model: [ :admins_backoffice,
@subject ], local: true) do |form| %>

                        <div class="form-group">
                            <%= form.label :description %>
                            <%= form.text_field :description,
class:"form-control", placeholder:"Descrição do Assunto/Área  "  %>
                        </div>
```

Criando as views (new e edit) para os Assuntos/Áreas

```
                              <button type="submit" class="btn
btn-default">Salvar</button>
                          <% end %>
                    </div>
                    <!-- /.col-lg-6 (nested) -->
                </div>
                <!-- /.row (nested) -->
            </div>
            <!-- /.panel-body -->
        </div>
        <!-- /.panel -->
    </div>
    <!-- /.col-lg-12 -->
</div>
```

Criando as views (new e edit) para os Assuntos/Áreas

- Por fim, altere **controllers/admins_backoffice/subjects_controller.rb**

```
def index
  @subjects = Subject.all.order(:description).page(params[:page])
end
```