Status	Finished
Started	Monday, 5 October 2026, 4:39 PM
Completed	Monday, 5 October 2026, 4:51 PM
Duration	11 mins 25 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

____ function returns the value corresponding to the key passed as the argument.

- a. get ✓
- b. update
- c. del
- d. values

Question **2**

Correct

Mark 1.00 out of 1.00

Which of the following is not method of dictionary?

- a. del ✓
- b. len
- c. pop
- d. update

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following are true of Python dictionaries:

a) All the keys in a dictionary must be of the same type.

b) Items are accessed by their position in a dictionary.

c) A dictionary can contain any object type except another dictionary.

d) Dictionaries can be nested to any depth.

e) Dictionaries are mutable.

f) Dictionaries are accessed by key.

- a. d,e,f ✓
- b. b,c
- c. a,b
- d. c,d,e

Question **4**

Correct

Mark 1.00 out of 1.00

Keys of dictionary must be ____.

- a. antique
- b. unique ✓
- c. mutable
- d. integers

Question **5**

Correct

Mark 1.00 out of 1.00

Which function/statement delete the dictionary from the memory?

- a. pop
- b. clear
- c. del ✓
- d. delete

Question **6**

Correct

Mark 1.00 out of 1.00

A = {"A" : "Apple", "B" : "Ball", "C" : "Cat"} Which of the following statement will return : dict_items([('A', 'Apple'), ('B', 'Ball'), ('C', 'Cat')])

a. print(A.keys)
b. print(A.values)
c. print(A.Items) ✓
d. print(A.get)

Question **7**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={}
a['a']=1
a['b']=[2,3,4]
print(a)
```

a. {'b': [2], 'a': 1}
b. {'b': [2], 'a': [3]}
c. Error
d. ✓
{'b': [2, 3, 4], 'a': 1}

Question **8**

Correct

Mark 1.00 out of 1.00

Choose the correct statement, in reference to the following code: D1.update(D2) #D1 and D2 are dictionaries

a. It will merge all the elements of dictionary 'D1' in dictionary 'D2'.
b. None of the mentioned
c. It will create a new dictionary.
d. It will merge all the elements of dictionary 'D2' in dictionary 'D1'. ✓

Question **9**

Correct

Mark 1.00 out of 1.00

Which statement is used to create an empty dictionary?

- a. d1 = { } ✓
- b. d1 = dict{ }
- c. d1 = [ ]
- d. d1 =

Question **10**

Correct

Mark 1.00 out of 1.00

There is no index value in dictionary like we have in List.(T/F)

- a. False
- b. True ✓

Question **11**

Correct

Mark 1.00 out of 1.00

Key – value concept is in ____.

- a. List
- b. Tuple
- c. String
- d. Dictionary ✓

Question **12**

Correct

Mark 1.00 out of 1.00

Keys in dictionary are ____.

- a. integers
- b. Mutable
- c. Immutable ✓
- d. antique

Question **13**

Correct

Mark 1.00 out of 1.00

The key-value pair in dictionary is called ____.

a. paired value
b. pair item
c. value
d. item ✓

Question **14**

Correct

Mark 1.00 out of 1.00

1,2,3 are the ____ in the following dictionary. D = {1 : "One", 2 : "Two", 3 : "Three"}

a. None of the mentioned
b. Values
c. Keys ✓
d. Items

Question **15**

Correct

Mark 1.00 out of 1.00

To obtain the number of entries in dictionary which command is used?

a. d.len()
b. d.size()
c. len(d) ✓
d. size(d)