Status	Finished
Started	Monday, 17 August 2026, 1:38 PM
Completed	Monday, 17 August 2026, 1:43 PM
Duration	4 mins 54 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What is the value of the expression

```
print(100 / 25)
print(100//25)
```

a. 4.0
4.00

b. 4
4

c. 4.0
4

d. 4.0
4.0

The correct answer is:
4.0

4

Correct

Marks for this submission: 1.00/1.00.

Question **2**

Correct

Mark 1.00 out of 1.00

In the Python statement `x = a + 6 - c-d`:

- `a` and d are _____
- `a + 6 - c-d` is _____

a. operands, an expression

b. operands, an equation

c. operators, a statement

d. terms, a group

The correct answer is:
operands, an expression

Correct

Marks for this submission: 1.00/1.00.

Question **3**

Correct

Mark 1.00 out of 1.00

What is the two's complement of -44?

a. 11101011

b. 1011011

c. 10110011

d. 11010100

The correct answer is:
11010100

Correct

Marks for this submission: 1.00/1.00.

Question **4**

Correct

Mark 1.00 out of 1.00

An identifier can have a maximum length of -------- characters in Python.

- a. 79
- b. 31
- c. 50
- d. 7

The correct answer is:
79

Correct

Marks for this submission: 1.00/1.00.

Question **5**

Correct

Mark 1.00 out of 1.00

Which of the following statements assigns the value 35 to the variable x in Python:

a. **int x = 35**

b. **x := 35**

c. **x = 35**

d. **x ← 35**

The correct answer is:

x = 35

Correct

Marks for this submission: 1.00/1.00.

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following is not a valid variable name in Python?

a. **_var**

b. **5var**

c. **var_name**

d. **var11**

The correct answer is:

5var

Correct

Marks for this submission: 1.00/1.00.

Question **7**

Correct

Mark 1.00 out of 1.00

State the output of the following code.

```
num1 = '10'
num2 = '20'
sum = num1 + num2
print(sum)
```

a. 30

b. 10

c. Error

d. 1020

The correct answer is:
1020

Correct

Marks for this submission: 1.00/1.00.

Question **8**

Correct

Mark 1.00 out of 1.00

Which is the following is an Arithmetic operator in Python?

1. // (floor division) operator
2. & (binary and) operator
3. ~ (navigation) operator
4. >> (right shift) operator

a. 1

b. 3

c. 4

d. 2

The correct answer is:
1

Correct

Marks for this submission: 1.00/1.00.

Question **9**

Correct

Mark 1.00 out of 1.00

What will be the value of x in the following Python expression, if the result of that expression is 2?

x>>2

a. 8

b. 1

c. 2

d. 4

The correct answer is:
8

Correct

Marks for this submission: 1.00/1.00.

Question **10**

Correct

Mark 1.00 out of 1.00

What is the output of the following code

```
x = 8
y = 2
print(x ** y)
print(x // y)
```

a. 64
4

b. 64
8
4

c. 64
0

d. 0
64

The correct answer is:
64
4

Correct

Marks for this submission: 1.00/1.00.

Question **11**

Correct

Mark 1.00 out of 1.00

What is the output of the following code

```
print(bool(0), bool(3.14159), bool(-3), bool(1.0+1j))
```

a. • False True False True

b. • True True False False

c. • True True False True

d. • False True True True

The correct answer is:

- False True True True

Correct

Marks for this submission: 1.00/1.00.

Question **12**

Correct

Mark 1.00 out of 1.00

What will be the output of the following statement?

print(15 + 20 / 5 + 3 * 2 - 1)

a. 19.0

b. 12

c. 24.0

d. 19

The correct answer is:
24.0

Correct

Marks for this submission: 1.00/1.00.

Question **13**

Correct

Mark 1.00 out of 1.00

Which among the following list of operators has the highest precedence?

+, -, **, %, /, <<, >>, |

a. %

b. <<, >>

c. |

d. **

The correct answer is:
**

Correct

Marks for this submission: 1.00/1.00.

Question **14**

Correct

Mark 1.00 out of 1.00

What is the output of the following code

```
x = 4
y = 10

print(x % y)
```

a. 10

b. 4

c. 1

d. 6

The correct answer is:
4

Correct

Marks for this submission: 1.00/1.00.

Question **15**

Correct

Mark 1.00 out of 1.00

What is the output of the following code

```
x = 1j
 #display x:
print(x)
 #display the data type of x:
print(type(x))
```

a. **lj**
<class 'object'>

b. **l**
<class 'int'>

c. **lj**
<class 'complex'>

d. **lj.0**
<class 'float'>

The correct answer is:
lj
<class 'complex'>

Correct

Marks for this submission: 1.00/1.00.