TROUBLE TICKET LIFECYCLE – AGENT LOGIN

STAGE 1 OF 15 | Authenticate the agent, authorize journey access and load the agent dashboard.

	INITIATE	AUTHENTICATE	VALIDATE ACCESS	AUTHORIZE ROLE
Events / Triggers Stage entry & exit	START **Stage 1 Start** Agent begins a shift and opens the DXP portal; login is triggered.			
Agent Frontline / back office — DXP portal		PROCESS STEP **1.1 Authenticate Agent** ACTION Enter credentials to request access to the DXP portal. FIELDS • Username • Password / SSO token DISPLAY • Login result MESSAGE Redirect to dashboard / Access denied — invalid credentials.		
IAM / Access Control Authentication & role authorization			DECISION **D1 – Authenticated?** Confirms the agent's credentials are validated by the configured Identity and Access Management (IAM) service before granting access to any journey. POSSIBLE OUTCOMES **Yes** → 1.2 Authorize Role Access **No** → Access Denied 4 → **Sheet 2: Access Denied** *(No — authentication failed)*	PROCESS STEP **1.2 Authorize Role Access** ACTION Authorize journey initiation and control view, edit and submit permissions based on the agent's assigned role and privileges. FIELDS • Role • Privilege set CHECK Role permits view/edit/submit access to this journey [Automated – IAM Service]. RULE Agents without the required privilege are restricted from initiating a journey. MESSAGE Journey ready to start / You do not have permission to access this journey. 5 → **Sheet 2: Access Denied** *(No — role not permitted)* 6 → **Sheet 2: 1.3 View Agent 360** *(Role authorized)*
CRM / Ticketing Agent 360 & ticket system of record				

1 2 3

TROUBLE TICKET LIFECYCLE – AGENT LOGIN

STAGE 1 OF 15 | Authenticate the agent, authorize journey access and load the agent dashboard.

	ACCESS DENIED	VIEW AGENT 360	DISPLAY DASHBOARD
Events / Triggers Stage entry & exit			
Agent Frontline / back office — DXP portal			
IAM / Access Control Authentication & role authorization	EXCEPTION **Access Denied** Authentication failed or the role/privilege check did not pass; the reason is shown to the agent and the session is halted. 4 ← **Sheet 1: D1 – Authenticated?** *(No — authentication failed)* 5 ← **Sheet 1: 1.2 Authorize Role Access** *(No — role not permitted)* 8 → **Sheet 3: Login Halted** *(Access denied — journey halted)*		
CRM / Ticketing Agent 360 & ticket system of record		PROCESS STEP **1.3 View Agent 360** ACTION Open the Agent 360 view immediately after successful authentication. DISPLAY • Agent 360 summary MESSAGE Agent 360 loaded / Unable to load Agent 360 — retry. 6 ← **Sheet 1: 1.2 Authorize Role Access** *(Role authorized)*	PROCESS STEP **1.4 Display Agent Dashboard** ACTION Display the Enquiries, Service Requests and Complaints assigned to the logged-in agent, per the Agent 360 requirements. DISPLAY • Assigned Enquiries • Assigned Service Requests • Assigned Complaints MESSAGE Dashboard loaded with assigned items. 9 → **Sheet 3: Complete – Proceed to Stage 2** *(Dashboard ready)*

7

TROUBLE TICKET LIFECYCLE – AGENT LOGIN

STAGE 1 OF 15 | Authenticate the agent, authorize journey access and load the agent dashboard.

	LOGIN HALTED	COMPLETE
Events / Triggers Stage entry & exit	END **Login Halted** Authentication or authorization failed; the journey does not proceed. 8 ⟵ **Sheet 2: Access Denied** *(Access denied — journey halted)*	END **Complete – Proceed to Stage 2** Agent dashboard is loaded; journey continues to Stage 2 of 15. 9 ⟵ **Sheet 2: 1.4 Display Agent Dashboard** *(Dashboard ready)*
Agent Frontline / back office — DXP portal		
IAM / Access Control Authentication & role authorization		
CRM / Ticketing Agent 360 & ticket system of record		

TROUBLE TICKET LIFECYCLE – AGENT LOGIN

STAGE 1 OF 15 | Authenticate the agent, authorize journey access and load the agent dashboard.

FLOW REFERENCE (ALL SHEETS) — NUMBERED BADGES/CHIPS CORRESPOND TO THESE TRANSITIONS

1. **Stage 1 Start → 1.1 Authenticate Agent**
   SEQUENCE
   Login triggered

2. **1.1 Authenticate Agent → D1 – Authenticated?**
   SEQUENCE
   Credentials submitted

3. **D1 – Authenticated? → 1.2 Authorize Role Access**
   CONDITIONAL
   Yes

4. **D1 – Authenticated? → Access Denied**
   CONDITIONAL
   No — authentication failed

5. **1.2 Authorize Role Access → Access Denied**
   CONDITIONAL
   No — role not permitted

6. **1.2 Authorize Role Access → 1.3 View Agent 360**
   SEQUENCE
   Role authorized

7. **1.3 View Agent 360 → 1.4 Display Agent Dashboard**
   SEQUENCE
   Agent 360 loaded

8. **Access Denied → Login Halted**
   SEQUENCE
   Access denied — journey halted

9. **1.4 Display Agent Dashboard → Complete – Proceed to Stage 2**
   SEQUENCE
   Dashboard ready

NODE TYPES

Start event · End event · Process step · Decision · Error / exception · Escalation

CONNECTORS

Sequence flow · Conditional (decision branch) · Escalation · Error / retry

ⓘ numbered badge = Flow Reference row · dashed chip = continues on another sheet

Field key inside each card: ACTION → what happens · FIELDS → what's captured · DISPLAY → what's shown · OPTIONS / BEHAVIOUR → where applicable · CHECK → validation rule · RULE → business rule (BRSD) · MESSAGE → success/failure copy.

TROUBLE TICKET LIFECYCLE – AGENT / CUSTOMER INTERACTION

STAGE 2 OF 15 | Validate the inbound request across channels and open the customer context.

	INITIATE	VALIDATE Q-TICKET	VALIDATE CALL	VALIDATE EMAIL
Events / Triggers Stage entry & exit	**START** Stage 2 Start Continues from Stage 1 with the agent dashboard loaded; an inbound request arrives on one of the supported channels.			
Customer Inbound contact				
Agent Frontline / back office		**PROCESS STEP** 2.1 Validate Q-Ticket & Identify Customer ACTION: Validate the Q-Ticket from the retail queue and identify the customer before initiating a ticket. FIELDS: • Q-Ticket number DISPLAY: • Customer match result MESSAGE: Customer identified / No match found for this Q-Ticket. ④ → **Sheet 2: D2 – Interaction Validated?** *(Q-Ticket validated)*	**PROCESS STEP** 2.2 Validate Inbound Call (IVR) ACTION: Validate the request received from an inbound call routed via IVR. FIELDS: • Caller MSISDN • IVR context MESSAGE: Call context validated / Unable to match caller. ⑤ → **Sheet 2: D2 – Interaction Validated?** *(Call validated)*	**PROCESS STEP** 2.3 Validate Email Request ACTION: Validate the request received from an inbound customer email. FIELDS: • Sender address • Email reference MESSAGE: Email context validated / Unable to match sender. ⑥ → **Sheet 2: D2 – Interaction Validated?** *(Email validated)*
CRM / Ticketing System of record				

① ② ③

TROUBLE TICKET LIFECYCLE – AGENT / CUSTOMER INTERACTION

STAGE 2 OF 15 | Validate the inbound request across channels and open the customer context.

	CONFIRM INTERACTION	CUSTOMER NOT IDENTIFIED
Events / Triggers Stage entry & exit		
Customer Inbound contact		
Agent Frontline / back office	DECISION **D2 – Interaction Validated?** Confirms the request on whichever channel it arrived has been matched to an identifiable customer before a ticket is initiated. POSSIBLE OUTCOMES **Yes** → 2.4 Navigate to Customer 360 **No** → Customer Not Identified ④ ← **Sheet 1: 2.1 Validate Q-Ticket & Identify Customer** *(Q-Ticket validated)* ⑤ ← **Sheet 1: 2.2 Validate Inbound Call (IVR)** *(Call validated)* ⑥ ← **Sheet 1: 2.3 Validate Email Request** *(Email validated)*	EXCEPTION **Customer Not Identified** None of the validated channels resolved to a known customer; the agent is prompted to re-attempt identification or handle as an anonymous enquiry. ⑨ → **Sheet 3: Interaction Halted** *(Handled outside the ticket journey)*
CRM / Ticketing System of record	PROCESS STEP **2.4 Navigate to Customer 360** ACTION Navigate to Customer 360 before initiating a ticket; details are displayed per the Customer 360 BRSD. DISPLAY • Customer profile • Account summary MESSAGE Customer 360 loaded. ⑩ → **Sheet 3: Complete – Proceed to Stage 3** *(Customer 360 opened)*	

⑧ ⑦

TROUBLE TICKET LIFECYCLE – AGENT / CUSTOMER INTERACTION

STAGE 2 OF 15 | Validate the inbound request across channels and open the customer context.

	INTERACTION HALTED	COMPLETE
Events / Triggers Stage entry & exit	END **Interaction Halted** Customer could not be identified on any channel; the agent handles the contact outside the ticket journey. (9) ← **Sheet 2: Customer Not Identified** *(Handled outside the ticket journey)*	END **Complete – Proceed to Stage 3** Customer context is open in Customer 360; journey continues to Stage 3 of 15. (10) ← **Sheet 2: 2.4 Navigate to Customer 360** *(Customer 360 opened)*
Customer Inbound contact		
Agent Frontline / back office		
CRM / Ticketing System of record		

TROUBLE TICKET LIFECYCLE – AGENT / CUSTOMER INTERACTION

STAGE 2 OF 15 | Validate the inbound request across channels and open the customer context.

FLOW REFERENCE (ALL SHEETS) — NUMBERED BADGES/CHIPS CORRESPOND TO THESE TRANSITIONS

1. **Stage 2 Start → 2.1 Validate Q-Ticket & Identify Customer**
   SEQUENCE
   Retail / queue channel

2. **Stage 2 Start → 2.2 Validate Inbound Call (IVR)**
   SEQUENCE
   Inbound call (IVR) channel

3. **Stage 2 Start → 2.3 Validate Email Request**
   SEQUENCE
   Email channel

4. **2.1 Validate Q-Ticket & Identify Customer → D2 – Interaction Validated?**
   SEQUENCE
   Q-Ticket validated

5. **2.2 Validate Inbound Call (IVR) → D2 – Interaction Validated?**
   SEQUENCE
   Call validated

6. **2.3 Validate Email Request → D2 – Interaction Validated?**
   SEQUENCE
   Email validated

7. **D2 – Interaction Validated? → 2.4 Navigate to Customer 360**
   CONDITIONAL
   Yes

8. **D2 – Interaction Validated? → Customer Not Identified**
   CONDITIONAL
   No — no match on any channel

9. **Customer Not Identified → Interaction Halted**
   SEQUENCE
   Handled outside the ticket journey

10. **2.4 Navigate to Customer 360 → Complete – Proceed to Stage 3**
    SEQUENCE
    Customer 360 opened

Node types, connector styles and the card field key are shown once, on Stage 1 (Sheet 4).

TROUBLE TICKET LIFECYCLE – CUSTOMER LIGHT-WEIGHT VERIFICATION

STAGE 3 OF 15 | Identify and verify the customer before a ticket can be raised.

	INITIATE	IDENTIFY CUSTOMER	VERIFY CUSTOMER
Events / Triggers Stage entry & exit	START **Stage 3 Start** Continues from Stage 2 with the customer context open in Customer 360.		
Customer Answers verification questions			
Agent Frontline / back office		PROCESS STEP **3.1 Complete Customer Identification** ACTION Complete customer identification before initiating a ticket. MESSAGE Customer identified / Identification incomplete. FIELDS • Identification method • Reference captured	PROCESS STEP **3.2 Ask Verification Questions** ACTION Verify the customer by asking the configured verification questions. RULE Questionnaire is drawn from the business-approved list of verification questions. FIELDS • Question set • Responses MESSAGE Verification questions asked. ③ → **Sheet 2: D3 – Verification Passed?** *(Responses captured)*

① → ② → ③

TROUBLE TICKET LIFECYCLE – CUSTOMER LIGHT-WEIGHT VERIFICATION

STAGE 3 OF 15 | Identify and verify the customer before a ticket can be raised.

	VERIFICATION CHECK	NOT VERIFIED
Events / Triggers Stage entry & exit		
Customer Answers verification questions		
Agent Frontline / back office	DECISION **D3 – Verification Passed?** Confirms the responses to the verification questions match the customer record before ticket creation proceeds. POSSIBLE OUTCOMES **Yes** → Proceed to Stage 4 **No** → Verification Failed ③ ← **Sheet 1: 3.2 Ask Verification Questions** *(Responses captured)* ④ → **Sheet 3: Complete – Proceed to Stage 4** *(Yes)*	⑤ EXCEPTION **Verification Failed** Responses do not match the customer record; the agent may re-attempt or handle the contact without opening a ticket. ⑥ → **Sheet 3: Verification Halted** *(Ticket not raised)*

TROUBLE TICKET LIFECYCLE – CUSTOMER LIGHT-WEIGHT VERIFICATION

STAGE 3 OF 15 | Identify and verify the customer before a ticket can be raised.

	VERIFICATION HALTED	COMPLETE
Events / Triggers Stage entry & exit	END **Verification Halted** Customer could not be verified; the ticket is not raised on this contact. 6 ← **Sheet 2: Verification Failed** *(Ticket not raised)*	END **Complete – Proceed to Stage 4** Customer is identified and verified; journey continues to Stage 4 of 15. 4 ← **Sheet 2: D3 – Verification Passed?** *(Yes)*
Customer Answers verification questions		
Agent Frontline / back office		

TROUBLE TICKET LIFECYCLE – CUSTOMER LIGHT-WEIGHT VERIFICATION

STAGE 3 OF 15 | Identify and verify the customer before a ticket can be raised.

FLOW REFERENCE (ALL SHEETS) — NUMBERED BADGES/CHIPS CORRESPOND TO THESE TRANSITIONS

1. **Stage 3 Start → 3.1 Complete Customer Identification**
   SEQUENCE
   Customer context open

2. **3.1 Complete Customer Identification → 3.2 Ask Verification Questions**
   SEQUENCE
   Identification complete

3. **3.2 Ask Verification Questions → D3 – Verification Passed?**
   SEQUENCE
   Responses captured

4. **D3 – Verification Passed? → Complete – Proceed to Stage 4**
   CONDITIONAL
   Yes

5. **D3 – Verification Passed? → Verification Failed**
   CONDITIONAL
   No — responses do not match

6. **Verification Failed → Verification Halted**
   SEQUENCE
   Ticket not raised

Node types, connector styles and the card field key are shown once, on Stage 1 (Sheet 4).

TROUBLE TICKET LIFECYCLE – ISSUE IDENTIFICATION

STAGE 4 OF 15 | Search and select the applicable ticket category before raising a ticket.

	INITIATE	SMART SEARCH	DISPLAY MATCHES	MATCH CHECK
Events / Triggers Stage entry & exit	START **Stage 4 Start** Continues from Stage 3 with the customer verified.			
Agent Frontline / back office		PROCESS STEP **4.1 Smart Search for Categorisation** ACTION Search by keyword or hashtag to identify the applicable ticket category before raising a ticket. RULE Keyword and hashtag mapping to category is business-configured. FIELDS • Keyword / hashtag		
CRM / Ticketing System of record			PROCESS STEP **4.2 Display Matching Categories** ACTION Display all matching category records for the keyword or hashtag entered. DISPLAY • Matching category list	DECISION **D4 – Match Found?** Confirms at least one matching category was returned for the search term entered. POSSIBLE OUTCOMES **Yes** → 4.3 Select Ticket Category **No** → No Match Found ④ → **Sheet 2: 4.3 Select Ticket Category** *(Yes)* ⑤ → **Sheet 2: No Match Found** *(No — no matching category)*

① ② ③

TROUBLE TICKET LIFECYCLE – ISSUE IDENTIFICATION

STAGE 4 OF 15 | Search and select the applicable ticket category before raising a ticket.

	SELECT CATEGORY	NO MATCH FOUND
Events / Triggers Stage entry & exit		
Agent Frontline / back office	PROCESS STEP **4.3 Select Ticket Category** ACTION: Select the specific ticket category from the search response. MESSAGE: Category selected. FIELDS: • Selected category ④ ← **Sheet 1: D4 – Match Found?** *(Yes)* ⑥ → **Sheet 3: Complete – Proceed to Stage 5** *(Category selected)*	EXCEPTION **No Match Found** No category matches the search term; the agent proceeds to select Source, Category, Area and Sub-Area manually during Ticket Classification. ⑤ ← **Sheet 1: D4 – Match Found?** *(No — no matching category)* ⑦ → **Sheet 3: Complete – Proceed to Stage 5** *(Manual classification fallback)*
CRM / Ticketing System of record		

TROUBLE TICKET LIFECYCLE – ISSUE IDENTIFICATION

STAGE 4 OF 15 | Search and select the applicable ticket category before raising a ticket.

COMPLETE

Events / Triggers
Stage entry & exit

END **Complete – Proceed to Stage 5**

Ticket category is identified (by search or manual fallback); journey continues to Stage 5 of 15.

6 ← **Sheet 2: 4.3 Select Ticket Category** *(Category selected)*

7 ← **Sheet 2: No Match Found** *(Manual classification fallback)*

Agent
Frontline / back office

CRM / Ticketing
System of record

TROUBLE TICKET LIFECYCLE – ISSUE IDENTIFICATION

STAGE 4 OF 15 | Search and select the applicable ticket category before raising a ticket.

FLOW REFERENCE (ALL SHEETS) — NUMBERED BADGES/CHIPS CORRESPOND TO THESE TRANSITIONS

1. **Stage 4 Start → 4.1 Smart Search for Categorisation**
   SEQUENCE
   Issue reported

2. **4.1 Smart Search for Categorisation → 4.2 Display Matching Categories**
   SEQUENCE
   Keyword / hashtag entered

3. **4.2 Display Matching Categories → D4 – Match Found?**
   SEQUENCE
   Results returned

4. **D4 – Match Found? → 4.3 Select Ticket Category**
   CONDITIONAL
   Yes

5. **D4 – Match Found? → No Match Found**
   CONDITIONAL
   No — no matching category

6. **4.3 Select Ticket Category → Complete – Proceed to Stage 5**
   SEQUENCE
   Category selected

7. **No Match Found → Complete – Proceed to Stage 5**
   SEQUENCE
   Manual classification fallback

Node types, connector styles and the card field key are shown once, on Stage 1 (Sheet 4).

TROUBLE TICKET LIFECYCLE – TICKET CREATION

STAGE 5 OF 15 | Create the ticket, auto-populate context fields and capture remaining details.

	INITIATE	CREATE TICKET	AUTO-POPULATE FIELDS
Events / Triggers Stage entry & exit	START **Stage 5 Start** Continues from Stage 4 with a ticket category identified.		
Agent Frontline / back office			
CRM / Ticketing System of record		PROCESS STEP **5.1 Create Trouble Ticket** ACTION Create the ticket with a unique Ticket ID according to the selected Category, Area and Sub-Area. FIELDS • Ticket ID (system-generated) • Category • Area • Sub-Area MESSAGE Ticket created.	PROCESS STEP **5.2 Auto-Populate Ticket Fields** ACTION Auto-populate ticket fields from the journey context captured during customer interaction, for tracking. FIELDS • Journey/interaction context DISPLAY • Auto-populated field values MESSAGE Fields populated from journey context. ③ → **Sheet 2: D5 – Override Needed?** *(Fields populated)*

① ② ③

TROUBLE TICKET LIFECYCLE – TICKET CREATION

STAGE 5 OF 15 | Create the ticket, auto-populate context fields and capture remaining details.

	OVERRIDE CHECK	EDIT FIELD	CAPTURE MANUAL FIELDS
Events / Triggers Stage entry & exit			
Agent Frontline / back office	**DECISION D5 – Override Needed?** Confirms whether an auto-populated field needs correction before the ticket is finalised. POSSIBLE OUTCOMES **Yes** → 5.3 Edit Auto-Populated Field **No** → 5.4 Capture Manual Fields ③ ← **Sheet 1: 5.2 Auto-Populate Ticket Fields** *(Fields populated)*	**PROCESS STEP 5.3 Edit Auto-Populated Field** ACTION Change an automatically populated field. RULE Only a specific, privileged agent role may edit an auto-populated field. MESSAGE Field updated.	**PROCESS STEP 5.4 Capture Manual Ticket Fields** ACTION Capture ticket details manually based on the selected Ticket Category, Area and Sub-Area. MESSAGE Manual fields captured. FIELDS • Ticket details (manual) ⑦ → **Sheet 3: Complete – Proceed to Stage 6** *(Manual fields captured)*
CRM / Ticketing System of record			

④ ⑤ ⑥

TROUBLE TICKET LIFECYCLE – TICKET CREATION

STAGE 5 OF 15 | Create the ticket, auto-populate context fields and capture remaining details.

COMPLETE

Events / Triggers
Stage entry & exit

END **Complete – Proceed to Stage 6**

Ticket is created with context and manual fields captured; journey continues to Stage 6 of 15.

⑦ ← **Sheet 2: 5.4 Capture Manual Ticket Fields** *(Manual fields captured)*

Agent
Frontline / back office

CRM / Ticketing
System of record

TROUBLE TICKET LIFECYCLE – TICKET CREATION

STAGE 5 OF 15 | Create the ticket, auto-populate context fields and capture remaining details.

FLOW REFERENCE (ALL SHEETS) — NUMBERED BADGES/CHIPS CORRESPOND TO THESE TRANSITIONS

1. **Stage 5 Start → 5.1 Create Trouble Ticket**
   SEQUENCE
   Category confirmed

2. **5.1 Create Trouble Ticket → 5.2 Auto-Populate Ticket Fields**
   SEQUENCE
   Ticket created

3. **5.2 Auto-Populate Ticket Fields → D5 – Override Needed?**
   SEQUENCE
   Fields populated

4. **D5 – Override Needed? → 5.3 Edit Auto-Populated Field**
   CONDITIONAL
   Yes

5. **D5 – Override Needed? → 5.4 Capture Manual Ticket Fields**
   CONDITIONAL
   No

6. **5.3 Edit Auto-Populated Field → 5.4 Capture Manual Ticket Fields**
   SEQUENCE
   Field corrected

7. **5.4 Capture Manual Ticket Fields → Complete – Proceed to Stage 6**
   SEQUENCE
   Manual fields captured

Node types, connector styles and the card field key are shown once, on Stage 1 (Sheet 4).

TROUBLE TICKET LIFECYCLE – KNOWLEDGE REFERENCE & ANALYSIS

STAGE 6 OF 15 | Access current, approved knowledge base content to guide classification and handling.

	INITIATE	ACCESS KNOWLEDGE BASE	SEARCH ARTICLES	CONTENT CHECK
Events / Triggers Stage entry & exit	START **Stage 6 Start** Continues from Stage 5 with the ticket created; the agent needs guidance to classify and handle it.			
Agent Frontline / back office		PROCESS STEP **6.1 Access Knowledge Base** ACTION: Open the knowledge base from within the ticket. DISPLAY: • Knowledge base home	PROCESS STEP **6.2 Search Knowledge Articles** ACTION: Search knowledge articles by keyword or category relevant to the reported issue. DISPLAY: • Matching articles FIELDS: • Keyword / category	
Knowledge Base Approved reference content				DECISION **D6 – Content Current & Approved?** Confirms ticket categorisation and handling guidance uses current, approved Knowledge Base content only. POSSIBLE OUTCOMES **Yes** → 6.3 Apply Guidance **No** → Knowledge Base Unavailable ④ → **Sheet 2: 6.3 Apply Guidance to Classification** *(Yes)* ⑤ → **Sheet 2: Knowledge Base Unavailable** *(No — content not current/approved)*

① → ② → ③

TROUBLE TICKET LIFECYCLE – KNOWLEDGE REFERENCE & ANALYSIS

STAGE 6 OF 15 | Access current, approved knowledge base content to guide classification and handling.

	APPLY GUIDANCE	KNOWLEDGE BASE UNAVAILABLE
Events / Triggers Stage entry & exit		
Agent Frontline / back office	PROCESS STEP **6.3 Apply Guidance to Classification** ACTION: Apply the approved article guidance to ticket categorisation and handling. MESSAGE: Guidance applied. (4) ← **Sheet 1: D6 – Content Current & Approved?** *(Yes)* (6) → **Sheet 3: Complete – Proceed to Stage 7** *(Guidance applied)*	
Knowledge Base Approved reference content		EXCEPTION **Knowledge Base Unavailable** No current, approved content is available for the search; the agent proceeds with manual classification and flags the ticket for follow-up. (5) ← **Sheet 1: D6 – Content Current & Approved?** *(No — content not current/approved)* (7) → **Sheet 3: Complete – Proceed to Stage 7** *(Manual fallback)*

TROUBLE TICKET LIFECYCLE – KNOWLEDGE REFERENCE & ANALYSIS

STAGE 6 OF 15 | Access current, approved knowledge base content to guide classification and handling.

COMPLETE

Events / Triggers
Stage entry & exit

END **Complete – Proceed to Stage 7**

Guidance applied (or manual fallback used); journey continues to Stage 7 of 15.

6 ← **Sheet 2: 6.3 Apply Guidance to Classification** *(Guidance applied)*

7 ← **Sheet 2: Knowledge Base Unavailable** *(Manual fallback)*

Agent
Frontline / back office

Knowledge Base
Approved reference content

TROUBLE TICKET LIFECYCLE – KNOWLEDGE REFERENCE & ANALYSIS

STAGE 6 OF 15 | Access current, approved knowledge base content to guide classification and handling.

FLOW REFERENCE (ALL SHEETS) — NUMBERED BADGES/CHIPS CORRESPOND TO THESE TRANSITIONS

1. **Stage 6 Start → 6.1 Access Knowledge Base**
   SEQUENCE
   Ticket created

2. **6.1 Access Knowledge Base → 6.2 Search Knowledge Articles**
   SEQUENCE
   KB opened

3. **6.2 Search Knowledge Articles → D6 – Content Current & Approved?**
   SEQUENCE
   Search executed

4. **D6 – Content Current & Approved? → 6.3 Apply Guidance to Classification**
   CONDITIONAL
   Yes

5. **D6 – Content Current & Approved? → Knowledge Base Unavailable**
   CONDITIONAL
   No — content not current/approved

6. **6.3 Apply Guidance to Classification → Complete – Proceed to Stage 7**
   SEQUENCE
   Guidance applied

7. **Knowledge Base Unavailable → Complete – Proceed to Stage 7**
   SEQUENCE
   Manual fallback

Node types, connector styles and the card field key are shown once, on Stage 1 (Sheet 4).

TROUBLE TICKET LIFECYCLE – TICKET CLASSIFICATION

STAGE 7 OF 15 | Capture and classify ticket details, then save and pass the ticket downstream.

	INITIATE	VIEW TICKET	CAPTURE DETAILS	SELECT CLASSIFICATION
Events / Triggers Stage entry & exit	START **Stage 7 Start** Continues from Stage 6 with classification guidance applied. START **Alt Trigger: AIA Order Failure** An AIA order-creation request fails; the system auto-creates a ticket and records the error reason in Description, entering classification directly.			
Agent Frontline / back office		PROCESS STEP **7.1 View Newly Created Ticket** ACTION: View the newly created ticket with its auto-populated fields. DISPLAY: • Ticket detail view	PROCESS STEP **7.2 Capture Ticket Details** ACTION: Fill the ticket details manually. FIELDS: • Ticket detail fields 10 ← **Sheet 2: Fields Incomplete** *(Return to capture)*	PROCESS STEP **7.3 Select Classification** ACTION: Select Source, Category, Area and Sub-Area by searching keywords and referring to the knowledge base. MESSAGE: Classification selected. FIELDS: • Source • Category (mandatory) • Area (mandatory) • Sub-Area (mandatory) 5 → **Sheet 2: 7.4 Cascade Area → Sub-Area** *(Area selected)*
CRM / Ticketing System of record				
AIA / Order System Alternate system trigger				

1 2 3 4

TROUBLE TICKET LIFECYCLE – TICKET CLASSIFICATION

STAGE 7 OF 15 | Capture and classify ticket details, then save and pass the ticket downstream.

	CASCADE SUB-AREA	SELECT TEMPLATE	MANDATORY CHECK	FIELDS INCOMPLETE
Events / Triggers Stage entry & exit				
Agent Frontline / back office		PROCESS STEP **7.5 Select Description Template** ACTION: Capture the description using the pre-defined template from the knowledge base. RULE: The template used must be an active, approved template applicable to the selected classification. FIELDS • Description template		
CRM / Ticketing System of record	PROCESS STEP **7.4 Cascade Area → Sub-Area** ACTION: Dynamically filter the Sub-Area picklist based on the selected Area. CHECK: Only mapped and valid Sub-Area values are available for the selected Area. 5 ← **Sheet 1: 7.3 Select Classification** *(Area selected)*		DECISION **D7 – Mandatory Fields Complete?** Confirms all mandatory classification and description fields are filled before the ticket can be saved. POSSIBLE OUTCOMES **Yes** → 7.6 Save Ticket & Derive Priority **No** → Fields Incomplete 8 → **Sheet 3: 7.6 Save Ticket & Derive Priority** *(Yes)*	EXCEPTION **Fields Incomplete** One or more mandatory fields are missing; the agent is returned to capture the outstanding details. 10 → **Sheet 1: 7.2 Capture Ticket Details** *(Return to capture)*
AIA / Order System Alternate system trigger				

6 → 7 → 9

TROUBLE TICKET LIFECYCLE – TICKET CLASSIFICATION

STAGE 7 OF 15 | Capture and classify ticket details, then save and pass the ticket downstream.

	SAVE & DERIVE PRIORITY	PASS DOWNSTREAM	COMPLETE
Events / Triggers Stage entry & exit			END **Complete – Proceed to Stage 8** Ticket is classified, saved and synced downstream; journey continues to Stage 8 of 15.
Agent Frontline / back office			
CRM / Ticketing System of record	PROCESS STEP **7.6 Save Ticket & Derive Priority** ACTION: Save the ticket once all mandatory fields are filled, and derive ticket Priority from Customer Type per the priority matrix. CHECK: Priority derived from Customer Type [Automated – CRM / Ticketing]. MESSAGE: Ticket saved. (8) ← **Sheet 2: D7 – Mandatory Fields Complete?** *(Yes)*	PROCESS STEP **7.7 Pass Ticket Downstream** ACTION: Pass the captured ticket details to downstream systems when the ticket is saved. MESSAGE: Downstream sync confirmed.	
AIA / Order System Alternate system trigger			

(11) (12)

TROUBLE TICKET LIFECYCLE – TICKET CLASSIFICATION

STAGE 7 OF 15 | Capture and classify ticket details, then save and pass the ticket downstream.

FLOW REFERENCE (ALL SHEETS) — NUMBERED BADGES/CHIPS CORRESPOND TO THESE TRANSITIONS

1. **Stage 7 Start → 7.1 View Newly Created Ticket**
   SEQUENCE
   Classification guidance applied

2. **Alt Trigger: AIA Order Failure → 7.2 Capture Ticket Details**
   SEQUENCE
   Auto-created on order failure

3. **7.1 View Newly Created Ticket → 7.2 Capture Ticket Details**
   SEQUENCE
   Ticket reviewed

4. **7.2 Capture Ticket Details → 7.3 Select Classification**
   SEQUENCE
   Details captured

5. **7.3 Select Classification → 7.4 Cascade Area → Sub-Area**
   SEQUENCE
   Area selected

6. **7.4 Cascade Area → Sub-Area → 7.5 Select Description Template**
   SEQUENCE
   Sub-Area filtered

7. **7.5 Select Description Template → D7 – Mandatory Fields Complete?**
   SEQUENCE
   Template applied

8. **D7 – Mandatory Fields Complete? → 7.6 Save Ticket & Derive Priority**
   CONDITIONAL
   Yes

9. **D7 – Mandatory Fields Complete? → Fields Incomplete**
   CONDITIONAL
   No — mandatory field missing

10. **Fields Incomplete → 7.2 Capture Ticket Details**
    ERROR/RETRY
    Return to capture

11. **7.6 Save Ticket & Derive Priority → 7.7 Pass Ticket Downstream**
    SEQUENCE
    Ticket saved

12. **7.7 Pass Ticket Downstream → Complete – Proceed to Stage 8**
    SEQUENCE
    Downstream sync confirmed

Node types, connector styles and the card field key are shown once, on Stage 1 (Sheet 4).

TROUBLE TICKET LIFECYCLE – ASSIGNMENT OF TROUBLE TICKET

STAGE 8 OF 15 | Auto-assign the ticket to the right group and agent, with supervisor and bulk controls.

	INITIATE	AUTO-ASSIGN	MATCH CHECK	FALLBACK GROUP
Events / Triggers Stage entry & exit	START **Stage 8 Start** Continues from Stage 7 with the ticket saved and synced downstream.			
Agent Frontline / back office				
Assignment Engine Group & queue routing		PROCESS STEP **8.1 Auto-Assign to Group** ACTION Assign the ticket to the appropriate group using the predefined combination of Channel, Ticket Category, Area, Sub-Area, Language and Customer Type. FIELDS • Channel • Category • Area • Sub-Area • Language • Customer Type OPTIONS • Skill-based routing applied within the matched group RULE Assignment matrix and group/individual skill matrix are business-provided.	DECISION **D8 – Match Found?** Confirms the assignment parameters matched a predefined group combination. POSSIBLE OUTCOMES **Yes** → 8.3 Set Status & Sub-Status **No** → 8.2 Fallback to Generic Group 3 → **Sheet 2: 8.3 Set Status & Sub-Status** *(Yes)*	PROCESS STEP **8.2 Fallback to Generic Group** ACTION Assign the ticket to a Generic Group when the auto-assignment parameters do not match any predefined combination. MESSAGE Assigned to Generic Group. 5 → **Sheet 2: 8.3 Set Status & Sub-Status** *(Generic Group assigned)*
Supervisor Cross-group & bulk controls				

1 → 2 → 4

TROUBLE TICKET LIFECYCLE – ASSIGNMENT OF TROUBLE TICKET

STAGE 8 OF 15 | Auto-assign the ticket to the right group and agent, with supervisor and bulk controls.

	SET STATUS	NOTIFY AGENT	AGENT ALLOCATION	SELF-ASSIGN
Events / Triggers Stage entry & exit				
Agent Frontline / back office				
Assignment Engine Group & queue routing				
Supervisor Cross-group & bulk controls				

PROCESS STEP 8.3 Set Status & Sub-Status

ACTION
Set Status and Sub-Status when a ticket is allocated to a named user or user group.

RULE
Oracle standard Status/Sub-Status values are used.

MESSAGE
Status and Sub-Status set.

(3) ← **Sheet 1: D8 – Match Found?** *(Yes)*

(5) ← **Sheet 1: 8.2 Fallback to Generic Group** *(Generic Group assigned)*

(6)

PROCESS STEP 8.4 Notify Agent by Email

ACTION
Send an email notification to the agent after a ticket is assigned.

MESSAGE
Assignment email sent.

(7)

PROCESS STEP 8.5 Group → Agent Allocation

ACTION
Allocate individual tickets to an agent within the group based on agent availability and capacity.

CHECK
Agent availability calendar and capacity are business-maintained.

(11) ← **Sheet 3: Assignment Rejected** *(Re-allocated within same group)*

(8)

PROCESS STEP 8.6 View & Self-Assign

ACTION
View tickets assigned to the individual or applicable group, including generic and auto-assigned groups, and self-assign from generic groups.

DISPLAY
- My Group tickets
- Generic Group tickets

MESSAGE
Ticket self-assigned.

(9) → **Sheet 3: 8.7 Supervisor Cross-Group Assign** *(Cross-group need identified)*

(10) → **Sheet 3: Assignment Rejected** *(Agent rejects assignment)*

TROUBLE TICKET LIFECYCLE – ASSIGNMENT OF TROUBLE TICKET

STAGE 8 OF 15 | Auto-assign the ticket to the right group and agent, with supervisor and bulk controls.

	SUPERVISOR REASSIGN	REJECTION HANDLING	BULK ASSIGNMENT	COMPLETE
Events / Triggers Stage entry & exit				END **Complete – Proceed to Stage 9** Ticket is assigned to an owning agent; journey continues to Stage 9 of 15.
Agent Frontline / back office		EXCEPTION **Assignment Rejected** Agent rejects a ticket assigned to them; the ticket is automatically re-assigned back to the same group for re-allocation. 10 ← **Sheet 2: 8.6 View & Self-Assign** *(Agent rejects assignment)* 11 → **Sheet 2: 8.5 Group → Agent Allocation** *(Re-allocated within same group)*		
Assignment Engine Group & queue routing				
Supervisor Cross-group & bulk controls	PROCESS STEP **8.7 Supervisor Cross-Group Assign** ACTION: As supervisor, assign the ticket to a different group when it is not relevant to their own group, or re-assign it to a different user within the group. RULE: Agents may not reassign tickets to peers in the same or another group; only a supervisor (privileged role) may reassign across or within groups. MESSAGE: Ticket reassigned; the agent receives the new assignment. 9 ← **Sheet 2: 8.6 View & Self-Assign** *(Cross-group need identified)*		PROCESS STEP **8.8 Bulk Select & Assign** ACTION: Select multiple tickets — or all applicable tickets — by filter criteria, and bulk-assign them to a single target group. CHECK: Permitted only in accordance with agent privileges and rights; a bulk assignment may target exactly one group. MESSAGE: Bulk assignment complete.	

12

13

TROUBLE TICKET LIFECYCLE – ASSIGNMENT OF TROUBLE TICKET

STAGE 8 OF 15 | Auto-assign the ticket to the right group and agent, with supervisor and bulk controls.

FLOW REFERENCE (ALL SHEETS) — NUMBERED BADGES/CHIPS CORRESPOND TO THESE TRANSITIONS

1. **Stage 8 Start → 8.1 Auto-Assign to Group**
   SEQUENCE
   Ticket ready for assignment

2. **8.1 Auto-Assign to Group → D8 – Match Found?**
   SEQUENCE
   Parameters evaluated

3. **D8 – Match Found? → 8.3 Set Status & Sub-Status**
   CONDITIONAL
   Yes

4. **D8 – Match Found? → 8.2 Fallback to Generic Group**
   CONDITIONAL
   No — no matrix match

5. **8.2 Fallback to Generic Group → 8.3 Set Status & Sub-Status**
   SEQUENCE
   Generic Group assigned

6. **8.3 Set Status & Sub-Status → 8.4 Notify Agent by Email**
   SEQUENCE
   Status set

7. **8.4 Notify Agent by Email → 8.5 Group → Agent Allocation**
   SEQUENCE
   Notification sent

8. **8.5 Group → Agent Allocation → 8.6 View & Self-Assign**
   SEQUENCE
   Allocated by capacity

9. **8.6 View & Self-Assign → 8.7 Supervisor Cross-Group Assign**
   SEQUENCE
   Cross-group need identified

10. **8.6 View & Self-Assign → Assignment Rejected**
    ERROR/RETRY
    Agent rejects assignment

11. **Assignment Rejected → 8.5 Group → Agent Allocation**
    ERROR/RETRY
    Re-allocated within same group

12. **8.7 Supervisor Cross-Group Assign → 8.8 Bulk Select & Assign**
    SEQUENCE
    Reassignment complete

13. **8.8 Bulk Select & Assign → Complete – Proceed to Stage 9**
    SEQUENCE
    Owning agent set

Node types, connector styles and the card field key are shown once, on Stage 1 (Sheet 4).

TROUBLE TICKET LIFECYCLE – TICKET INVESTIGATION

STAGE 9 OF 15 | Associate related tickets, attach evidence and maintain a full audit trail.

	INITIATE	ASSOCIATE TICKETS	DUPLICATE MATCH	ASSOCIATE DUPLICATE
Events / Triggers Stage entry & exit	START **Stage 9 Start** Continues from Stage 8 with the ticket assigned to an owning agent.			
Agent Frontline / back office		PROCESS STEP **9.1 Associate Related Tickets** ACTION Manually associate related tickets as a child of the master ticket. FIELDS • Master ticket reference		PROCESS STEP **9.3 Associate Duplicate Manually** ACTION Manually associate duplicate tickets when the automatic match does not apply. MESSAGE Duplicate association saved. ④ → **Sheet 2: 9.4 Attach Supporting Document** *(Duplicate associated)*
CRM / Ticketing System of record			PROCESS STEP **9.2 Match Duplicate Tickets** ACTION Mark tickets as associated (duplicate) when Ticket Category, MSISDN/FLN, Area and Sub-Area match. CHECK Category, MSISDN/FLN, Area and Sub-Area all match [Automated – CRM / Ticketing].	

① ② ③

TROUBLE TICKET LIFECYCLE – TICKET INVESTIGATION

STAGE 9 OF 15 | Associate related tickets, attach evidence and maintain a full audit trail.

	ATTACH DOCUMENT	STATUS CHECK	VIEW & DOWNLOAD	ATTACHMENT BLOCKED
Events / Triggers Stage entry & exit				
Agent Frontline / back office	**PROCESS STEP 9.4 Attach Supporting Document** ACTION: Scan a physical document and attach it, or attach a file manually. OPTIONS: • Scan-to-attach (retail) • Manual file attachment CHECK: Max file size 2MB, permitted types Image/PDF, max 5 attachments per ticket; every file is malware-scanned before storage. ④ ← **Sheet 1: 9.3 Associate Duplicate Manually** *(Duplicate associated)*		**PROCESS STEP 9.5 View & Download Attachments** ACTION: View and download attachments in any Status, subject to role permission. DISPLAY: • Attachment list ⑧ → **Sheet 3: 9.6 Capture Audit Trail** *(Attachment reviewed)*	
CRM / Ticketing System of record		**DECISION D9 – Status Allows Attachment?** Confirms the ticket is not in a Status that prohibits new attachments. BRSD conflict: TT-001-ATT-02 allows attachment while Closed/Cancelled, while TT-001-ATT-03 prohibits new attachments in those same statuses — this poster follows ATT-03 (block) pending business clarification. POSSIBLE OUTCOMES **Yes** → Attachment saved **No** → Attachment Blocked		**EXCEPTION Attachment Blocked** New attachments are not permitted while ticket Status is 'Closed' or 'Cancelled'; existing attachments remain viewable. See D9 note on the ATT-02 / ATT-03 conflict. ⑨ → **Sheet 3: 9.6 Capture Audit Trail** *(Block event logged)*

⑤ ⑥ ⑦

TROUBLE TICKET LIFECYCLE – TICKET INVESTIGATION

STAGE 9 OF 15 | Associate related tickets, attach evidence and maintain a full audit trail.

	AUDIT CAPTURE	AUDIT ACCESS	COMPLETE
Events / Triggers Stage entry & exit			END **Complete – Proceed to Stage 10** Investigation evidence and audit trail are in place; journey continues to Stage 10 of 15.
Agent Frontline / back office		PROCESS STEP **9.7 View Audit Trail** ACTION: View the audit trail from the detailed ticket view, subject to role permission. DISPLAY: • Audit trail	
CRM / Ticketing System of record	PROCESS STEP **9.6 Capture Audit Trail** ACTION: Record every Status change, Sub-Status change, field change, assignment change, attachment action and notification dispatch, capturing actor, timestamp, before value and after value. CHECK: User ID, IP address, geo-location and Channel are captured on every access. RULE: An audit record cannot be modified or deleted. FIELDS: • Actor • Timestamp • Before value • After value 8 ← **Sheet 2: 9.5 View & Download Attachments** *(Attachment reviewed)* 9 ← **Sheet 2: Attachment Blocked** *(Block event logged)*		

10

11

TROUBLE TICKET LIFECYCLE – TICKET INVESTIGATION

STAGE 9 OF 15 | Associate related tickets, attach evidence and maintain a full audit trail.

FLOW REFERENCE (ALL SHEETS) — NUMBERED BADGES/CHIPS CORRESPOND TO THESE TRANSITIONS

1. **Stage 9 Start → 9.1 Associate Related Tickets**
   SEQUENCE
   Ticket owned

2. **9.1 Associate Related Tickets → 9.2 Match Duplicate Tickets**
   SEQUENCE
   Related tickets linked

3. **9.2 Match Duplicate Tickets → 9.3 Associate Duplicate Manually**
   SEQUENCE
   Auto-match evaluated

4. **9.3 Associate Duplicate Manually → 9.4 Attach Supporting Document**
   SEQUENCE
   Duplicate associated

5. **9.4 Attach Supporting Document → D9 – Status Allows Attachment?**
   SEQUENCE
   Attachment submitted

6. **D9 – Status Allows Attachment? → 9.5 View & Download Attachments**
   CONDITIONAL
   Yes

7. **D9 – Status Allows Attachment? → Attachment Blocked**
   CONDITIONAL
   No — ticket Closed / Cancelled

8. **9.5 View & Download Attachments → 9.6 Capture Audit Trail**
   SEQUENCE
   Attachment reviewed

9. **Attachment Blocked → 9.6 Capture Audit Trail**
   SEQUENCE
   Block event logged

10. **9.6 Capture Audit Trail → 9.7 View Audit Trail**
    SEQUENCE
    Audit trail recorded

11. **9.7 View Audit Trail → Complete – Proceed to Stage 10**
    SEQUENCE
    Investigation reviewed

Node types, connector styles and the card field key are shown once, on Stage 1 (Sheet 4).

TROUBLE TICKET LIFECYCLE – ACTIVITY EXECUTION

STAGE 10 OF 15 | Create, track and close the activities required to resolve the ticket.

	INITIATE	CREATE ACTIVITY	VIEW ACTIVITIES	AUTO-CREATE
Events / Triggers Stage entry & exit	START **Stage 10 Start** Continues from Stage 9 with investigation evidence and audit trail in place.			
Agent Frontline / back office		PROCESS STEP **10.1 Create/Associate Activity** ACTION Add an activity manually under the ticket; the activity is associated with the ticket under which it was created. FIELDS • Activity type • Owner	PROCESS STEP **10.2 View Ticket Activities** ACTION View activities created under the ticket. DISPLAY • Activity list CHECK Visible to the assigned agent and to the owner of the parent ticket. (5) → **Sheet 2: D10 – Any Activity Still Open?** *(Activities reviewed)*	
CRM / Ticketing System of record				PROCESS STEP **10.3 Auto-Create Activity** ACTION Automatically create an activity for a specific type/category, per the configured business rule. CHECK Business rule for auto-activity creation is business-provided.

(1) (2) (3) (4)

TROUBLE TICKET LIFECYCLE – ACTIVITY EXECUTION

STAGE 10 OF 15 | Create, track and close the activities required to resolve the ticket.

	ACTIVITY STATUS CHECK	CLOSE ACTIVITY
Events / Triggers Stage entry & exit		
Agent Frontline / back office		PROCESS STEP **10.4 Close Open Activity** ACTION Close activities created under the ticket when they are not closed automatically. RULE An open activity may be closed only by its owner or another user authorised to complete it. MESSAGE Activity closed.
CRM / Ticketing System of record	DECISION **D10 – Any Activity Still Open?** Confirms whether any activity on the ticket, manual or system-generated, remains open. POSSIBLE OUTCOMES **Yes** → 10.4 Close Open Activity **No** → Proceed to Stage 11 (5) ← **Sheet 1: 10.2 View Ticket Activities** *(Activities reviewed)* (8) → **Sheet 3: Ticket Closure Blocked** *(Closure attempted while open)* (9) → **Sheet 3: Complete – Proceed to Stage 11** *(No — none open)*	

(7)

TROUBLE TICKET LIFECYCLE – ACTIVITY EXECUTION

STAGE 10 OF 15 | Create, track and close the activities required to resolve the ticket.

	CLOSURE GATE	COMPLETE
Events / Triggers Stage entry & exit		END **Complete – Proceed to Stage 11** All activities are closed; journey continues to Stage 11 of 15. 9 ← **Sheet 2: D10 – Any Activity Still Open?** *(No — none open)*
Agent Frontline / back office		
CRM / Ticketing System of record	EXCEPTION **Ticket Closure Blocked** The ticket cannot be set to Closed while any activity remains open; this is enforced downstream in Resolution Recording. 8 ← **Sheet 2: D10 – Any Activity Still Open?** *(Closure attempted while open)*	

TROUBLE TICKET LIFECYCLE – ACTIVITY EXECUTION

STAGE 10 OF 15 | Create, track and close the activities required to resolve the ticket.

FLOW REFERENCE (ALL SHEETS) — NUMBERED BADGES/CHIPS CORRESPOND TO THESE TRANSITIONS

1. **Stage 10 Start → 10.1 Create/Associate Activity**
   SEQUENCE
   Resolution work begins
2. **Stage 10 Start → 10.3 Auto-Create Activity**
   SEQUENCE
   Rule-triggered activity
3. **10.1 Create/Associate Activity → 10.2 View Ticket Activities**
   SEQUENCE
   Activity created
4. **10.3 Auto-Create Activity → 10.2 View Ticket Activities**
   SEQUENCE
   Auto-activity created
5. **10.2 View Ticket Activities → D10 – Any Activity Still Open?**
   SEQUENCE
   Activities reviewed
6. **D10 – Any Activity Still Open? → 10.4 Close Open Activity**
   CONDITIONAL
   Yes
7. **10.4 Close Open Activity → D10 – Any Activity Still Open?**
   ERROR/RETRY
   Re-check remaining activities
8. **D10 – Any Activity Still Open? → Ticket Closure Blocked**
   CONDITIONAL
   Closure attempted while open
9. **D10 – Any Activity Still Open? → Complete – Proceed to Stage 11**
   CONDITIONAL
   No — none open

Node types, connector styles and the card field key are shown once, on Stage 1 (Sheet 4).

TROUBLE TICKET LIFECYCLE – CUSTOMER COMMUNICATION

STAGE 11 OF 15 | Notify the customer automatically and manually across SMS, WhatsApp and push.

	INITIATE	AUTO SMS	MANUAL SMS TRIGGER	TEMPLATE SELECT
Events / Triggers Stage entry & exit	START **Stage 11 Start** Continues from Stage 10 with activities closed or resolution work underway.			
Customer Notification recipient				
Agent Frontline / back office			PROCESS STEP **11.3 Send Manual SMS** ACTION: Send a manual SMS to the customer. CHECK: Only an authorized agent may send; only customers with recorded manual-SMS consent may be selected.	PROCESS STEP **11.4 Search & Select Template** ACTION: Search the notification template by Keyword, Service Type, Language and Template Type, and select the correct SMS template. FIELDS • Keyword • Service type • Language • Template type ④ → **Sheet 2: D11 – Consent on File?** *(Template selected)*
Notification Service SMS / WhatsApp / Push		PROCESS STEP **11.1 Send Automatic SMS** ACTION: Send a preconfigured SMS to the customer at defined events. CHECK: Sent in the preferred language recorded on the customer account [Automated – Notification Service]. RULE: Notification template and trigger events are business-provided. ⑤ → **Sheet 3: 11.6 Send SMS & Save to History** *(Auto SMS sent)*		

① ② ③

TROUBLE TICKET LIFECYCLE – CUSTOMER COMMUNICATION

STAGE 11 OF 15 | Notify the customer automatically and manually across SMS, WhatsApp and push.

	CONSENT CHECK	EDIT MESSAGE	SUPPRESSED
Events / Triggers Stage entry & exit			
Customer Notification recipient			
Agent Frontline / back office		PROCESS STEP **11.5 Edit Message** ACTION: Edit MSISDN, language and text based on agent role and access. RULE: Frontline agents cannot edit message text; Back Office agents can. (8) → **Sheet 3: 11.6 Send SMS & Save to History** *(Message finalised)*	
Notification Service SMS / WhatsApp / Push	DECISION **D11 – Consent on File?** Confirms the customer has consented to the selected communication channel before sending. POSSIBLE OUTCOMES **Yes** → 11.5 Edit Message **No** → Notification Suppressed (4) ← **Sheet 1: 11.4 Search & Select Template** *(Template selected)*		EXCEPTION **Notification Suppressed** No consent on file for the selected channel; the message is not sent and the attempt is logged. (11) → **Sheet 3: Complete – Proceed to Stage 12** *(Suppression logged)*

(6) (7)

TROUBLE TICKET LIFECYCLE – CUSTOMER COMMUNICATION

STAGE 11 OF 15 | Notify the customer automatically and manually across SMS, WhatsApp and push.

	SEND & LOG	ADDITIONAL CHANNELS	COMPLETE
Events / Triggers Stage entry & exit			END **Complete – Proceed to Stage 12** Customer is notified; journey continues to Stage 12 of 15. (11) ← **Sheet 2: Notification Suppressed** *(Suppression logged)*
Customer Notification recipient			
Agent Frontline / back office			
Notification Service SMS / WhatsApp / Push	PROCESS STEP **11.6 Send SMS & Save to History** ACTION: Send the SMS to the customer and save it in Interaction History. DISPLAY: • Interaction History entry MESSAGE: SMS sent and logged. (5) ← **Sheet 1: 11.1 Send Automatic SMS** *(Auto SMS sent)* (8) ← **Sheet 2: 11.5 Edit Message** *(Message finalised)*	PROCESS STEP **11.7 Send via WhatsApp / Push** ACTION: Support WhatsApp and mobile app push as additional customer notification channels, using the selected template and the consented contact preference. MESSAGE: Notification delivered on additional channel.	

(9) (10)

TROUBLE TICKET LIFECYCLE – CUSTOMER COMMUNICATION

STAGE 11 OF 15 | Notify the customer automatically and manually across SMS, WhatsApp and push.

FLOW REFERENCE (ALL SHEETS) — NUMBERED BADGES/CHIPS CORRESPOND TO THESE TRANSITIONS

1. **Stage 11 Start → 11.1 Send Automatic SMS**
   SEQUENCE
   Event-triggered notification

2. **Stage 11 Start → 11.3 Send Manual SMS**
   SEQUENCE
   Agent-initiated notification

3. **11.3 Send Manual SMS → 11.4 Search & Select Template**
   SEQUENCE
   Manual SMS requested

4. **11.4 Search & Select Template → D11 – Consent on File?**
   SEQUENCE
   Template selected

5. **11.1 Send Automatic SMS → 11.6 Send SMS & Save to History**
   SEQUENCE
   Auto SMS sent

6. **D11 – Consent on File? → 11.5 Edit Message**
   CONDITIONAL
   Yes

7. **D11 – Consent on File? → Notification Suppressed**
   CONDITIONAL
   No — no consent on file

8. **11.5 Edit Message → 11.6 Send SMS & Save to History**
   SEQUENCE
   Message finalised

9. **11.6 Send SMS & Save to History → 11.7 Send via WhatsApp / Push**
   SEQUENCE
   Additional channel offered

10. **11.7 Send via WhatsApp / Push → Complete – Proceed to Stage 12**
    SEQUENCE
    Notification complete

11. **Notification Suppressed → Complete – Proceed to Stage 12**
    SEQUENCE
    Suppression logged

Node types, connector styles and the card field key are shown once, on Stage 1 (Sheet 4).

TROUBLE TICKET LIFECYCLE – ESCALATION PROCESSING

STAGE 12 OF 15 | Escalate the ticket with reason, notify stakeholders and manage distribution lists.

	INITIATE	ESCALATE TICKET	NOTIFY DISTRIBUTION	NOTIFY HIERARCHY
Events / Triggers Stage entry & exit	START **Stage 12 Start** Continues from Stage 11; the agent determines the ticket requires escalation.			
Agent Frontline / back office		PROCESS STEP **12.1 Escalate Ticket** ACTION Escalate a ticket manually by selecting a mandatory escalation reason from a controlled list. FIELDS • Escalation reason (mandatory)		
Supervisor Hierarchy & distribution lists				
Notification Service Email			PROCESS STEP **12.2 Notify Distribution Lists** ACTION Send an email notification to every distribution list mapped to the assigned group when a ticket is escalated. RULE Escalation matrix is business-provided.	PROCESS STEP **12.3 Notify Next Hierarchy Level** ACTION Identify and notify the next higher position in the user hierarchy relative to the ticket owner. RULE Escalation notification template is business-provided. ④ → **Sheet 2: 12.4 Configure Distribution Lists** *(Hierarchy notified)*

① → ② → ③

TROUBLE TICKET LIFECYCLE – ESCALATION PROCESSING

STAGE 12 OF 15 | Escalate the ticket with reason, notify stakeholders and manage distribution lists.

	CONFIGURE LISTS	VIEW DASHBOARDS
Events / Triggers Stage entry & exit		
Agent Frontline / back office		**PROCESS STEP 12.5 View Escalation Dashboards** ACTION: View escalated and rejected tickets in dedicated dashboards. DISPLAY: • 'Escalated to me' • 'Rejected by me' • Subordinate escalations (Supervisor) (6) → **Sheet 3: Complete – Proceed to Stage 13** *(Escalation tracked)*
Supervisor Hierarchy & distribution lists	**PROCESS STEP 12.4 Configure Distribution Lists** ACTION: Add, amend and remove distribution lists mapped to a group. CHECK: Requires the Distribution List Administration privilege. (4) ← **Sheet 1: 12.3 Notify Next Hierarchy Level** *(Hierarchy notified)*	
Notification Service Email		

(5)

TROUBLE TICKET LIFECYCLE – ESCALATION PROCESSING

STAGE 12 OF 15 | Escalate the ticket with reason, notify stakeholders and manage distribution lists.

COMPLETE

Events / Triggers
Stage entry & exit

END **Complete – Proceed to Stage 13**

Escalation notified; journey continues to Stage 13 of 15.

6 ← **Sheet 2: 12.5 View Escalation Dashboards** *(Escalation tracked)*

Agent
Frontline / back office

Supervisor
Hierarchy & distribution lists

Notification Service
Email

TROUBLE TICKET LIFECYCLE – ESCALATION PROCESSING

STAGE 12 OF 15 | Escalate the ticket with reason, notify stakeholders and manage distribution lists.

FLOW REFERENCE (ALL SHEETS) — NUMBERED BADGES/CHIPS CORRESPOND TO THESE TRANSITIONS

1. **Stage 12 Start → 12.1 Escalate Ticket**
   ESCALATION
   Escalation required

2. **12.1 Escalate Ticket → 12.2 Notify Distribution Lists**
   ESCALATION
   Reason recorded

3. **12.2 Notify Distribution Lists → 12.3 Notify Next Hierarchy Level**
   SEQUENCE
   Distribution notified

4. **12.3 Notify Next Hierarchy Level → 12.4 Configure Distribution Lists**
   SEQUENCE
   Hierarchy notified

5. **12.4 Configure Distribution Lists → 12.5 View Escalation Dashboards**
   SEQUENCE
   Lists maintained

6. **12.5 View Escalation Dashboards → Complete – Proceed to Stage 13**
   SEQUENCE
   Escalation tracked

Node types, connector styles and the card field key are shown once, on Stage 1 (Sheet 4).

TROUBLE TICKET LIFECYCLE – RESOLUTION RECORDING

STAGE 13 OF 15 | Capture resolution details, close outstanding activities and finalise the ticket status.

	INITIATE	CAPTURE RESOLUTION	MANDATORY CHECK	RESOLUTION INCOMPLETE
Events / Triggers Stage entry & exit				
Agent Frontline / back office				
CRM / Ticketing System of record				

START **Stage 13 Start**

Continues from Stage 12 with the issue investigated and any escalation handled.

(12) → **Sheet 3: 13.6 Auto-Resolve Port-Out Verification**
(Independent system trigger — not sequential with manual closure)

(1)

PROCESS STEP **13.1 Capture Resolution Details**

ACTION

Capture Resolution Code, Hashtag(s) and Ticket Actual Issue before the ticket can move to Resolved.

FIELDS

- Resolution Code (exactly one)
- Hashtag(s) — filtered by Type/Area/Sub-Area
- Ticket Actual Issue — filtered list

(2)

DECISION **D12 – Mandatory Fields Complete?**

Confirms Resolution Code, Hashtag and Ticket Actual Issue are all captured before Status can change to 'Resolved'.

POSSIBLE OUTCOMES

Yes → 13.2 Capture External Referral
No → Resolution Incomplete

(3) → **Sheet 2: 13.2 Capture External Referral** *(Yes)*

(4)

(5)

EXCEPTION **Resolution Incomplete**

Status cannot change to 'Resolved' until Resolution Code, Hashtag and Ticket Actual Issue are all captured.

TROUBLE TICKET LIFECYCLE – RESOLUTION RECORDING

STAGE 13 OF 15 | Capture resolution details, close outstanding activities and finalise the ticket status.

	EXTERNAL REFERRAL	SET RESOLVED	ACTIVITY CHECK	CLOSURE BLOCKED
Events / Triggers Stage entry & exit				
Agent Frontline / back office	**PROCESS STEP 13.2 Capture External Referral** ACTION: Capture an external ticket reference in a dedicated field when a ticket is created in an external (L3) system to resolve the issue; keep Status as Pending. OPTIONS: • Manually set Status to Resolved once the external ticket is closed and the issue is resolved 3 ← Sheet 1: D12 – Mandatory Fields Complete? *(Yes)*			
CRM / Ticketing System of record		**PROCESS STEP 13.3 Set Status to Resolved** ACTION: Change ticket Status to 'Resolved'; this triggers the customer satisfaction survey. MESSAGE: Ticket marked Resolved.	**DECISION D13 – Outstanding Activities?** Confirms no relevant activities remain outstanding before the ticket can transition to Closed. BRSD tension: RES-08 blocks Closed while any activity is outstanding, while RES-09 states Closed also auto-closes all associated activities — business to clarify which activities are "relevant" to the gate versus auto-closed on completion. POSSIBLE OUTCOMES **Yes** → Closure Blocked **No** → 13.4 Close Ticket 9 → Sheet 3: 13.4 Close Ticket *(No — none outstanding)*	**EXCEPTION Closure Blocked** The ticket cannot be set to Closed while any relevant activity remains outstanding.

6 → 7 → 10

TROUBLE TICKET LIFECYCLE – RESOLUTION RECORDING

STAGE 13 OF 15 | Capture resolution details, close outstanding activities and finalise the ticket status.

	CLOSE TICKET	REOPEN / CANCEL	PORT-OUT AUTO-RESOLVE	COMPLETE
Events / Triggers Stage entry & exit				END **Complete – Proceed to Stage 14** Ticket is resolved and, where applicable, closed; journey continues to Stage 14 of 15.
Agent Frontline / back office		PROCESS STEP **13.5 Reopen / Cancel Ticket** ACTION: Optional, later actions — not a mandatory next step: return a Closed ticket to 'Re-Open' within the configured reopen window with a mandatory reason, or independently set Status to 'Cancelled' with a mandatory reason code. CHECK: Reopen and Cancellation each require a dedicated privilege.		
CRM / Ticketing System of record	PROCESS STEP **13.4 Close Ticket** ACTION: Set the ticket Status to Closed; the system closes all activities associated with the ticket. MESSAGE: Ticket closed. 9 ← **Sheet 2: D13 – Outstanding Activities?** *(No — none outstanding)*		PROCESS STEP **13.6 Auto-Resolve Port-Out Verification** ACTION: Independent system-triggered outcome for Port-Out verification tickets — not sequential with manual Close/Reopen/Cancel. Automatically resolves after service termination during the NPAS Window. CHECK: A back-office agent may set Status to Resolved manually if the automated resolution fails. MESSAGE: Auto-resolved. 12 ← **Sheet 1: Stage 13 Start** *(Independent system trigger — not sequential with manual closure)*	

13 → COMPLETE

14 → REOPEN / CANCEL

15 → PORT-OUT AUTO-RESOLVE

11 → CLOSE TICKET

TROUBLE TICKET LIFECYCLE – RESOLUTION RECORDING

STAGE 13 OF 15 | Capture resolution details, close outstanding activities and finalise the ticket status.

FLOW REFERENCE (ALL SHEETS) — NUMBERED BADGES/CHIPS CORRESPOND TO THESE TRANSITIONS

1. **Stage 13 Start → 13.1 Capture Resolution Details**
   SEQUENCE
   Investigation complete

2. **13.1 Capture Resolution Details → D12 – Mandatory Fields Complete?**
   SEQUENCE
   Details captured

3. **D12 – Mandatory Fields Complete? → 13.2 Capture External Referral**
   CONDITIONAL
   Yes

4. **D12 – Mandatory Fields Complete? → Resolution Incomplete**
   CONDITIONAL
   No — a mandatory field is missing

5. **Resolution Incomplete → 13.1 Capture Resolution Details**
   ERROR/RETRY
   Return to capture

6. **13.2 Capture External Referral → 13.3 Set Status to Resolved**
   SEQUENCE
   Referral captured / not applicable

7. **13.3 Set Status to Resolved → D13 – Outstanding Activities?**
   SEQUENCE
   Resolved — closure evaluated

8. **D13 – Outstanding Activities? → Closure Blocked**
   CONDITIONAL
   Yes — activity outstanding

9. **D13 – Outstanding Activities? → 13.4 Close Ticket**
   CONDITIONAL
   No — none outstanding

10. **Closure Blocked → D13 – Outstanding Activities?**
    ERROR/RETRY
    Re-check after activity closed

11. **13.4 Close Ticket → 13.5 Reopen / Cancel Ticket**
    SEQUENCE
    Optional later action — not mandatory

12. **Stage 13 Start → 13.6 Auto-Resolve Port-Out Verification**
    SEQUENCE
    Independent system trigger — not sequential with manual closure

13. **13.4 Close Ticket → Complete – Proceed to Stage 14**
    SEQUENCE
    Ticket closed

14. **13.5 Reopen / Cancel Ticket → Complete – Proceed to Stage 14**
    SEQUENCE
    Reopen / cancel recorded

15. **13.6 Auto-Resolve Port-Out Verification → Complete – Proceed to Stage 14**
    SEQUENCE
    Auto-resolved

Node types, connector styles and the card field key are shown once, on Stage 1 (Sheet 4).

TROUBLE TICKET LIFECYCLE – CUSTOMER FEEDBACK

STAGE 14 OF 15 | Trigger and capture the customer satisfaction survey once the ticket is resolved.

	INITIATE	TRIGGER SURVEY
Events / Triggers Stage entry & exit	START **Stage 14 Start** Continues from Stage 13 the moment ticket Status changes to 'Resolved'.	
Customer Survey respondent		
CRM / Ticketing System of record		PROCESS STEP **14.1 Trigger Satisfaction Survey** ACTION: Send a feedback survey trigger to the survey system when the ticket is in Resolved status. MESSAGE: Survey triggered. (2) → **Sheet 2: 14.2 Capture Survey Response** *(Survey sent)*
Survey System CSAT capture		

TROUBLE TICKET LIFECYCLE – CUSTOMER FEEDBACK

STAGE 14 OF 15 | Trigger and capture the customer satisfaction survey once the ticket is resolved.

CAPTURE RESPONSE

Events / Triggers
Stage entry & exit

Customer
Survey respondent

CRM / Ticketing
System of record

Survey System
CSAT capture

PROCESS STEP **14.2 Capture Survey Response**

ACTION

Capture the customer satisfaction feedback in the survey system.

DISPLAY

- CSAT response

(2) ← **Sheet 1: 14.1 Trigger Satisfaction Survey** *(Survey sent)*

(3) → **Sheet 3: Complete – Proceed to Stage 15** *(Feedback captured)*

TROUBLE TICKET LIFECYCLE – CUSTOMER FEEDBACK

STAGE 14 OF 15 | Trigger and capture the customer satisfaction survey once the ticket is resolved.

COMPLETE

Events / Triggers
Stage entry & exit

END **Complete – Proceed to Stage 15**

Feedback captured (or declined by the customer); journey continues to Stage 15 of 15.

③ ← **Sheet 2: 14.2 Capture Survey Response** *(Feedback captured)*

Customer
Survey respondent

CRM / Ticketing
System of record

Survey System
CSAT capture

TROUBLE TICKET LIFECYCLE – CUSTOMER FEEDBACK

STAGE 14 OF 15 | Trigger and capture the customer satisfaction survey once the ticket is resolved.

FLOW REFERENCE (ALL SHEETS) — NUMBERED BADGES/CHIPS CORRESPOND TO THESE TRANSITIONS

1. **Stage 14 Start → 14.1 Trigger Satisfaction Survey**
   SEQUENCE
   Ticket Resolved

2. **14.1 Trigger Satisfaction Survey → 14.2 Capture Survey Response**
   SEQUENCE
   Survey sent

3. **14.2 Capture Survey Response → Complete – Proceed to Stage 15**
   SEQUENCE
   Feedback captured

Node types, connector styles and the card field key are shown once, on Stage 1 (Sheet 4).

TROUBLE TICKET LIFECYCLE – DASHBOARD & REPORTING

STAGE 15 OF 15 | Provide filtered, exportable, role-restricted visibility of tickets across the estate.

	INITIATE	VIEW TICKET LIST	EXPORT LIST	STANDARD VIEWS
Events / Triggers Stage entry & exit	START **Stage 15 Start** Ongoing capability available throughout the ticket lifecycle, from Stage 8 onward.			
Agent Frontline / back office / supervisor		PROCESS STEP **15.1 View Filtered Ticket List** ACTION: View tickets in a list filtered by the selected criteria. DISPLAY: • Filtered ticket list	PROCESS STEP **15.2 Export Ticket List** ACTION: Export the list of tickets, after filters are applied, in Excel format. MESSAGE: Export generated. 7 → **Sheet 3: Journey Complete** *(Export delivered)*	
CRM / Ticketing System of record				PROCESS STEP **15.3 Standard Ticket Views** ACTION: Provide My Tickets, My Team's Tickets and All Tickets views. DISPLAY: • My Tickets • My Team's Tickets • All Tickets 4 → **Sheet 2: 15.4 Group-Restricted Views** *(Restricted group view needed)*

1 → 15.1 View Filtered Ticket List

2 → 15.2 Export Ticket List

3 → 15.3 Standard Ticket Views

TROUBLE TICKET LIFECYCLE – DASHBOARD & REPORTING

STAGE 15 OF 15 | Provide filtered, exportable, role-restricted visibility of tickets across the estate.

	RESTRICTED VIEWS	CUSTOMER 360 PANEL	RAG INDICATOR
Events / Triggers Stage entry & exit			
Agent Frontline / back office / supervisor			
CRM / Ticketing System of record	**PROCESS STEP 15.4 Group-Restricted Views** ACTION: Provide a dedicated group view for Credit Control and Collections departments. CHECK: Only privileged agents may view the activities and tickets of these groups. ④ ← **Sheet 1: 15.3 Standard Ticket Views** *(Restricted group view needed)*	**PROCESS STEP 15.5 Customer 360 Ticket Panel** ACTION: View all tickets raised against a customer account from Customer 360, with no restriction on ticket age. DISPLAY: • Customer ticket history	**PROCESS STEP 15.6 RAG Status Indicator** ACTION: Display a Red, Amber or Green indicator for each ticket in list views. CHECK: Derived from elapsed time against the SLA target for the applicable Customer Type [Automated – CRM / Ticketing]. RULE: RAG matrix is business-provided. ⑧ → **Sheet 3: Journey Complete** *(Reporting complete)*

⑤ →

⑥ →

TROUBLE TICKET LIFECYCLE – DASHBOARD & REPORTING

STAGE 15 OF 15 | Provide filtered, exportable, role-restricted visibility of tickets across the estate.

COMPLETE

Events / Triggers
Stage entry & exit

END **Journey Complete**

Full ticket visibility, export and SLA reporting are in place. The Trouble Ticket lifecycle journey is complete.

⑦ ← **Sheet 1: 15.2 Export Ticket List** *(Export delivered)*

⑧ ← **Sheet 2: 15.6 RAG Status Indicator** *(Reporting complete)*

Agent
Frontline / back office / supervisor

CRM / Ticketing
System of record

TROUBLE TICKET LIFECYCLE – DASHBOARD & REPORTING

STAGE 15 OF 15 | Provide filtered, exportable, role-restricted visibility of tickets across the estate.

FLOW REFERENCE (ALL SHEETS) — NUMBERED BADGES/CHIPS CORRESPOND TO THESE TRANSITIONS

1. **Stage 15 Start → 15.1 View Filtered Ticket List**
   SEQUENCE
   Reporting need arises

2. **15.1 View Filtered Ticket List → 15.2 Export Ticket List**
   SEQUENCE
   List filtered

3. **15.1 View Filtered Ticket List → 15.3 Standard Ticket Views**
   SEQUENCE
   View selected

4. **15.3 Standard Ticket Views → 15.4 Group-Restricted Views**
   SEQUENCE
   Restricted group view needed

5. **15.4 Group-Restricted Views → 15.5 Customer 360 Ticket Panel**
   SEQUENCE
   Customer-level view needed

6. **15.5 Customer 360 Ticket Panel → 15.6 RAG Status Indicator**
   SEQUENCE
   SLA visibility needed

7. **15.2 Export Ticket List → Journey Complete**
   SEQUENCE
   Export delivered

8. **15.6 RAG Status Indicator → Journey Complete**
   SEQUENCE
   Reporting complete

Node types, connector styles and the card field key are shown once, on Stage 1 (Sheet 4).