

SYS-APP-ARCHITECTURE

≡ Flow 이름	앱 아키텍처 설계
🔑 Owner	비어 있음
≡ 관련 링크	비어 있음
📄 데모포함	No
≡ 목표	전체 앱 구조와 레이어 구조를 정의한다
📄 상태	초안
📄 주차	Week1

기술 스택:

Language: Kotlin

UI: Jetpack Compose

Navigation: Android Compose Navigation

Async: Coroutines & Flow

DI: Hilt

Networking: -

Local Database: Room

Backend: Firebase(Firebase, Storage)

AI Engine: Gemini Live API with Firebase AI Logic(specified model: 'gemini-2.5-flash-native-audio-preview-12-2025')

Architecture: Clean Architecture + MVVM

Folder Struture:

app/src/main/java/com/example/umma

├─ di/ # Dependency Injection Modules

├─ domain/ # Pure Kotlin Business Logic

│ └─ model/ # Domain Entities

│ └─ repository/ # Data Access Interfaces

│ └─ usecase/ # Single Responsibility Logic

```

└── data/          # Data Implementations
    ├── repository/ # Repository Implementations
    ├── source/     # Remote(Socket/API) & Local(Room) Sources
    └── mapper/     # Data Mapping (DTO ↔ Entity)
└── presentation/  # UI & State Management & ViewModel
    ├── feature1/   # 1st Feature
    ├── feature2/   # 2nd Feature
    ├── *
    ├── *
    ├── *
    ├── featureN/   # Nth Feature
    └── component/  # Common Compose Components
  
```

전반적인 앱 데이터 흐름 구조도:



