



WHO WE ARE?

We are leading business in the Hormonal anabolic products sector with a wilde stock of anabolic steroids designed to cover and fulfill the needs of teh most exigent user. We got a wide variety of products specially manufactured to meet the different needs of the Athletes. Each of our products is made with the highest standards of quality and ethics, having the certainty that you are using a product with a genuine active principles of the best quality in the world. We are a business with outstanding standards regarding the design and package of products as well as

the highest quality in active principles to create one of the most amazing lines of

anabolics steroids available in the market.

Our Lab specialize in formulation, analysis and development of new products under the investigation of expert athletes and body builders that applies innovation into the development of new products, with the purpose of being completely useful to the performance of the modern athlete taking him to accomplish his goals with the help of our new pharmaceutical forms.





NDC 0591-3265-82

Finaplix

Trenbolone Acetate 100 mg/ml

For I.M. use only

Formula: C₂₀H₂₄O₃ Molecular Mass: 312.4 g/mol

Active Half-Life: 3-4 Days

Anabolic Activity: 500%

Androgenic Activity: 500%

Dosage: 300-500mg per week

Description: Trenbolone Acetate Is an incredibly fast acting form of the most effective drug ever manufactured. It is highly valued for its ability to increase muscle hardness, definition, and raw strength, without unwanted

water retention and fat mass gains



10ml Multi Dose Vial

NDC 0591-3245-52

Trenabol™

Trenbolone Enanthate 200 mg/ml

Androgenic Activity: 500%

For I.M. use only

Anabolic Activity: 500%

Rx Only (III



Formula: C₂₅H₂₄O₂ Molecular Mass: 382.54 g/mol

Active Half-Life: 8-9 Days Dosage: 200-600mg per week

Description: Trenbolone Enanthate a long acting form of the most effective drug ever manufactured. It is highly valued for its ability to increase muscle hardness, definition, and raw strength, without unwanted water retention and fat mass gains. The form will provide you an outbursting power and strength among with substantial growth of quality muscle bulk within a lot of weeks!







NDC 0591-3259-98

Boldenan™

Boldenone Undecylenate 250

For I.M. use only Formula: C₃₀H₄₄O₃

Molecular Mass : 452.67 g/mol

Anabolic Activity: 100% Androgenic Activity: 50%

Active Half-Life: 16-17 Days

Dosage: 400-1200mg per week

Description: Boldenone undecylenate is an injectable steroid that exhibits strong anabolic and moderately androgenic properties. The well-balanced anabolic and androgenic properties of this drug are greatly appreciated by athletes, who want to enhance their result without strong side effects. Boldenone greatly stimulates hematopoiesis. Elevated levels of red blood cells improve oxygen delivery to the muscles. This makes this steroid attractive not only for bodybuilders, but also for track and field athletes. Among bodybuilders, Boldenone is appreciated not only for his ability to promote lean and dense muscle growth, but also for its peculiarity to significantly raise appetite and promote vascularity. Boldenone has an incredibly long active life, requiring less frequent injections and is often used as a part of very long cycles.



10ml Multi Dose Vial

NDC 0591-3257-69

Boldenan™

Boldenone Undecylenate

For I.M. use only Formula : $C_{30}H_{44}O_{3}$

Molecular Mass: 452.67 g/mol

Anabolic Activity: 100% Androgenic Activity: 50%

Rx Only (III)

Active Half-Life: 16-17 Days

Dosage: 400-1200mg per week

Description: Boldenone undecylenate is an injectable steroid that exhibits strong anabolic and moderately androgenic properties. The well-balanced anabolic and androgenic properties of this drug are greatly appreciated by athletes, who want to enhance their result without strong side effects. Boldenone greatly stimulates hematopoiesis. Elevated levels of red blood cells improve oxygen delivery to the muscles. This makes this steroid attractive not only for bodybuilders, but also for track and field athletes. Among bodybuilders, Boldenone is appreciated not only for his ability to promote lean and dense muscle growth, but also for its peculiarity to significantly raise appetite and promote vascularity. Boldenone has an incredibly long active life, requiring less frequent injections and is often used as a part of very long cycles.







NDC 0591-3337-48

Decadura

Nandrolone Decanoate 250

For I.M. use only

Formula: C₂₈H₄₄O₃ Anabolic Activity: 125% Molecular Mass: 428.6472 g/mol Androgenic Activity: 37%

Active Half-Life: 14-15 Days Dosage: 500-700mg per week

Description: Nandrolone Decanoate is considered to be a classic drug for muscle bulk gain. Due to significant retention of water in muscles during the cycle, bulk growth occurs to be significantly faster. Combines well with long esters of testosterone. With a half-life of around 6-7 days, it has slow release intended for long cycles.



10ml Multi Dose Vial

Formula: C₂₈H₄₄O₃

NDC 0591-3342-62

Decadura

Nandrolone Decanoate 400 mg/ml

For I.M. use only Rx Only (III

Molecular Mass: 428.6472 g/mol Active Half-Life: 14-15 Days Anabolic Activity: 125% Dosage: 500-700mg per week Androgenic Activity: 37%

Description: Nandrolone Decanoate is considered to be a classic drug for muscle bulk gain. Due to significant retention of water in muscles during the cycle, bulk growth occurs to be significantly faster. Combines well with long esters of testosterone. With a half-life of around 6-7 days, it has slow release intended for long cycles.







NDC 0591-3356-23

Mastprop

Drostanolone Propionate 100 mg/ml

For I.M. use only Formula: C₂₀H₂₂O₂

Molecular Mass: 304.47 g/mol

Anabolic Activity: 62% Androgenic Activity: 25% Active Half-Life: 2-3 Days

Dosage: 300-500mg per week

Description: Drostanolone Propionate is one of the best drugs to get lean and dense muscles as for price-quality ratio. With a half-life of around 1-1.5 days, it is relatively much faster form of Drostanolone Enanthate and perfectly

suits for shorter and cutting cycles.



10ml Multi Dose Vial

NDC 0591-3354-85

Active Half-Life: 15-16 Days

Cypiomax

Testoterone Cypionate

For I.M. use only

stack.

Formula: C₂₇H₄₀O₃ Molecular Mass: 412.6 g/mol

Androgenic Activity: 100% Dosage: 300-1500mg per week

Anabolic Activity: 100% Description: Testosterone Cypionate is one of the best mass building anabolics known to man and is a highly recommended as the base of any mass building cycle. Testosterone is responsible for promoting health and well-being through enhanced libido, energy, immunity, increased fat loss, gaining and maintaining lean muscle mass, preventing Osteoporosis (loss of bone density), and possible protection against heart disease. It combines excellently with many other compounds both oral and injectable as part of a potent 10ml Multi Dose Vial NDC 0591-3354-85 Cypiomax Rx Only (II Cypiomax





Formula: C₂₆H₄₀O₃

NDC 0591-3369-45

Testaveron

Testoterone Enanthate 250 mg/ml

For I.M. use only

Molecular Mass: 400.59 g/mol Active Half-Life: 7-8 Days

Anabolic Activity: 100% Androgenic Activity: 100% Dosage: 250-1500mg per week

Description: Testosterone Enanthate is one of the best mass building anabolics known to man and is a highly recommended as the base of any mass building cycle. Testosterone is responsible for promoting health and well-being through enhanced libido, energy, immunity, increased fat loss, gaining and maintaining lean muscle mass, preventing Osteoporosis (loss of bone density), and possible protection against heart disease. It combines excellently with many other compounds both oral and injectable as part of a potent stack.



10ml Multi Dose Vial

NDC 0591-3354-32

Propiomax

Testoterone Propionate 100 mg/ml

For I.M. use only Formula: C₂₂H₃₂O₃

Molecular Mass: 344.49 g/mol

Active Half-Life: 2-4 Days Androgenic Activity: 100% Dosage: 200-700mg per week

Anabolic Activity: 100% Description: Testosterone Propionate it is highly recommended as the base of both mass building and cutting cycles.

Testosterone is responsible for promoting health and well-being through enhanced libido, energy, immunity, increased fat loss, gaining and maintaining lean muscle mass, preventing Osteoporosis (loss of bone density), and possible protection against heart disease. It combines excellently with many other compounds both oral and injectable (preferably short esters) as part of a potent stack.







NDC 0591-3352-46

Active Half-Life: 7-8 Days

Stanaject™

Stanozolol

Anabolic Activity: 320%

For I.M. use only Rx Only (III

Formula: C₂₁H₃₂N₂O Molecular Mass: 328.49 g/mol

Androgenic Activity: 30% Dosage: 300-600mg per week

Description: stanozolol is a man-made steroid, similar to the a naturally occurring steroid testosterone. stanozolol is used in the treatment of hereditary angioedema, which causes episodes of swelling of the face, extremities, genitals, bowel wall, and throat. stanozolol may decrease the frequency and severity of these attacks.



10ml Multi Dose Vial

NDC 0591-3156-99

Hexabol[®]

Trenbolone Hexahydrobenzylcarbonate 76.5

For I.M. use only

Rx Only (III



Formula: C₂₆H₃₄O₄ Anabolic Activity: 500% Molecular Mass: 410.55 g/mol

Dosage: 100-300mg per week

Androgenic Activity: 500%

Description: Trenbolone hexahydrobenzylcarbonate is a synthetic, injected anabolic-androgenic steroid (AAS) of the nandrolone group and an androgen ester – specifically, the $C17\beta$ hexahydrobenzylcarbonate

(cyclohexylmethylcarbonate) ester of trenbolone – which was marketed in France for medical use in humans but has since been

discontinued.







NDC 0591-3365-10

Primo-Depot[™]

Methenolone Enanthate 100

For I.M. use only

Rx Only 🕕

Formula : C₂₇H₄₂O₃ Anabolic Activity : 88% Molecular Mass : 414.6 g/mol

Androgenic Activity: 44%

Active Half-Life : 5-6 Days

Dosage: 300-400mg per week

Description: Methenolone Enanthate is a moderate anabolic but very low androgenic steroid that is incredibly versatile. It is often stacked with other (typically stronger) steroids in order to obtain a faster and more enhanced effect. Primobolan Depot will be suitable during both cutting cycles and bulk cycles; in both cases it will be responsible for the faster recovery and growth of lean and dense muscle mass.



10ml Multi Dose Vial

NDC 0591-3364-37

Testomix

Testosterone Propionate 30 mg/ml
Testosterone Phenylpropionate 60 mg/ml
Testosterone Isocaproate 60 mg/ml
Testosterone Decanoate 100 mg/ml



For I.M. use only

Rx Only 👊

Active Half-Life: 7-8 Days Anabolic Activity: 100% Androgenic Activity: 100% Dosage: 300-1500mg per week

Description: All forms of testosterone are responsible for promoting health and well-being through enhanced libido, energy, immunity, increased fat loss, gaining and maintaining muscle mass, preventing Osteoporosis (loss of bone density), and possible protection against heart disease. It combines excellently with many other compounds both oral and injectable as part of a potent stack.







NDC 0591-3156-64

Bulkmass

Testoterone Enanthate 100 mg Nandrolone Decanoate 200 mg Trenbolone Enanthate 200 mg



For I.M. use only

Rx Only (III

Formula: C₇₆H₄₁O₃₁ C₇₈H₄₄O₃₁ C₇₅H₃₄O₃ Molecular Mass: 400.59 g/mol, 428.6472 g/mol, 382.54 g/mol

Active Half-Life: 8-10 Days Dosage: 400-600mg per week

Description: Bulkmass for extreme gain of muscles in bulk. Bulkmass is not recommended for the beginners.



10ml Multi Dose Vial

NDC 0591-3052-33

Cutmix

Testoterone Propionate 50 mg Trenbolone Acetate 50 mg Drostanolone Propionate 50 mg

Rx Only (III

For I.M. use only

Formula: $C_{22}H_{32}O_{3}$, $C_{20}H_{24}O_{3}$, $C_{20}H_{32}O_{2}$

Molecular Mass: 344.49 g/mol, 312.4 g/mol, 304.47 g/mol

Active Half-Life: 2-3 Days

Dosage: 150-600mg per week

Description: Cutmix is a blend of trenbolone acetate 50 mg, testosterone propionate 50 mg and drostanolone propionate 50 mg injection. It is a unique mixure of trenbolone, testosterone and drostanolone to loss of body weight and getting impeccably ripped.







NDC 0591-3345-22

Bulkonan

Testoterone Cypionate 200 mg Boldenone Undecylenate 150 mg Nandrolone Decanoate 150 mg For I.M. use only



Formula: C₂₇H₄₀O₃, C₃₀H₄₄O₃, C₂₈H₄₄O₃ Molecular Mass: 412.6 g/mol, 452.67 g/mol, 428.6472 g/mol Active Half-Life: 15-16 Days Dosage: 300-500 mg per week, 400-1200mg per week, 500-700mg per week Description: Bulkonan is a blend of three drugs, which makes this product a great complex to gain the bulk. It is Suitable to both beginners and professionals.









NDC 0591-3044-46

Stanabol™

Stanozolol 10



Androgenic Activity: 30%

Formula: C₂₁H₃₂N₂O Anabolic Activity: 320% Molecular Mass: 328.49 g/mol

Active Half-Life: 7-8 Hours

Dosage: 300-600mg per week

Description: stanozolol is a man-made steroid, similar to the a naturally occurring steroid testosterone. stanozolol is used in the treatment of hereditary angioedema, which causes episodes of swelling of the face, extremities, genitals, bowel wall, and throat. stanozolol may decrease the frequency and severity of these attacks.



100 Tablets

NDC 0591-3472-78

Briclean™

Clenbuterol Hydrochloride 40 mcg



Formula: C₁₂H₁₈Cl₂N₂O Active Half-Life: 4-5 Hours Molecular Mass: 277.19 g/mol Dosage: 40-60 mcg per Day

Description: Clenbuterol hydrochloride is a hydrochloride that is the monohydrochloride salt of clenbuterol. It has a role as a bronchodilator agent, a beta-adrenergic agonist and a sympathomimetic agent. It contains a clenbuterol(1+). A substituted phenylaminoethanol that has beta-2 adrenomimetic properties at very low doses.







NDC 0591-0142-56

Daindon

Methandienone



Rx Only (III

Formula: C₂₀H₂₈O₂ Anabolic Activity: 200% Molecular Mass: 300.44 g/mol

Androgenic Activity: 50%

Active Half-Life: 6-7 Hours

Dosage: 20-40 mg per Day

Description: Methandienone has the effect of decreasing the steroid's affinity for sex hormone binding globulin. As a result, methandrostenolone is significantly more active than an equivalent quantity of testosterone, resulting in rapid growth of muscle tissue. However, the concomitant elevation in estrogen levels – a result of the aromatization of methandrostenolone – results in significant water retention. Hence, do not forget to perform blood works and use an aromatase inhibitor. In summary, this is a very good drug, and a potent tool for quick gains or retaining gains when used properly and safely.



100 Tablets

NDC 0591-7866-73

Xyanadrol[™] Oxymetholone Rxonly (III)

Formula: C₂₁H₃₂O₃ Anabolic Activity: 320% Molecular Mass: 332.48 g/mol

Active Half-Life: 14 Hours

Androgenic Activity: 45%

Dosage: 50-100mg per day

Description: Oxymetholone is a synthetic anabolic steroid used in the treatment of osteoporosis, anaemia, and as an agent to stimulate muscle growth in malnourished or underdeveloped patients. Anabolic-androgenic steroids (AAS), such as oxymetholone, have been abused by bodybuilders and athletes.







Anaoxan

Oxandrolone Rx Only (III)

Formula: C₁₉H₃₀O₃ Anabolic Activity: 400%

Molecular Mass: 306.44 g/mol

Androgenic Activity: 25% Dosage: 50-100mg per day

NDC 0591-5687-21

Active Half-Life: 8-10 Hours

Description: Oxandrolone is an oral 17-alpha-alkylated steroid, modification of dihydrotestosterone. It was firstly synthesized for the treatment of debilitated HIV-infected patients, for persons with Turner syndrome, anaemia, for bones strengthening and recovery from burns. Oxandrolone does not yield to aromatization and is not estrogenic itself. This drug is beloved by athletes, who prepares for competition in strength and endurance sports, where lean muscle without water and fat are needed. Oxandrolone cycle won't help athletes gain colossal muscle volumes; however, it is a perfect compound for getting rid of fat and giving the body a more relief look. Despite the fact that anavar is 17-alpha-alkylated, it causes gentle toxic impact on the liver. Researches have shown that taking oxandrolone at 20 mg per day for twelve weeks did not cause statistically important raise in AST and ALT. So, oxandrolone side effects show very rare, though oxandrolone results are also not significant. It is probably the mildest and safest oral steroid available today for sale, hence, it is perfect for the first acquaintance with anabolic steroids.



100 Tablets

NDC 0591-3314-65

Anazole™

Anastrozole Rx Only (III)



Formula: C₁₇H₁₉N₅

Molecular Mass: 293.37 g/mol

Active Half-Life: 40-50 Hours

Description: Anastrozole is in a class of medications called nonsteroidal aromatase inhibitors. It works by decreasing the amount of estrogen the body makes. This can slow or stop the growth of many types of breast cancer cells that need estrogen to grow.







NDC 0592-2553-01

Proveron Mesterolone

Formula: C₂₀H₃₂O₂ Molecular Mass: 304.47 g/mol

Active Half-Life: 12-13 Hours

Description: Mesterolone is a synthetic anabolic-androgenic steroid (AAS) and derivative of dihydrotestosterone (DHT). It is inactivated by 3 -hydroxysteroid dehydrogenase in skeleta muscules so it is considered a weak androgen. It is not a substrate for aromatase so it is not converted into estrogen.



100 Tablets

NDC 0592-2359-20

Turnibol™

4-Chlorodehydromethyltestosterone 10



Rx Only (II

Formula: C₂₀H₂₇ClO₂ Molecular Mass: 334.88 g/mol

Active Half-Life: 16 Hours

Description: 4-Chlorodehydromethyltestosterone, sold under the brand name Turinabol, is an anabolic steroid developed in the 1960s, a highly competitive time for the Olympics and national level sports, the East German experts were looking for effective steroids that would circumvent these sports' drug testing policies.







NDC 0592-2256-73

Clometyl™

Clomiphene Citrate

Formula: C₂₆H₂₈CINO

Molecular Mass: 405.96 g/mol

Active Half-Life: 5-6 Days

Description: Clomiphene is used to induce ovulation (egg production) in women who do not produce ova (eggs) but wish to become pregnant (infertility). Clomiphene is in a class of medications called ovulatory stimulants. It works similarly to estrogen, a female hormone that causes eggs to develop in the ovaries and be released.



100 Tablets

NDC 0592-2165-95

Camofen Tamoxifen Citrate 16

Formula: C₂₆H₂₉NO Molecular Mass: 371.51 g/mol

Active Half-Life: 5-7 Days

Description: Tamoxifen Citrate is used to treat certain types of breast cancer in women and men, to prevent invasive breast cancer in women who have had ductal carcinoma in situ (abnormal cells in the ducts of the breast), and to prevent breast cancer in women who are at a high risk of developing the disease.









For enquiry : **∞** info@british-pharma.com

