

Table of Contents

Heading level coverage (IO-2173 core repro)	2
H2 Vanilla Heading	2
H3 Vanilla Heading	2
H4 Vanilla Heading	2
Heading levels with apostrophe (QA-6516)	3
It's an H2 Heading	3
Don't Reuse Passwords (H3)	3
You're Vulnerable (H4)	3
Heading levels with leading period (IO-1848)	4
.H2 Section	4
.H3 Subsection	4
.H4 Detail	4
Heading levels with decimal (IO-2019 regression guard)	5
1.0 H2 Major Section	5
1.1 H3 Subsection	5
1.1.1 H4 Detail	5
Nested heading hierarchy	6
Introduction (H2)	6
Background (H3)	6
Prior Work (H4)	6
Scope (H3)	6
Findings Summary (H2)	6
Critical Findings (H3)	6
Medium Findings (H3)	6

Overview — heading-level coverage

v4 — explicit coverage of every heading level named in IO-2173 / QA-6516.

Each section below contains user-authored headings at h2, h3, h4, h5, h6 with content between them. If *any* of these are unclickable in the exported PDF's TOC, IO-2173 is still not resolved.

The original ticket (Matt Crowe, 2025-05-21): *"export of the report does not create clickable links in the table of contents for most of the headers."*

Heading level coverage (IO-2173 core repro)

Each heading below should appear in the printed TOC and link to its anchor.

H2 Vanilla Heading

Standard h2. Expected slug: `h2-vanilla-heading`.

H3 Vanilla Heading

QA-6516 core: h3 must appear and link. Expected slug: `h3-vanilla-heading`.

H4 Vanilla Heading

QA-6516 says h4 worked before. Expected slug: `h4-vanilla-heading`.

H5 Vanilla Heading

Nik Cop's comment: h5 has same problem. Expected slug: `h5-vanilla-heading`.

H6 Vanilla Heading

Sanity completeness. Expected slug: `h6-vanilla-heading`.

Heading levels with apostrophe (QA-6516)

QA-6516 calls out apostrophe in headings. Test apostrophe at every named level.

It's an H2 Heading

Expected slug: its-an-h2-heading.

Don't Reuse Passwords (H3)

Expected slug: dont-reuse-passwords-h3.

You're Vulnerable (H4)

Expected slug: youre-vulnerable-h4.

Doesn't Validate (H5)

Expected slug: doesnt-validate-h5.

Heading levels with leading period (IO-1848)

Leading-period variants at multiple heading levels.

.H2 Section

Expected slug: `.h2-section`.

.H3 Subsection

Expected slug: `.h3-subsection`.

.H4 Detail

Expected slug: `.h4-detail`.

Heading levels with decimal (IO-2019 regression guard)

Decimal variants at multiple heading levels — IO-2019 regression guard.

1.0 H2 Major Section

Expected slug: 1.0-h2-major-section.

1.1 H3 Subsection

Expected slug: 1.1-h3-subsection.

1.1.1 H4 Detail

Expected slug: 1.1.1-h4-detail.

1.1.1.1 H5 Deep Detail

Expected slug: 1.1.1.1-h5-deep-detail.

Nested heading hierarchy

Realistic nested structure as a customer would author.

Introduction (H2)

Some intro text.

Background (H3)

Context paragraph.

Prior Work (H4)

Reference paragraph.

Scope (H3)

Scope paragraph.

Findings Summary (H2)

Summary paragraph.

Critical Findings (H3)

Critical list.

Medium Findings (H3)

Medium list.

