

Jong Park CS 312 – System Architecture HW 3 April 22, 2019

## 1. VM Windows 10 install



## 2. VM CentOS install



3. List the folder path where all user directories are stored in CentOS7, Windows 10, and macOS High Sierra (you can use our three reference VMs to get these paths, for example). (6 points: 2 for each)

CentOS: /home/\$USERNAME
Windows: C:\Users\\$USERNAME
MacOS: /users/\$USERNAME

# 4. What does the name of the Linux folder /usr mean? Is USR an abbreviation for something?

USR stands for Unix System Resources. It contains the largest share of data on system. This is the most important directories in the system as it contains all the user binaries, their documentations, libraries, header files and etc. [1]

# 5. Explain, in your own words, the difference between the Linux directories /bin, /usr/bin, /sbin, and /usr/sbin. Name a common program located in each. (6 points)

/bin:

Standard binaries needed for basic shell operations of the OS. Used by both root and non-root users.[2]

examples: cat, ls, echo, bash, kill, ps, mv, rm, ping

#### /usr/bin:

Standard binaries not needed for booting or repairing the system beyond the basic binaries used in operation of shell, located in /bin. [3]

examples: awk, clear, diff, gcc, tail, find, free, sudo

#### /sbin:

Superuser binaries, basic binaries in order for basic shell operation of the OS but only can be used in root level. [4]

examples: mkfs, reboot, fsck, fdisk, grub, halt, ifconfig

## /usr/sbin:

This folder contains non-vital utilities used for administrating a system. It also contains daemons to be run in the background by some programs. [5] examples: chroot, useradd, pppconfig, groupadd, crond

6. On either the reference CentOS VM, or the one you created above, install the Lynx CLI web browser. Using it, browse to www.slashdot.org, then take a screenshot of some part of that page and attach it with your submission. (6 points)

Shown on next page.

#### Reference:

- 1. https://www.tldp.org/LDP/Linux-Filesystem-Hierarchy/html/usr.html
- 2. http://www.linfo.org/bin.html
- 3. http://www.linfo.org/usr bin.html
- 4. <a href="http://www.linfo.org/sbin.html">http://www.linfo.org/sbin.html</a>
- 5. http://www.linfo.org/usr\_sbin.html

<ul> <li>CentOS_CLI_Reference_Dist (Snapshot 3) [Running] - Oracle VM VirtualBox</li> </ul>									
File Machine View Input Devices Help									
# Slashdot: News for nerds, stuff th #alternate  News for nerds, stuff that matters Search Slashdot Slash									
Slashdot									
* Stories									
* + Firehose   + All   + Popular   * Polls   * Deals									
Submit									
Search Slashdot									
(BUTTON)  * Login  * or  * Sign up									
press space for more, use arrow keys to move, '?' for he									
Arrow keys: Up and Down to move. Right to follow a link; H)elp O)ptions P)rint G)o M)ain screen Q)uit /=search [del									
	🗗 🤌 🗀 🖲 🖶 🥨 🚫 🕓 Right Ctrl								

0			Cer	ntOS_CL	I_Reference	_Dist (Sn	apshot	3) [Rui	nning] -	Oracle	VM Virt	ualBox		♥ (	× ×
File	Machine	View	Input	Devices	Help										
#Ш	Nicknar	me:			Slash	dot: N	ews fo	or ne	erds,	stuff	` that	matte	ers (	p3 of	27)
	Passwoi														
			T												
	[ ] Pul	DIIC	leri	ninai											
	Log In	For	got i	jour p	assword	?									
	Close														
	binspar	ndup	enoti	thebes	tofftop	icslow	newsda	austa	alestu	pid					
	freshf	unny	insi	ghtful	interes	tingma	ybe								
	offtop	icf l	ameba	aittro	llredun	dantov	errate	ed							
	insight	tful	inter	restir	nginform	ativef	սոոցա	nderi	rated						
	descri	ptiv	е												
	typoduj														
CNO	RMAL L	INK)	Use	right	-arrow	or <re< td=""><td>turn&gt;</td><td>to a</td><td>activa</td><td>te.</td><td></td><td></td><td></td><td></td><td></td></re<>	turn>	to a	activa	te.					
A	rrow ke	eys:	Up a	and Do	own to m	ove.	Right	to f	ollow	ı a li					
H)	elp O)	ptio	ns P	)rint	G)o M)a	in scr	een Q	)uit	/=sea	rch	delet	e]=his	story	list	
										<b>9</b>	<ul><li></li></ul>		<del></del>	Right	Ctrl