훈련생 평가 답안

소스코드 - (1)

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>레이아웃</title>
  <style>
    .wrap {
      width: 1200px;
      display:flex;
    /* header */
    .header {
      width: 200px;
      height: 858px;
      background: #3992b5;
    }
    /* contents = slide + banner + notice */
    /* contents 너비 */
    .contents{
      width: 1000px;
    }
    /* header와 contents 가로 배치 */
    .section {
      display:flex;
    }
    /* slide */
    .slide{
      height: 400px;
      background:rgb(110, 110, 174);
      margin:0 0 4px 4px;
    }
    /* banner */
    .banner{
      height: 200px;
      background:pink;
      margin:0 0 4px 4px;
```

훈련생 평가 답안

소스코드 - (2)

```
}
/* notice */
.notice{
  display:flex;
}
.n1{
  width: 500px;
  height: 250px;
  background: #ac7373;
  margin-left: 4px;
  margin-bottom: 4px;
}
.n2{
  width: 500px;
  height: 250px;
  background: #ac7373;
  margin:0 0 4px 4px;
}
/* footer */
.footer{
  display:flex;
  width: 1200px;
  height: 100px;
  background: #ffffff;
  color:#eee
}
.f1{
  width: 200px;
  height: 100px;
  background: rgb(49, 87, 49);
  margin-right: 4px;
}
.f2{
  width: 800px;
  height: 100px;
  background: rgb(49, 87, 49);
  margin-right: 4px;
}
```

훈련생 평가 답안

소스코드 - ③

```
.f3{
       width: 200px;
       height: 100px;
       background: rgb(49, 87, 49);
    }
    </style>
</head>
<body>
  <div class="wrap">
    <div class="section">
       <div class="header">header</div>
         <div class="contents">
           <div class="slide">slide</div>
           <div class="banner">banner</div>
           <div class="notice">
              <div class="n1">n1</div>
              <div class="n2">n2</div>
           </div>
         </div>
    </div>
  </div>
  <div class="footer">
    <div class="f1">f1</div>
    <div class="f2">f2</div>
    <div class="f3">f3</div>
  </div>
</body>
</html>
```

훈련생 평가 답안 웹브라우저 실행 결과

