

1. 슬라이딩 드로어(Sliding Drawer)



xml 코드

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:orientation="vertical">

    <TextView
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:background="#43C1C1"
        android:text="서랍 밖" />

    <SlidingDrawer
        android:id="@+id/slidingDrawer"
        android:layout_width="match_parent"
        android:layout_height="match_parent"
        android:content="@+id/content"
        android:handle="@+id/handle">

        <Button
            android:id="@+id/handle"
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:text="손잡이" />

        <LinearLayout
            android:id="@+id/content"
            android:layout_width="match_parent"
            android:layout_height="match_parent"
            android:background="#E69393"
            android:orientation="vertical">

            <TextView
                android:layout_width="match_parent"
                android:layout_height="wrap_content"
```

```

android:text="서랍 안"
android:textSize="20sp" />
</LinearLayout>
</SlidingDrawer>
</LinearLayout>

```

java 코드

```

package com.cookandroid.week11_assignment1;

import androidx.appcompat.app.AppCompatActivity;


import android.os.Bundle;

public class MainActivity extends AppCompatActivity {

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);
    }
}

```

2. 뷰플리퍼 (ViewFliper)



xml 코드

```

<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:orientation="vertical">

    <LinearLayout
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:background="#FFFFFF"
        android:orientation="horizontal">

        <Button
            android:id="@+id/btnPrevious"

```

```

android:layout_width="wrap_content"
android:layout_height="wrap_content"
android:layout_weight="1"
android:text="이전 화면" />

<Button
android:id="@+id/btnNext"
android:layout_width="wrap_content"
android:layout_height="wrap_content"
android:layout_weight="1"
android:text="다음 화면" />

</LinearLayout>

<ViewFlipper
android:id="@+id/viewFlipper"
android:layout_width="match_parent"
android:layout_height="match_parent"
android:layout_weight="1" >

<LinearLayout
android:layout_width="match_parent"
android:layout_height="match_parent"
android:background="#F44336"
android:orientation="horizontal"></LinearLayout>

<LinearLayout
android:layout_width="match_parent"
android:layout_height="match_parent"
android:background="#E91E63"
android:orientation="horizontal"></LinearLayout>

<LinearLayout
android:layout_width="match_parent"
android:layout_height="match_parent"
android:background="#673AB7"
android:orientation="horizontal"></LinearLayout>
</ViewFlipper>
</LinearLayout>

```

java 코드

```

package com.cookandroid.week11_assignment2;

import androidx.appcompat.app.AppCompatActivity;

import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.ViewFlipper;

public class MainActivity extends AppCompatActivity {
    Button btnPre, btnNext;
    ViewFlipper viewFlipper;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);

        btnNext = (Button) findViewById(R.id.btnNext);
        btnPre = (Button) findViewById(R.id.btnPrevious);
        viewFlipper = (ViewFlipper) findViewById(R.id.viewFlipper);

        btnPre.setOnClickListener(new View.OnClickListener() {

```

```

@Override
public void onClick(View view) {
    viewFlipper.showPrevious();
}
});

btnNext.setOnClickListener(new View.OnClickListener() {
@Override
public void onClick(View view) {
    viewFlipper.showNext();
}
});
}
}
}

```

3. 탭호스트 (TabHost)



xml 코드

```

<?xml version="1.0" encoding="utf-8"?>
<TabHost xmlns:android="http://schemas.android.com/apk/res/android"
    android:id="@android:id/tabhost"
    android:layout_width="match_parent"
    android:layout_height="match_parent">

    <LinearLayout
        android:layout_width="match_parent"
        android:layout_height="match_parent"
        android:orientation="vertical">

        <TabWidget
            android:id="@android:id/tabs"
            android:layout_width="match_parent"
            android:layout_height="wrap_content" />

        <FrameLayout
            android:id="@android:id/tabcontent"
            android:layout_width="match_parent"
            android:layout_height="match_parent">

            <LinearLayout
                android:id="@+id/tabSong"

```

```

android:layout_width="match_parent"
android:layout_height="match_parent"
android:background="#ff0000"
android:orientation="vertical">
</LinearLayout>

<LinearLayout
android:id="@+id/tabArtist"
android:layout_width="match_parent"
android:layout_height="match_parent"
android:background="#00ff00"
android:orientation="vertical">
</LinearLayout>

<LinearLayout
android:id="@+id/tabAlbum"
android:layout_width="match_parent"
android:layout_height="match_parent"
android:background="#0000ff"
android:orientation="vertical">
</LinearLayout>

</FrameLayout>
</LinearLayout>
</TabHost>

```

java 코드

```

package com.cookandroid.week11_assignment3;

import android.app.TabActivity;
import android.os.Bundle;
import android.widget.TabHost;
import android.widget.TabHost.TabSpec;

@SuppressWarnings("deprecation")
public class MainActivity extends TabActivity {

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);

        TabHost tabHost = getTabHost();

        TabSpec tabSpecSong = tabHost.newTabSpec("SONG").setIndicator("음악별");
        tabSpecSong.setContent(R.id.tabSong);
        tabHost.addTab(tabSpecSong);


        TabSpec tabSpecArtist = tabHost.newTabSpec("ARTIST").setIndicator("가수별");
        tabSpecArtist.setContent(R.id.tabArtist);
        tabHost.addTab(tabSpecArtist);

        TabSpec tabSpecAlbum = tabHost.newTabSpec("ALBUM").setIndicator("앨범별");
        tabSpecAlbum.setContent(R.id.tabAlbum);
        tabHost.addTab(tabSpecAlbum);

        tabHost.setCurrentTab(0);
    }
}

```

4. 웹뷰 (WebView)



xml 코드

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:orientation="vertical">

    <LinearLayout
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:orientation="horizontal">

        <EditText
            android:id="@+id/edtUrl"
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:layout_weight="1"
            android:ems="10"
            android:hint="URL을 입력하세요"
            android:inputType="text"
            android:singleLine="true" />

        <Button
            android:id="@+id/btnGo"
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:text="이동" />

        <Button
            android:id="@+id/btnBack"
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:text="이전" />
    </LinearLayout>

    <WebView
        android:id="@+id/webView1"
        android:layout_width="match_parent"
        android:layout_height="match_parent" />
```

</LinearLayout>

java 코드

```
package com.cookandroid.week11;

import androidx.appcompat.app.AppCompatActivity;

import android.os.Bundle;
import android.view.View;
import android.webkit.WebResourceRequest;
import android.webkit.WebSettings;
import android.webkit.WebView;
import android.webkit.WebViewClient;
import android.widget.Button;
import android.widget.EditText;
import android.widget.ViewFlipper;

public class MainActivity extends AppCompatActivity {
    EditText edtUrl;
    Button btnGo, btnBack;
    WebView web;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.main4);

        edtUrl = (EditText) findViewById(R.id.edtUrl);
        btnGo = (Button) findViewById(R.id.btnGo);
        btnBack = (Button) findViewById(R.id.btnBack);
        web = (WebView) findViewById(R.id.webView1);

        web.setWebViewClient(new CookWebViewClient());

        WebSettings webSet = web.getSettings();
        webSet.setBuiltInZoomControls(true);
        webSet.setJavaScriptEnabled(true);
        btnGo.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View view) {
                web.loadUrl(edtUrl.getText().toString());
            }
        });

        btnBack.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View view) {
                web.goBack();
            }
        });

        class CookWebViewClient extends WebViewClient {
            @Override
            public boolean shouldOverrideUrlLoading(WebView view, WebResourceRequest request) {
                return super.shouldOverrideUrlLoading(view, request);
            }
        }
    }
}
```