ARK
ELEVATORS

ELEVATING PEOPLE. CONNECTING SPACES.

HOME LIFTS · PASSENGER LIFTS · COMPACT LIFTS

Built for Every *Level of Life*

+91 78890 88890 | +91 88821 43594 | INFO@ARKELEVATORS.IN

DESIGN-LED ELEVATORS

The Architect's Choice

Our Mission

Welcome to Ark Elevators, where we are dedicated to **elevating the standard of vertical mobility across India**. Our mission is to deliver **safe, reliable, and innovative** elevator solutions tailored to the unique needs of our diverse communities.

Built on a foundation of precision engineering and rigorous safety standards, Ark Elevators ensures a smooth and secure experience in every building, from residential complexes to commercial spaces. We pride ourselves on our **robust maintenance network**, providing prompt and reliable support to keep your vertical transportation running at its best.

Our Vision

To be the **foremost pioneers in vertical mobility**, reshaping India's future skyline with intelligent elevators where **uncompromising safety and exquisite architecture** move forward together, redefining the very essence of vertical living.

Our Values

Inspired by our mission and vision, our core values prioritize **uncompromising safety** for every passenger, **intelligent design** that enhances architecture, and **dedicated support** that builds trust with every client we serve across India.

One Partner, Every Stage

Site survey, model recommendation, installation, testing and maintenance, all handled by one ARK team.

Because every floor deserves a safe, beautiful ride.

Safe for Every Generation

Vision & Ark Rise

HOME ELEVATORS

Range at a Glance

MODEL	BEST FOR
Vision 360	Round cabin that becomes a design feature; 150 mm pit, up to G+3
Vision Cube	Square cabin for tight indoor spaces; 1050 × 1050 mm footprint
Vision Cube Plus	Larger, more premium square cabin; up to G+5, no pit
Ark Rise	New or existing homes; no pit, no headroom, indoor or outdoor
Ark Rise Infinity	Ark Rise with premium cabin materials and personalised panels

Key Differentiators

- Every home model runs on normal single-phase household power
- Vision lifts are self-supporting, so no civil shaft is needed
- Ark Rise needs no pit and no headroom, for minimal civil work
- Rope, belt and hydraulic drives, chosen to suit your site
- Compliant with Machinery Directive 2006/42/EC (Ark Rise)

Tailored For

Villas, independent homes, duplexes, triplexes and existing houses up to G+5.

Not sure which model fits?

Share your floors and space, and we will recommend the right lift after a free site survey. **+91 78890 88890 / +91 88821 43594**

VISION SERIES · CIRCULAR

Vision 360

A round cabin with a powder-coated metal frame, for a modern look and corrosion resistance.

STRUCTURE
SELF-SUPPORTING

DRIVE
HYDRAULIC

RATED LOAD
250 KG

FLOORS
UP TO G+3

SPEED
0.25 – 0.50 M/S

POWER
SINGLE PHASE

EXTERNAL Ø
1050 MM

PIT
150 MM

**Entrance 600 mm · cabin Ø 850 mm · headroom 2850 mm*

VISION SERIES · SQUARE

Vision Cube

A square cabin with clean lines and a powder-coated metal frame, made for tight indoor spaces.

STRUCTURE
SELF-SUPPORTING

DRIVE
HYDRAULIC

RATED LOAD
250 KG

FLOORS
UP TO G+3

SPEED
0.25 – 0.50 M/S

POWER
SINGLE PHASE

EXTERNAL
1050 × 1050 MM

PIT
150 MM

**Entrance 600 mm · cabin 850 × 850 mm · headroom 2850 mm*

VISION SERIES · NEW

Vision Cube Plus

A slightly larger, more premium version of the square Vision Cube, with more floors and no pit.

STRUCTURE
SELF-SUPPORTING

DRIVE
ROPE / BELT

RATED LOAD
300 – 408 KG

FLOORS
UP TO G+5

SPEED
0.25 – 0.75 M/S

POWER
SINGLE PHASE

ENVIRONMENT
INDOOR

PIT
NOT REQUIRED

**Full data sheet available on request*

ARK RISE SERIES · PITLESS

Ark Rise

The easy way to add a lift to your home. No deep pit, no headroom, and it runs on normal single-phase household power.

SHAFT
CIVIL (RCC)

DRIVE
ROPE / BELT

RATED LOAD
300 – 408 KG

FLOORS
UP TO G+4

SPEED
0.25 – 0.75 M/S

POWER
SINGLE PHASE

ENVIRONMENT
INDOOR / OUTDOOR

PIT
NOT REQUIRED

**Compliant with Machinery Directive 2006/42/EC*

ARK RISE SERIES · CUSTOMISABLE

Ark Rise Infinity

Everything Ark Rise offers, with premium cabin materials, ambient lighting and personalised control panels chosen to match your home.

SHAFT
CIVIL (RCC)

DRIVE
ROPE / BELT

RATED LOAD
300 – 408 KG

FLOORS
UP TO G+4

SPEED
0.25 – 0.75 M/S

POWER
SINGLE PHASE

ENVIRONMENT
INDOOR / OUTDOOR

PIT
NOT REQUIRED

**Fully customisable cabin and landing doors*

HOME ELEVATORS

Model Comparison

MODEL	SHAFT	DRIVE	SPEED	LOAD	FLOORS	PIT
Vision 360	Self-supporting	Hydraulic	0.25–0.50 m/s	250 kg	G+3	150 mm
Vision Cube	Self-supporting	Hydraulic	0.25–0.50 m/s	250 kg	G+3	150 mm
Vision Cube Plus	Self-supporting	Rope / Belt	0.25–0.75 m/s	300–408 kg	G+5	No pit
Ark Rise	Civil (RCC)	Rope / Belt	0.25–0.75 m/s	300–408 kg	G+4	No pit
Ark Rise Infinity	Civil (RCC)	Rope / Belt	0.25–0.75 m/s	300–408 kg	G+4	No pit

All home models run on single-phase power.

Vision Dimensions

DIMENSION	VISION 360	VISION CUBE
External size	1050 mm diameter	1050 × 1050 mm
Internal cabin	850 mm diameter	850 × 850 mm
Internal cabin height	2010 mm	2010 mm
Entrance width	600 mm	600 mm
Minimum headroom	2850 mm	2850 mm
Pit required	150 mm	150 mm

Model Types & Finish

STANDARD

Ark Rise · Vision

Clean, modern cabins with powder-coated metal frames and steel finishes.

INFINITY

Ark Rise Infinity · Ark Z1 Infinity

Premium cabin interiors, lighting, flooring and personalised control panels.

VISION CUBE

Upgrade your life with style and safety



SPACE EFFICIENT
1050 × 1050 mm footprint fits beside a staircase

FULLY CUSTOMISABLE
Frame colour and cabin finishes to suit your interiors

150 MM PIT
No deep pit or civil shaft needed

SELF-SUPPORTING
Powder-coated metal frame, resists corrosion

BUILT TO STANDARD
CE-marked safety components, ISO 9001:2015

SINGLE PHASE
Runs on normal household power

Illustration is a schematic representation for brochure use.

FOR BUILDERS & DEVELOPERS

Built for Builders

Ark Z1 Series

Built for high-rise performance, with stable, efficient and vibration-free travel.

- Machine-room-less (MRL) design
- 2 drive options: rope drive and belt drive
- Rated speed 0.75 to 1.5 m/s
- 6 to 18 passenger capacity
- Up to G+11 stops
- Three-phase power · 5 ft pit · 15 ft headroom

Tailored for apartments, offices, showrooms, hospitals and commercial buildings.

PASSENGER LIFTS

Range at a Glance

MODEL	BEST FOR
Ark Z1	Mid- to high-rise buildings; rope or belt drive, 6–18 passengers, up to G+11
Ark Z1 Infinity	Ark Z1 performance with a fully customised premium cabin

SPECIFICATION	ARK Z1 / ARK Z1 INFINITY
Operating system	Rope drive / belt drive
Rated speed	0.75 – 1.5 m/s
Capacity	6 – 18 passengers
Number of stops	Up to G+11
Power supply	Three phase
Pit requirement	5 ft
Headroom	15 ft, clearance for the traction system
Shaft	Civil (RCC) shaft

Key Differentiators

- Machine-room-less design saves space on the roof
- Rope and belt-drive options on both models
- Highest capacity in the ARK range, up to 18 passengers
- Infinity cabins with premium interiors, lighting and flooring

Tailored For

Apartment complexes, commercial offices, showrooms, hospitals, hotels and public buildings up to G+11.

Features & Technology

Drive Technology

ARK lifts use three proven drive systems. We recommend the one that best suits your building after the site survey.



Rope Drive

Proven traction. Smooth and reliable.



Belt Drive

Quieter operation. Low maintenance.



Hydraulic

Smooth, quiet and safe. Minimal infrastructure.

Machine-Room-Less

- Ark Z1 needs no machine room on the roof
- Saves space and civil cost in new buildings
- Rope or belt traction up to 1.5 m/s

Pitless Design

- Ark Rise needs no pit and no headroom
- Ideal for adding a lift to an existing home
- Indoor and outdoor installation

Self-Supporting Structure

- Vision lifts stand on their own frame
- No civil shaft, just a 150 mm pit
- Simple turnkey installation

Power Ready

- Ark Rise and Vision run on single-phase power
- No special electrical connection at home
- Ark Z1 runs on three-phase power

Smart Controls & Comfort



- **Colour display** with floor and direction indicator
- **Feather-touch buttons** on a full-height operating panel
- **Voice announcer** and floor arrival gong
- **Automatic rescue** to the nearest floor on power failure
- **Emergency light, alarm and intercom** inside the cabin
- **Designer ceiling** with LED spots and blower
- **Gentle, quiet rides** and easy controls for children and elders

Durable Materials

- Powder-coated metal frames resist corrosion
- Cabins stay clear and bright
- SS hairline and glass finishes

Universal & Inclusive Design

- Easy controls for every generation
- Smooth levelling at every floor
- Door sensors for safe entry and exit

Infinity Cabin Finishes


CHAMPAGNE GOLD

MARBLE FINISH

WOOD PANELS

WOOD & STEEL

Safety

Philosophy

Every ARK elevator is engineered with passenger safety as the first design criterion, not an afterthought. Built to protect across all conditions: normal operation, power failure and emergency.

Safety Features

FEATURE	DESCRIPTION
Automatic Rescue Device (ARD)	Moves the cabin to the nearest floor during a power failure
Door Interlock System	Mechanical and electrical interlocks keep landing doors shut unless the cabin is present
Door Sensor	Prevents the doors closing on a person or object
Overspeed Governor	Triggers the safety gear if the cabin exceeds rated speed
Safety Gear	Brings the cabin to a controlled stop
Terminal Limit Switches	Upper and lower terminal and final limit switches
Emergency Lighting	Illuminates the cabin during power outages
Alarm & Intercom	Instant communication from inside the cabin

Certifications

BUREAU OF INDIAN STANDARDS

IS 14665 & IS 17900

Indian standards for lifts and lift safety.

SAFETY & MANUFACTURING

CE + ISO 9001:2015

CE-marked safety components and quality-assured manufacturing.

EUROPEAN COMPLIANCE

2006/42/EC

Machinery Directive for machinery safety.

Before Your First Ride

- Structural fit of shaft, pit and headroom
- Drive and guide rail alignment
- Rated load test
- Emergency functions
- Speed and levelling check at every floor
- Doors, controls and indicators
- Electrical connections and power supply
- User walkthrough and handover

Installation

What ARK Handles

- Site survey and General Arrangement (GA) drawings
- Complete supply: structure, cabin, drive and controls
- Installation by trained ARK technicians
- Testing, commissioning and handover

What the Customer Provides

- Civil shaft for Ark Z1 and Ark Rise as per GA drawing
- Power supply up to the controller with MCB and earthing
- Secure, dry storage space near the shaft
- Scaffolding and unloading of material at site

Space Requirements

MODEL	SHAFT	PIT	HEADROOM
Vision 360	Self-supporting · 1050 mm diameter	150 mm	2850 mm
Vision Cube	Self-supporting · 1050 × 1050 mm	150 mm	2850 mm
Vision Cube Plus	Self-supporting	Not required	As per survey
Ark Rise / Infinity	Civil (RCC) shaft	Not required	Not required
Ark Z1 / Infinity	Civil (RCC) shaft	5 ft	15 ft

1 : Site survey

- Floor plan measured
- Power point confirmed
- GA drawing approved

2 : Shaft & structure

- Shaft or frame ready
- Landing door frames set
- Guide rails aligned

3 : Install cabin



- Drive unit fitted
- Cabin installed
- Panel and controls wired

4 : Handover

- Load test done
- Safety checks complete
- User walkthrough

Civil works, electrical supply, storage space and statutory approvals are the client's responsibility.
Installation supervised end to end by ARK Elevators trained technicians.

Warranty & Sales

Warranty Coverage

- **1-year warranty** from the date of handover, covering repair or replacement of defective parts
- **4 free preventive maintenance services** during the warranty year
- In-warranty service by ARK's own trained technicians

Warranty Does Not Cover

- Damage due to misuse, power fluctuation or mishandling
- Consumables such as lights and batteries
- Unauthorised modifications or service by non-ARK personnel

Annual Maintenance Contract (AMC)

A lift's journey begins with installation. Our AMC plans protect your investment and keep your lift running at its best after the warranty year.

PLAN	COVERAGE
Standard AMC	Scheduled preventive maintenance, inspection, lubrication and safety checks
Comprehensive AMC	All Standard services plus repair and replacement of parts, with priority breakdown support

How to Buy

1. Enquire
Call, WhatsApp or email with your floors and space.

2. Free survey
We check shaft, pit, headroom and power at your site.

3. Quotation
A clear, itemised quote for the right model and finishes.

4. Order
Drawings and finishes approved, then supply and installation.

Final warranty, AMC and payment terms are as per the quotation issued for your project.

ARK ELEVATORS

Elevating India's Skyline

Support & Contact

One ARK team supports your lift from the first site visit to every service call after handover.

OUR OFFICE

ADDRESS	Unicity Business Park, Zirakpur–Shimla Highway, Zirakpur, Punjab 140603
CALL	+91 78890 88890 +91 88821 43594
WHATSAPP	+91 78890 88890
EMAIL	info@arkelevators.in

AFTER-SALES SUPPORT

Preventive Maintenance

Scheduled checks that keep your lift safe and running smoothly.

Breakdown Support

Prompt response from our trained technicians when you need it.

Upgrades & Repairs

Genuine parts, repairs and cabin upgrades for your ARK lift.

FREQUENTLY ASKED

Before You Call

What is the difference between the three series?

Ark Z1 lifts are high-capacity traction lifts for mid- to high-rise buildings. Ark Rise lifts are home lifts with no pit or headroom. Vision lifts are compact, self-supporting turnkey lifts for tight indoor spaces.

Which lifts run on single-phase power?

The Ark Rise series and the Vision series run on single-phase power. The Ark Z1 series needs three-phase power.

What does "Infinity" mean?

Infinity models add premium cabin interiors, lighting, flooring and personalised control panels to the standard model.

Rope or belt drive – which is better?

Both give smooth, efficient travel. We recommend the drive that best suits your building after the site survey.

Is every lift tested before handover?

Yes. Every installation is load- and function-tested on site before we hand it over.

How much space does a Vision lift need?

Vision 360 has a 1050 mm external diameter and Vision Cube a 1050 × 1050 mm footprint, with just a 150 mm pit.

Can Ark Rise be installed outdoors?

Yes. Ark Rise is designed for both indoor and outdoor installation, with no pit or headroom needed.

Can I get copies of the certificates?

Yes. Contact us and we will share the documents for your chosen model.

FOR A QUICK QUOTE, SHARE

- Building type
- Number of floors
- Space available
- Power supply

ARK ELEVATORS

ELEVATING PEOPLE. CONNECTING SPACES.

Planning a lift? Let's talk.

FREE SITE SURVEY & MODEL RECOMMENDATION

+91 78890 88890 | +91 88821 43594 | INFO@ARKELEVATORS.IN
UNICITY BUSINESS PARK, ZIRAKPUR–SHIMLA HIGHWAY, ZIRAKPUR 140603